PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶:
 C12N 15/29, C07K 14/415, C12N 5/04, 5/14, A01H 5/00, C12N 15/10, 15/82

(11) International Publication Number:

WO 99/19492

(43) International Publication Date:

22 April 1999 (22.04.99)

(21) International Application Number:

PCT/EP98/06977

A2

(22) International Filing Date:

9 October 1998 (09.10.98)

(30) Priority Data:

PO 9745

10 October 1997 (10.10.97) AU

(71) Applicant (for all designated States except US):
RHONE-POULENC AGRO [FR/FR]; 14/20, rue Pierre
Baizet, F-69009 Lyon (FR).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): DOUTRIAUX, Marie-Pascale [FR/FR]; 64, route de Villebon, F-91160 Saulx les Chartreux (FR). BETZNER, Andreas, Stefan [AU/AU]; 40 Dallachy Place, Page, ACT 2614 (AU). FREYSSINET, Georges [FR/FR]; 21, rue de Nervieux, F-69450 Saint Cyr au Mont d'Or (FR). PEREZ, Pascal [FR/FR]; 17, chemin de la Pradelle, Varennes, F-63450 Chanonat (FR).
- (74) Agent: GENIN, Patrick; Rhône-Poulenc Agro, DPI, 14/20, rue Pierre Baizet, F-69009 Lyon (FR).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

Without international search report and to be republished upon receipt of that report.

- (54) Title: METHODS FOR OBTAINING PLANT VARIETIES
- (57) Abstract

An isolated and purified DNA molecule comprising a polynucleotide sequence encoding a polypeptide functionally involved in the DNA mismatch repair system of a plant.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	ΙE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		
DK	Denmark	LK	Sri Lanka	SE	Sweden	•	

10

Methods for Obtaining Plant Varieties

TECHNICAL FIELD

The present invention relates to nucleotide sequences which encode polypeptides involved in the DNA mismatch repair systems of plants, and to the polypeptides encoded 5 by those nucleotide sequences. The invention also relates to nucleotide sequences and polypeptide sequences for use in altering the DNA mismatch repair system in plants. The invention also relates to a process for altering the DNA mismatch repair system of a plant cell, to a process for increasing genetic variations in plants and to processes for obtaining plants having a desired characteristic.

BACKGROUND OF THE INVENTION

Plant breeding essentially relies on and makes use of genetic variation which occurs naturally within and between members of a family, a genus, a species or a subspecies. Another source of genetic variation is the introduction of genes from other organisms which may or may not be related to the host plant.

Allelic loci or non-allelic genes which constitute or contribute to desired quantitative (e.g. growth performance, yield, etc.) or qualitative (e.g. deposition, content and composition of seed storage products; pathogen resistance genes: etc.) traits that are absent, incomplete or inefficient in a species or subspecies of interest are typically introduced by the plant breeder from other species or subspecies, or *de novo*. This introduction is often done by crossing, provided that the species to be crossed are sexually compatible. Other means of introducing genomes, individual chromosomes or genes into plant cells or plants are well known in the art. They include cell fusion, chemically aided transfection (Schocher et al., 1986, Biotechnology 4: 1093) and ballistic (McCabe et al., 1988, Biotechnology 6: 923), microinjection (Neuhaus et al., 1987, TAG 75: 30), electroporation of protoplasts (Chupeau et al., 1989, Biotechnology 7: 53) or microbial transformation methods such as Agrobacterium mediated transformation (Horsch et al., 1985, Science 227: 1229; Hiei et al., 1996, Biotechnology 14: 745).

However, when a foreign genome, chromosome or gene is introduced into a plant, it will often segregate in subsequent generations from the genome of the recipient plant or plant cell during mitotic and meiotic cell divisions and, in consequence, become lost from the host plant or plant cell into which it had been introduced. Occasionally, however, the introduced genome, chromosome or gene physically combines entirely or in part with the genome, chromosome or gene of the host plant or plant cell in a process which is called recombination.

Recombination involves the exchange of covalent linkages between DNA molecules in regions of identical or similar sequence. It is referred to here as homologous recombination if donor and recipient DNA are identical or nearly identical (at least 99%).

hase sequence identity), and as homeologous recombination if donor and recipient DNA are not identical but are similar (less than 99% base sequence identity).

The ability of two genomes, chromosomes or genes to recombine is known to depend largely on the evolutionary relation between them and thus on the degree of sequence similarity between the two DNA molecules. Whereas homologous recombination is frequently observed during mitosis and meiosis, homeologous recombination is rarely or never seen.

From a breeder's perspective, the limits within which homologous recombination occurs, therefore, define a genetic barrier between species, varieties or lines, in contrast to homeologous recombination which can break this barrier. Homeologous recombination is thus of great importance for plant breeding. Accordingly there is a need for a process for enhancing the frequency of homeologous recombination in plants. In particular, there is a need for a process of increasing homeologous recombination to significantly shorten the length of breeding programs by reducing the number of crosses required to obtain an otherwise rare recombination event.

At least in Escherichia coli, homologous and homeologous recombination are known to share a common pathway that requires among others the proteins RecA, RecB, RecC. RecD and makes use of the SOS induced RuvA and RuvB, respectively. It has been suggested that mating induced recombination follows the Double-Strand Break Repair 20 model (Szostak et al., 1983, Cell 33, 25-35), which is widely used to describe genetic recombination in eukaryotes. Following the alignment of homologous or homeologous DNA double helices the RecA protein mediates an exchange of a single DNA strand from the donor helix to the aligned recipient DNA helix. The incoming strand screens the recipient helix for sequence complementarity, seeking to form a heteroduplex by hydrogen 25 bonding the complementary strand. The displaced homologous or homeologous strand of the recipient helix is guided into the donor helix where it base pairs with its counterpart strand to form a second heteroduplex. The resulting branch point then migrates along the aligned chromosomes thereby elongating and thus stabilising the initial heteroduplexes. Single stranded gaps (if present) are closed by DNA synthesis. The strand cross overs 30 (Holliday junction) are eventually resolved enzymatically to yield the recombination products.

Although in wild type E. coli homologous and homeologous recombination are thus mechanistically similar if not identical, homologous recombination in conjugational crosses E. coli x E. coli occurs five orders of magnitude more frequently than homeologous recombination in conjugational crosses E. coli x S. typhimurium (Matic et al. 1995; Cell 80, 507-515). The imbalance in favour of homologous recombination was shown to be caused largely by the bacterial MisMatch Repair (MMR) system since its

inactivation increased the frequency of homeologous recombination in E. coli up to 1000 fold (Rayssiguier et al. 1989, Nature 342, 396-401).

In E. coli. the MMR system (reviewed by Modrich 1991, Annual Rev Genetics 25, 229-253) is composed of only three proteins known as MutS, MutL and MutH. MutS recognizes and binds to base pair mismatches. MutL then forms a stable complex with mismatch bound MutS. This protein complex now activates the MutH intrinsic single stranded endonuclease which nicks the strand containing the misplaced base and thereby prepares the template for DNA repair enzymes.

During recombination, MMR components inhibit homeologous recombination. In vitro experiments demonstrated that MutS in complex with MutL binds to mismatches at the recombination branch point and physically blocks RecA mediated strand exchange and heteroduplex formation (Worth et al., 1994; PNAS 91, 3238-3241). Interestingly, the SOS dependent RuvAB mediated branch migration is insensitive to MutS/MutL, explaining the observed slight increase in SOS dependent homeologous recombination.

15 Homeologous mating even induces the SOS response, thereby taking advantage of RuvAB induction (Matic et al. 1995, Cell 80, 507-515).

The MMR system thus appears to be a genetic guardian over genome stability in E. coli. In this role it essentially determines the extent to which genetic isolation, that is, speciation, occurs. The diminished sensitivity of the SOS system to MMR, however, allows (within limits) for rapid genomic changes at times of stress, providing the means for fast adaptation to altered environmental conditions and thus contributing to intraspecies genetic variation and species evolution.

The important role of MMR in preserving genomic integrity has been established also in certain eukaryotes. In its efficiency, the human MMR, for example, may even counteract potential gene therapy tools such as triple-helix forming oligonucleotides including RNA-DNA hybrid molecules (Havre et al., 1993, J. Virology 67: 7234-7331; Wang et al., 1995, Mol. Cell. Biol. 15: 1759-1768; Kotani et al., 1996, Mol. Gen. Genetics 250: 626-634; Cole-Strauss et al., 1996, Science 273: 1387-1389). Such oligonucleotides are designed to introduce single base changes into selected DNA target sequences in order to inactivate for example cancer genes or to restore their normal function. The resulting base mismatches however are recognised by the mismatch repair system which then directs removal of the mismatched base, thereby reducing the efficiency of oligonucleotide induced site-specific mutagenesis.

To date, two families of related genes, homologous to the bacterial MutS and MutL genes have been identified or isolated in yeast and mammals (recent reviews by Arnheim and Shibata, 1997, Curr. Opinion Genet. Dev. 7, 364-370; Modrich and Lahue, 1996, Annual Rev. Biochem. 65, 101-133; Umar and Kunkel, 1996, Eur. J. Biochem. 238, 297-307). Biochemical and genetic analysis indicated that eukaryotic MutS homologs (MSH)

25

and MutL homologs (MLH. PMS), respectively, fulfil similar protein functions as their bacterial counterparts. Their relative abundance, however, could reflect different mismatch specificity and/or specialisation for different tissues or organelles or developmental processes such as mitotic versus meiotic recombination.

To date, six different genes homologous to *MutS* have been isolated in yeast (yMSH), and their homologs have been found in mouse (mMSH) and human (hMSH), respectively. Encoded proteins yMSH2, yMSH3 and yMSH6 appear to be the main MutS homologs involved in MMR during mitosis and meiosis in yeast, where the complementary proteins MSH3 and MSH6 alternatively associate with MSH2 to recognise different mismatch substrates (Masischky et al., 1996, Genes Dev. 10, 407-420). Similar protein interactions have been demonstrated for the human homologs hMSH2, hMSH3 and hMSH6 (Acharya et al., 1996, PNAS 93, 13629-13634).

MutL homologs (MLH and PMS), recently reviewed by Modrich and Lahue (1996, Annual Rev. Biochem. 65, 101-133) have so far been found in yeast (yMLH1 and yPMS1), mouse (mPMS2) and human (hMLH1, hPMS1 and hPMS2). The hPMS2 is a member of a family of at least 7 genes (Horii et al., 1994, Biochem. Biophys. Res. Commun. 204, 1257-1264) and its gene product is most closely related to yPMS1. Prolla et al. (1994, Science 265, 1091-1093) presented evidence for yPMS1 and yMLH1 to physically associate with each other and, together, to interact with the MutS homolog yMSH2 to form a ternary complex involved in mismatch substrate binding.

However, while medical interest in mismatch repair has prompted extensive research on MMR in bacteria, yeast and mammals, MMR genes have not been isolated from higher plants prior to the present invention and no attempts to adjust the plant MMR to plant breeding needs have been reported.

SUMMARY OF THE INVENTION

According to a first embodiment of the invention, there is provided an isolated and purified DNA molecule comprising a polynucleotide sequence encoding a polypeptide functionally involved in the DNA mismatch repair system of a plant. In one form of this embodiment, the invention provides an isolated and purified DNA molecule comprising a polynucleotide sequence encoding a polypeptide which is homologous to a mismatch repair polypeptide of a yeast or of a human. More particularly, the invention provides polynucleotide sequences encoding polypeptides which are homologous to the mismatch repair polypeptides MSH3 and MSH6 of Saccharomyces cerevisiae. Still more particularly, the invention provides the coding sequences of the genes AtMSH3 and AtMSH6 of Arabidopsis thaliana. as defined hereinbelow, and polynucleotide sequences encoding polypeptides which are homologous to polypeptides encoded by AtMSH3 and AtMSH6.

According to a second embodiment of the invention, there is provided an isolated and purified polypeptide functionally involved in the DNA mismatch repair system of a plant, for example a polypeptide which is homologous to a mismatch repair polypeptide of a yeast or of a human such as a polypeptide encoded by the genes AtMSH3 or AtMSH6 of Arabidopsis thaliana, as defined hereinbelow.

According to a third embodiment of the invention, there is provided an isolated and purified DNA molecule comprising a polynucleotide sequence selected from the group consisting of (i) a sequence encoding a polynucleotide which is capable of interfering with the expression of a plant polynucleotide sequence encoding a polypeptide which is homologous to a mismatch repair polypeptide of a yeast or of a human and thereby disabling said plant polynucleotide sequence; and (ii) a sequence encoding a polypeptide capable of disrupting the DNA mismatch repair system of a plant.

According to a fourth embodiment of the invention there is provided a chimeric gene comprising a DNA sequence selected from the group consisting of (i) a sequence encoding a polynucleotide which is capable of interfering with the expression of a plant polynucleotide sequence encoding a polypeptide which is homologous to a mismatch repair polypeptide of a yeast or of a human and thereby disabling said plant polynucleotide sequence, and (ii) a sequence encoding a polypeptide capable of disrupting the DNA mismatch repair system of a plant: together with at least one regulation element capable of functioning in a plant cell. Examples of such regulation elements include constitutive, inducible, tissue type specific and cell type specific promoters such as 35S, NOS, PR1a, AoPR1 and DMC1. Typically, a chimeric gene of the fourth embodiment will also include at least one terminator sequence, more typically exactly one terminator sequence.

In the third and fourth embodiments, said interference, by said polynucleotide sequence, with the expression of a plant polynucleotide sequence encoding a polypeptide which is homologous to a mismatch repair peptide of a yeast or a human typically occurs by hybridisation or by co-suppression.

According to a fifth embodiment of the invention there is provided a plasmid or vector comprising a chimeric gene of the fourth embodiment. A vector of the fifth 30 embodiment may be, for example, a viral vector or a bacterial vector.

According to a sixth embodiment of the invention, there is provided a plant cell stably transformed, transfected or electroporated with a plasmid or vector of the fifth embodiment.

According to seventh embodiment of the invention, there is provided a plant 35 comprising a cell of the sixth embodiment.

According to an eighth embodiment of the invention, there is provided a process for at least partially inactivating a DNA mismatch repair system of a plant cell, comprising

transforming or transfecting said plant cell with a DNA sequence of the third embodiment or a chimeric gene of the fourth embodiment or a plasmid or vector of the fifth embodiment, and causing said DNA sequence to express said polynucleotide or said polypeptide.

According to a ninth embodiment of the invention, there is provided a process for increasing genetic variation in a plant comprising obtaining a hybrid plant from a first plant and a second plant, or cells thereof, said first and second plants being genetically different; altering the mismatch repair system in said hybrid plant; permitting said hybrid plant to self-fertilise and produce offspring plants; and screening said offspring plants for plants in which homeologous recombination has occurred. For example, homeologous recombination may be evidenced by new genetic linkage of a desired characteristic trait or of a gene which contributes to a desired characteristic trait.

According to a tenth embodiment of the invention there is provided a process for obtaining a plant having a desired characteristic, comprising altering the mismatch repair system in a plant, cell or plurality of cells of a plant which does not have said desired characteristic, permitting mutations to persist in said cells to produce mutated plant cells, deriving plants from said mutated plant cells, and screening said plants for a plant having said desired characteristic.

In a preferred form of the ninth and tenth embodiments of the invention, the step of altering the mismatch repair system comprises introducing into said hybrid plant, plant, cell or cells a chimeric gene of the fourth embodiment and permitting the chimeric gene to express a polynucleotide which is capable of interfering with the expression of a plant polynucleotide sequence in a mismatch repair gene of the hybrid plant, plant, cell or cells, or a polypeptide capable of disrupting the DNA mismatch repair system of the hybrid plant or cells.

In other embodiments, the invention provides (a) an oligonucleotide capable of hybridising at 45°C under standard PCR conditions to a DNA molecule of the first embodiment; (b) an oligonucleotide capable of hybridising at 45°C under standard PCR conditions to the DNA of SEQ ID NO: 18 and (c) an oligonucleotide capable of hybridising at 45°C under standard PCR conditions to the DNA of SEQ ID NO:30; with the proviso that the oligonucleotide of (a), (b) and (c) is other than SEQ ID NO:1 or SEQ ID NO:2.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 provides a diagrammatic representation of the primer sequences used to 35 isolate AtMSH3.

Figure 2 is a plasmid map of clone 52, showing restriction enzyme cleavage sites in the 5' half of the full-length cDNA for AtMSH3.

Figure 3 is a plasmid map of clone 13, showing restriction enzyme cleavage sites in the 3' half of the full-length cDNA for AtMSH3.

Figure 4 is a sequence listing of the coding sequence of AtMSH3, together with a deduced sequence of the encoded polypeptide.

Figure 5 is a protein alignment of yeast (Saccharomyces cerevisiae) and Arabidopsis thaliana MSH3 protein.

Figure 6 provides a diagrammatic representation of the primer sequences used to isolate AtMSH6.

Figure 7 is a plasmid map of clone 43, showing restriction enzyme cleavage sites in the 5' half of the full-length cDNA for *AtMSH6*.

Figure 8 is a plasmid map of clone 62, showing restriction enzyme cleavage sites in the 3' half of the full-length cDNA for AtMSH6.

Figure 9 is a sequence listing of the coding sequence of AtMSH6, together with a deduced sequence of the encoded polypeptide.

Figure 10 is a protein alignment of yeast (Saccharomyces cerevisiae) and Arabidopsis thaliana MSH6 protein.

Figure 11 is a genomic sequence listing of AtMSH6.

Figure 12 is a plasmid map of plasmid pPF13.

Figure 13 is a plasmid map of plasmid pPF14.

Figure 14 is a plasmid map of plasmid pCW186.

Figure 15 is a plasmid map of plasmid pCW187.

Figure 16 is a plasmid map of plasmid pPF66.

Figure 17 is a plasmid map of plasmid pPF57.

Figure 18 is a diagrammatic representation of an antisense gene construction for use in homeologous meiotic recombination.

Figure 19 is a plasmid map of plasmid p3243.

DETAILED DESCRIPTION OF THE INVENTION

The present invention is based on the inventors' discovery that there exist in higher plants genes which are homologous to MMR genes in E. coli, and to MMR genes in yeasts and humans.

Thus, the inventors have identified genes, herein designated AtMSH3 and AtMSH6, of the plant Arabidopsis thaliana which encode the proteins AtMSH3 and AtMSH6. These plant proteins are homologous to yMSH3 and yMSH6, respectively. The present inventors have isolated cDNAs encoding the proteins AtMSH3 and AtMSH6 and have isolated the complete gene encoding AtMSH6. Given the teaching herein, other genes (for example AtMSH2, and genes of other plants) may be obtained which are involved in DNA mismatch repair in plants, including other genes which encode polypeptides homologous to MMR proteins of yeasts or humans, such as genes which encode

polypeptides homologous to yeast MSH2, MLH1 or PMS2, or to human MLH1. PMS1 or PMS2. For example, given the teaching herein, genes of members of the Brassicaceae family or of other unrelated families, for example the Poaceae, the Solanaceae, the Asteraceae, the Malvaceae, the Fabaceae, the Linaceae, the Canabinaceae, the Dauaceae and the Cucurbitaceae family, and which encode polypeptides homologous to MMR proteins of yeasts or humans may be obtained.

Examples of plants whose genes encoding polypeptides homologous to MMR proteins of yeasts or humans may be obtained given the teaching herein include maize, wheat, oats, barley, rice, tomato, potato, tobacco, capsicum, sunflower, lettuce, artichoke, safflower, cotton, okra, beans of many kinds including soybean, peas, melon, squash, cucumber, oilseed rape, broccoli, cauliflower, cabbage, flax, hemp, hops and carrot.

Within the meaning of the present invention, a first polypeptide is defined as homologous to a second polypeptide if the amino acid sequence of the first polypeptide exhibits a similarity of at least 50% on the polypeptide level to the amino acid sequence of the second polypeptide.

A procedure which may be followed to obtain genes AtMSH3 and AtMSH6 is described in Example 1. Essentially the same technique may be applied to obtain other mismatch repair genes of Arabidopsis thaliana, and essentially the same technique as 20 exemplified herein may be applied to cDNA obtained by reverse transcription of RNA from other plants. Alternatively, given the sequence information disclosed herein, other degenerate oligonucleotide primers, especially oligonucleotides of the invention which are capable of hybridising at 45°C under standard PCR conditions (such as the conditions described in Example 1 using primers UPMU and DOMU) to AtMSH3 and/or AtMSH6 25 may be designed and obtained for use in isolating sequences of plant mismatch repair genes which are homologous to AtMSH3 or AtMSH6, from other plants. Similarly, oligonucleotides of the invention which are capable of hybridising at 45°C under standard PCR conditions to plant mismatch repair genes of plants other than Arabidopsis thaliana also fall within the scope of the present invention and may be utilised to obtain mismatch Typically, such oligonucleotides are capable of 30 repair genes of still other plants. hybridising at 45°C under standard PCR conditions to a DNA molecule which encodes a polypeptide which is homologous to a mismatch repair polypeptide of a yeast or a human. The temperature at which oligonucleotides of the invention hybridise to AtMSH3 and/or AtMSH6, or to plant mismatch repair genes of plants other than Arabidopsis thaliana, or 35 to DNA molecules which encode polypeptides which are homologous to a mismatch repair polypeptide of a yeast or a human may be higher than 45°C, for example at least 50°C, or at least 55°C, or at least 60°C or as high as 65°C.

The successful gene isolation disclosed herein demonstrates for the first time the existence of MMR in higher plants and indicates the presence of other plant MMR genes. For example, genes encoding the plant homologs of MSH1. MSH2. MSH4, MSH5, PMS1, PMS2 and MLH1 may be identified given the teaching herein. Such genes, as well as those specifically described herein, separately or in combination, are useful in manipulating the plant MMR for plant breeding purposes. Thus, for example, the plant MMR may be altered by including in a plant cell a polynucleotide sequence as defined herein above with reference to the third embodiment of the invention, and causing the polynucleotide sequence to express either a polynucleotide which disables a plant MMR gene, or a polypeptide which disrupts the plant's MMR system.

The DNA molecule of the third embodiment of the invention includes a polynucleotide sequence (herein referred to as a MMR altering gene) which may for example encode sense, antisense or ribozyme molecules characterised by sufficient base sequence similarity or complementarity to the gene to be altered to permit the antisense or 15 ribozyme molecule to hybridise with the plant MMR gene in vivo or to permit the sense molecule to participate in co-suppression. Alternatively, the MMR altering gene may encode a protein or proteins which interfere with the activity of a plant MMR protein and thus disrupt the plant's MMR system. For example, such encoded proteins may be antibodies or other proteins capable of interfering with MMR protein function, such as by 20 complexing with a protein functionally involved in plant MMR thereby disrupting the MMR of the plant. An example of such a protein is the MSH3 protein of Arabidopsis thaliana described herein or a protein of another plant which is homologous to the MSH3 protein of A. thaliana. For instance, overexpression of MSH3 in a plant cell causes MSH2 present in the cell to be substantially completely complexed, disrupting the 25 mismatch repair mechanism or mechanisms in the cell which are functionally dependent on the presence of a complex of MSH2 with MSH6. Similarly, mismatch repair mechanisms which depend on the presence of a complex of MSH2 and MSH3 may be disrupted by the overexpression of MSH6.

A chimeric gene of the fourth embodiment, incorporating a MMR altering gene, may be prepared by methods which are known in the art. Similarly, the MMR altering gene may be introduced into a plant cell, regenerating tissue or whole plant by techniques known in the art as being suitable for plant transformation, or by crossing. Known transformation techniques include Agrobacterium tumefaciens or A. rhizogenes mediated gene transfer, ballistic and chemical methods, and electroporation of protoplasts.

The MMR altering gene or genes are typically expressed from suitable promoters. Suitable promoters may direct constitutive expression, such as the 35S or the NOS promoter. Usually, however, the promoter will direct either inducible or tissue specific (e.g. callus; embryonic tissue; etc.), cell type specific (e.g. protoplasts; meiocytes; etc.) or developmental (e.g. embryo) expression of the altering gene or genes, in order for the

MMR system to function in tissue types or cell types, or at developmental stages of the plant, in which it is not desirable for the MMR system to be altered. Using such promoters, therefore, the activity of a MMR altering gene may be limited to a specific stage during plant development or it may be altered by controlling conditions external to the plant, and the deleterious effects of a permanently disabled or altered DNA mismatch repair system in a plant may be avoided. Examples of suitable promoters which are not constitutive are known in the art and include inducible promoters such as PR1a (reviewed by Gatz, 1997, Annual Rev. Plant Phys. Plant Mol. Biol. 48: 89), tissue specific promoters such as AoPR1 (Sabahattin et al., 1993, Biotechnology 11: 218), and cell-type specific promoters such as DMC1.

A chimeric gene in accordance with the invention may further be physically linked to one or more selection markers such as genes which confer phenotypic traits such as herbicide resistance, antibiotic resistance or disease resistance, or which confer some other recognisable trait such as male sterility, male fertility, grain size, colour, growth rate, flowering time, ripening time, etc.

The process of the tenth embodiment of the invention provides, for example, a process for generating intraspecies genetic variation by altering the mismatch repair system in a plant cell, in regenerating plant tissue or in a whole plant. The plant cell, regenerating tissue or whole plant includes and expresses one or more MMR altering 20 genes which are capable of altering mismatch repair in the plant cell, regenerating tissue or whole plant. Alteration of MMR may be achieved, for example, by inactivating the genes encoding plant MSH3 and/or plant MSH6. It is preferred to inactivate the plant MSH3 and MSH6 encoding genes at the same time and in the same plant cell, regenerating tissue or whole plant. Typically in this preferred form of the invention 25 inactivation of either plant MSH3 or MSH6 alone is insufficient to substantially alter the plant's mismatch repair system and only when both MSH3 and MSH6 are inactivated simultaneously is the plant's mismatch repair system sufficiently altered to prevent the MMR system from recognising base pair mismatches, base insertions or deletions as a result of DNA replication errors, DNA damage, or oligonucleotide induced site-specific 30 mutagenesis. However, in some applications of the invention, inactivation of only one gene may also be used to cause genomic instability or increase the efficiency of sitespecific mutagenesis.

If desired, the MMR altering gene or genes may later be rendered non-functional or ineffective, or may be removed from the genome of the plant cell, regenerating tissue or whole plant in order to restore mismatch repair in the plant cell, regenerating tissue or whole plant. The MMR altering gene or genes may be inactivated by means of known gene inactivation tools, such as ribozymes, or may be removed from the genome using gene elimination systems known in the art, such as CRE/LOX. It is preferred to render two genes, whose gene products combine to incapacitate MMR, ineffective by separating

the altering genes through segregation. Therefore, in a preferred embodiment of the invention a first plant cell or plant is generated in which only plant MSH3 is incapacitated, and a second plant cell or plant is generated in which only plant MSH6 is incapacitated. The combination of both genomes, for example by crossing, then produces significant MMR deficiency in those cells or plants which have inherited both altering genes. If the altering genes are expressed from unlinked loci, gene segregation restores MMR activity in the progeny of the cells or plants.

In a process of the ninth embodiment of this invention, homeologous recombination is enhanced between different genomes, chromosomes or genes in plant cells or plants by altering MMR in said plant cells or plants. Such genomes, chromosomes or genes are characterised in that they originate from different plant families, genera, species, subspecies, plant varieties or lines. Hybrid plant cells or hybrid plants may be produced by crossing, by cell fusion or by other techniques known in the art. These plant cells or plants are further characterised by expressing one or more genes that are capable of altering mismatch repair in the plant cell or plants.

In the process of the ninth embodiment, the homeologous recombination is typically for the purpose of introducing a desired characteristic in the hybrid plant. In this typical application of the process of the ninth embodiment, and in the process of the tenth embodiment the desired characteristic may be any characteristic which is of value to the plant breeder. Examples of such characteristics are well known in the art and include altered composition or quality of leaf or seed derived storage products (e.g. oil, starch, protein), altered composition or quality of cell walls (e.g. decrease in lignin content), altered growth rate, prolonged flowering, increased plant yield or grain yield, altered plant morphology, resistence to pathogens, tolerance to or improved performance under environmental stresses of various kinds, etc.

In a preferred form of the tenth embodiment, an MMR altering gene is cointroduced along with the homeologous genome, chromosome or gene of another plant
cell or plant into an MMR proficient plant cell or MMR proficient plant to produce a
hybrid plant cell or hybrid plant in which homeologous recombination can occur.

Suitably, the MMR proficient plant cell or MMR proficient plant may also include an
MMR altering gene. For example a gene capable of inactivating plant MSH3 may be cointroduced along with the homeologous genome, chromosome or gene of another plant
cell or plant into an MMR proficient plant cell or MMR proficient plant in which MSH6
is inactivated. A resultant hybrid plant in which homeologous recombination occurs will
include both the MSH3 and MSH6 altering genes and its MMR system will therefore be
inactivated.

In this form of the invention, if hybrid plants are to be produced by crossing, the MMR altering gene preferably originates from the male parent, thus ensuring that the

MMR altering gene is always introduced and is not present in the recipient cell. That is, the MMR of the recipient cell, prior to introduction of the MMR altering gene, is typically proficient. Alternatively, if an MMR altering gene is present in a recipient cell it may be ineffective or inefficient on its own, or it may be linked to an inducible or tissue specific or cell type specific promoter which only renders the MMR altering gene active under limited conditions.

Thus, in a preferred form of the process of the ninth embodiment, the MMR system of the hybrid plant is initially unaltered. In this form of the process, the step of altering the mismatch repair system may comprise introducing into the hybrid plant, or cells thereof, a MMR altering gene, such as by Agrobacterium tumefaciens or A. rhizogenes mediated gene transfer, ballistic and chemical methods, and electroporation of protoplasts.

The MMR altering gene or genes are typically expressed from suitable promoters, as described above. Preferably, the promoter is transcriptionally active in mitotically and meiotically active tissue and/or cells to ensure MMR alteration after chromosome pairing at mitosis and meiosis, respectively. The preferred timing for MMR alteration is at meiosis, because recombinant genomes, chromosomes or genes are directly transmitted to the progeny. A suitable meiocyte specific promoter is for example the *DMC*1 promoter from *Arabidopsis thaliana* ssp. *Ler*. (Klimyuk and Jones, 1997, Plant J. 11, 1-14). However, mitotic homeologous recombination is also a desirable outcome as somatic recombination events can be transmitted to offspring due to the totipotency of plant cells and the lack of predetermined germ cells in plants.

If desired, the MMR altering gene or genes may later be rendered non-functional or ineffective, or may be removed from the hybrid plant or hybrid plant cells, in order to restore mismatch repair in the hybrid plant or hybrid plant cells. The MMR altering gene or genes may be inactivated by means of known gene inactivation tools as described herein above.

EXAMPLES

Example 1. Cloning of the AtMSH3 and AtMSH6 coding sequences

Isolation of partial AtMSH3 and AtMSH6 consensus sequences

30

Degenerate oligonucleotides UPMU (SEQ ID NO:1) and DOMU (SEQ ID NO:2)

UPMU CTGGATCCACIGGICCIAA(C/T)ATG

DOMU CTGGATCC(A/G)TA(A/G)TGIGTI(A/G)C(A/G)AA

were used to isolate AtMSH3 and AtMSH6 sequences by PCR amplification.

Primers UPMU and DOMU correspond to conserved amino acid sequences of the proteins MutS (E. coli and S. typhimurium), HexA (S. pneumoniae). Repl (mouse) and Ducl (human). The conserved regions to which they are targeted are TGPNM for UPMU (amino acid positions 852-856 for AtMSH6 and 816-820 for AtMSH3) FATHY or FVTHY

for DOMU (amino acid positions 964-968 for AtMSH6 and 928-932 for AtMSH3, respectively.) These primers have been used to isolate MSH2 and MSH1 from yeast (Reenan and Kolodner, Genetics 132: 963-973 (1992)) and MSH2 from *Xenopus* and mouse (Varlet et al., Nuc. Acids Res. 22:5723-5728 (1994)).

Template single strand cDNA was produced by reverse transcription of 2 µg total RNA from a cell suspension culture of Arabidopsis thaliana ecotype Columbia (Axelos et al. 1989, Mol. Gen. Genetics 219: 106-112). The PCR reaction was performed under the following conditions in a final volume of 100µl: 0.2mM dNTP, 1µM each primer, 1XPCR buffer, lu Taq DNA polymerase (Appligene) in the presence of template cDNA. PCR 10 parameters were 5 minutes at 94°C, followed by 30 cycles of 40 seconds at 95°C, 90 seconds at 45°C, 1 minute at 72°C. The amplification products were cloned into pGEM-T vector (Promega) and sequenced. Two different clones were isolated, S5 (350bp) was homologous to MSH3, S8 (327bp) was homologous to MSH6. Complete cDNA sequences were then isolated according to the Marathon cDNA amplification kit procedure (Clontech). 15 In summary, this procedure involves producing double stranded cDNA by reverse transcription of 2µg polyA+ RNA from the cell suspension culture of Arabidopsis. Adaptors are ligated on each side of the cDNA. The ligated cDNA is used as a template for 5' and 3' RACE PCR reactions in the presence of primers that are specific for the adaptor on one side (AP1 and AP2), and specific for the targeted gene on the other side. A 5' and a 3' 20 fragment that overlap are thus produced for each gene. The complete gene coding sequence can be reconstituted taking advantage of a unique restriction site, if available, in the overlapping region. Specific details of this procedure as it was used to isolate AtMSH3 and AtMSH6 coding regions, are as follows.

Isolation of AIMSH3 complete coding sequence

25

From the sequence of clone S5, primer 636 (SEQ ID NO:3) was designed:

636 TGCTAGTGCCTCTTGCAAGCTCAT.

Primer AP1 (SEQ ID NO:4) is complementary to a portion of an adaptor sequence which had been ligated to the 5' and 3' ends of *Arabidopsis* cDNA:

API CCATCCTAATACGACTCACTATAGGGC.

PCR performed on the ligated cDNA with primers 636 and AP1 for the 5' RACE PCR was followed by a second round of amplification with the nested primers AP2 (SEQ ID NO:5) and S525 (SEQ ID NO:6)

AP2 ACTCACTATAGGGCTCGAGCGGC

S525 AGGTTCTGATTATGTGTGACGCTTTACTTA

35 (the latter was also designed to correspond to a part of the sequence of clone S5) and produced a 2720bp DNA fragment. Figure 1 provides a diagrammatic representation of the primer sequences used to isolate AtMSH3. Another primer (S51, SEQ ID NO:7)

S51 GGATCGGGTACTGGGTTTTGAGTGTGAGG

was designed closer to the 5' border and permitted the determination of 99bp upstream to the ATG initiation codon. For the 3' RACE PCR, a first PCR reaction was performed with primers AP1 and 635 (SEQ ID NO:8).

635 GCACGTGCTTGATGGTGTTTTCAC

5 followed by a second round of amplification, using the nested primers AP2 and S523 (SEQ ID NO:9)

which produced a DNA fragment of 890bp. Both DNA fragments were subcloned into pGEM-T and sequenced. Since PCR amplification using the Expand Long Template PCR System (Boehringer-Mannheim) produced errors in the sequence, new oligonucleotides were designed to isolate those sequences again by PCR, but with the high fidelity DNA polymerase Pfu. PCR with primers 1S5 (SEQ ID NO:10) and S53 (SEQ ID NO:11)

- 1S5 ATCCCGGGATGGGCAAGCAAAAGCAGCAGACGA
- S53 GACAAAGAGCGAAATGAGGCCCCTTGG
- amplified the 1244bp fragment clone 52 (SEQ ID NO:12, cloned into pUC18/Sma1). PCR with primers S52 (SEQ ID NO:13) and 2S5 (SEQ ID NO:14)
 - 2S5 ATCCCGGGTCAAAATGAACAAGTTGGTTTTAGTC
 - S52 GCCACATCTGACTGTTCAAGCCCTCGC

amplified the 2104bp clone 13 (SEQ ID NO:15, cloned into pUC18/Sma1). The complete coding sequence of the AtMSH3 gene was reconstructed in pUC18 by ligating the 5' half of AtMSH3 (clone 52) to the 3' half of AtMSH3 (clone 13) after digesting with BamH1 which has a unique cleavage site in the overlapping region of both clones. This manipulation yielded plasmid pPF26. The Smal fragment from pPF26 contains the complete AtMSH3 coding sequence. The remaining primers referred to in Figure 1 are as follows:

- S51 GGATCGGGTACTGGGTTTTGAGTGTGAGG (SEQ ID NO:16)
- S525 AGGTTCTGATTATGTGTGACGCTTTACTTA (SEQ ID NO:17)

Figures 2 and 3 provide plasmid maps of clones 52 and 13 respectively, showing restriction enzyme cleavage sites. The complete AtMSH3 coding sequence (SEQ ID NO:18) 30 is 3246bp long and is shown in Figure 4 together with the deduced sequence (SEQ ID NO:19) of the encoded polypeptide. AtMSH3 is clearly homologous to the yeast and mouse MSH3 genes. A sequence alignment of polypeptides encoded by AtMSH3 and that encoded by Saccharomyces cerevisiae MSH3 is set out in Figure 5.

Isolation of the AtMSH6 complete coding sequence and genomic sequences

- The same procedure allowed isolation of the AtMSH6 cDNA. Figure 6 provides a diagrammatic representation of the primer sequences used to isolate AtMSH6. For the 5' RACE PCR, primers 638 (SEQ ID NO:20) and AP1 (SEQ ID NO:4)
 - 638 TCTCTACCAGGTGACGAAAAACCG
 allowed the amplification of a 2889 DNA fragment. Primer S81 (SEQ ID NO:21)

S81 CGTCGCCTTTAGCATCCCCTTCCTTCAC

helped define the 142bp upstream to the ATG initiation codon. On the 3° side, RACE PCR was initially performed with primers S823 (SEQ ID NO:22) and AP1 (SEQ ID NO:4),

S823 GCTTGGCGCATCTAATAGAATCATGACAGG

5 and then with the nested primers 637 (SEQ ID NO:23) and AP2 (SEQ ID NO:5).

637 GACAGCGTCAGTTCTTCAGAATGC

to produce a 774bp DNA fragment. As for *AtMSH3*, those fragments were cloned and sequenced. Re-isolation of the DNA sequence using the high fidelity *Pfu* polymerase and newly designed primers 1S8 (SEQ ID NO:24) and S83 (SEQ ID NO:25) (for the 5' side) led to a 2182 bp DNA fragment identified as clone 43 (SEQ ID NO:26, cloned in pUC18/Sma1), and a 1379bp clone identified as clone 62 (SEQ ID NO:27, also cloned in pUC18/Sma1).

1S8 ATCCCGGGATGCAGCGCCAGAGATCGATTTTGT

2S8 ATCCCGGGTTATTTGGGAACACAGTAAGAGGATT (SEQ ID

15 NO:28)

S82 GCGTTCGATCATCAGCCTCTGTGTTGC (SEQ ID NO:29)

S83 CGCTATCTATGGCTGCTTCGAATTGAG

Figures 7 and 8 provide plasmid maps of clones 43 and 62 respectively, showing restriction enzyme cleavage sites. Clones 43 and 62 were digested by the *Xmn*1 restriction enzyme for which a unique site is present in their overlapping region and then ligated. The complete *AtMSH6* coding sequence (SEQ ID NO:30) is 3330bp long and is shown in Figure 9 together with the deduced sequence (SEQ ID NO:31) of the encoded polypeptide. *AtMSH6* is clearly homologous to the yeast and mouse *MSH6*genes. A sequence alignment of polypeptides encoded by *AtMSH6* and that encoded by *Saccharomyces cerevisiae MSH6* is set out in Figure 10.

An AtMSH6 genomic sequence was also isolated from a genomic DNA library constituted after partial Sau3AI digestion of DNA from the Arabidopsis cell suspension. 8062bp were sequenced that covered the AtMSH6 gene and show colinearity with the cDNA. 16 introns are found scattered along the gene. The complete genomic sequence 30 (SEQ ID NO:98) is shown in Figure 11.

Example 2. A measure of somatic variation in MMR deficient plants

Constructs

Constructs with antisense AtMSH3 or antisense AtMSH6 or both AtMSH3/AtMSH6 under the control of a single 35S promoter have been inserted into the binary vector pPZP121 (Hajdukiewicz et al., Plant Mol. Biol. 23, 793-799) between the right and left borders of the T-DNA. The pPZP121 plasmid confers chloramphenicol resistance to Escherichia coli or Agrobacterium tumefaciens bacteria. The aacC1 gene is carried by the T-DNA and allows selection of transformed plant cells on gentamycin (Hajdukiewicz et al., Plant Mol. Biol. 25, 989-994). For the purpose of expressing antisense constructs. a 35S

promoter/terminator cassette with a polylinker was introduced into pPZP121. The 3' ends of the considered genes have been chosen since this region seems more efficient for antisense inhibition. For AtMSH3 this corresponds to clone 13 (2104bp), for AtMSH6 this corresponds to clone 62 (1379bp). Clone 13 comprises 2104bp of the 3' region that were cut off the pUC18 vector by Sal1/Sst1 restriction, blunted with T4 DNA polymerase and ligated into the T4 DNA polymerase blunted BamHI site of pPZP121/35S, creating clone pPF13. The same procedure was followed for the 3' region of AtMSH6 clone 62 (1379bp) thus creating plasmid pPF14. For the double constructs, the 3' region (from clone 62) of AtMSH6 was introduced ahead of the AtMSH3 region into pPF13 creating pCW186 and reciprocally, the 3' region of AtMSH3 (from clone 13) was introduced ahead of AtMSH6 into pPF14, creating pCW187.

These constructs were introduced into the Arabidopsis cells (as described below) of wildtype Columbia and of the Columbia tester line.

An alternative strategy to antisense inhibition of *AtMSH6* comes from experiments of Marra et al. (1998, Proc. Natl. Acad. Sci USA 95, 8568-8573) who show that overexpression of functional *MSH3* results in depletion of MSH6 protein in human cells. This depletion may generate a mismatch repair mutant phenotype.

For the purpose of overexpressing functional AtMSH3 protein in plant cells, the complete MSH3 coding region was excised from pPF26 (example 1) by digestion with 20 SmaI, and was inserted into the SmaI site of pCW164. The resulting construct was named pPF66. It contains a complete AtMSH3 gene under the control of the 35S promoter inside the left (LB) and right (RB) border of the T-DNA. This T-DNA also contains the hpt2 gene for gentamycin selection. Plasmid pPF66 was introduced into Arabidopsis cells as described below. One cell clone was selected which clearly overexpressed the AtMSH3 gene as shown by Northern analysis. Figures 12-16 provide plasmid maps of plasmids pPF13, pPF14, pCW186, pCW187 and pPF66, respectively.

Construction of tester construct

For the purpose of Forward Mutagenesis Assays, a tester construct was built containing the coding regions for nptII, codA, uidA. All three genes are driven by the 35S promoter and are terminated by the 35S terminator. This construct was obtained by introducing an EcoR1 fragment encoding the codA cassette (2.5kb) and a HindIII fragment encoding the uidA (GUS) cassette (2.4kb) into the pPZP111 vector (Hajdukiewicz et al.,1994, Plant Mol Biol 23: 793-799) which already contained the nptII expression cassette. This new plasmid was named pPF57. NptII is used to select for transformed plant cells. 35 GUS is used to analyse the degree of gene silencing in the construct (i.e. to identify cell lines in which the transgenes are expressed), and codA is used as a marker for forward mutagenesis (described below).

The plasmid map of pPF57 is provided in Figure 17.

Plant cell transformation

The constructs are introduced into Agrobacterium by electroporation. Plant cells are then transformed by co-cultivation. A suspension culture of Arabidopsis thaliana cells that 5 has been established by Axelos et al. (1992, Plant Physiol. Biochem. 30, 1-6) may be used. One day old freshly subcultured cells are diluted five times into AT medium (Gamborg B5 medium. 30g/l sucrose, 200µg/l NAA). 10µl of saturated Agrobacterium containing the transforming T-DNA constructs are added to 10ml diluted cells in a 100ml erlenmeyer. The co-cultivation is agitated slowly (80rpm) for 2 days. The cells are then washed 3 times into AT medium and finally resuspended in the same initial volume (10ml). The culture is agitated for 3 days to allow expression before plating on selection plates (AT/BactoAgar 8g/l+gentamycin 50µg/ml). Transformed individual calli are isolated 3 weeks later.

Tester Strain

The tester construct on plasmid pPF57 was introduced into Arabidopsis cells of wildtype Columbia using the transformation protocol described above. Among 10 candidate transformants, one cell clone was shown (by Southern analysis) to have a unique T-DNA insertion. All three genes were shown to be functional in this cell line as indicated by resistance to kanamycin, blue staining in the presence of X-Glu (GUS), and sensitivity to 5-fluoro-cytosine (codA).

MMR altering genes (described above) were then introduced individually into the tester line and transformed cells are used for analysis of both Microsatellite Instability and Forward Mutagenesis.

Microsatellite analysis

Microsatellites have been described in *Arabidopsis* (Bell and Ecker, 1994, Genomics 19. 137-144). The present Example is based on a study of instability of microsatellites that are polymorphic amongst different ecotypes. DNA is extracted from the transformed calli. Specific primers have been defined that are used to amplify the microsatellite sequence. One of the two primers is previously P³² labelled by T4 kinase. In case of a polymorphic variation, new PCR products appear that do not follow the expected pattern of migration on a polyacrylamide gel. This is a commonly observed feature for MMR deficient cells in yeast or mammalian cells.

In particular, the present Example describes a study on microsatellites ca72 (CA₁₈), nga172 (GA₂₉), and ATHGENEA(A₃₉), chosen because they belong to the types predominantly affected in human mismatch repair deficient tumors. The size of these microsatellites is not conserved from one *Arabidopsis* ecotype to the other.

Arabidopsis cells which are transformed with an MMR altering gene (above) and control cells not expressing the MMR altering gene are allowed to form calli. DNA is

rapidly extracted from the calli and is analysed for microsatellite instability as described in detail by Bell and Ecker 1994. Genomics 19, 137-144. In summary, the relevant microsatellite is amplified by PCR using P32 labelled primers. The PCR products are separated on a DNA sequencing gel for size determination. Size differences between microsatellites from transformed and control cells not expressing the MMR altering gene in question indicate microsatellite instability as a result of MMR alteration.

The sequences of primers used for PCR amplification of microsatellites ca72 and nga172 are included in Table 1. PCR amplification of microsatellite ATHGENEA made use of a forward primer containing the sequence

ACCATGCATAGCTTAAACTTCTTG (SEQ ID NO:32)

and of a reverse primer containing the sequence

ACATAACCACAAATAGGGGTGC (SEQ ID NO:33).

The amplification for microsatellite ca72 revealed in Columbia control cells (with respect to the MMR altering gene) a 248 bp long PCR fragment instead of the published length of 124 bp. DNA sequencing verified this fragment as a CA₁₈ microsatellite.

Forward mutagenesis assay

10

Tester cells transformed with antisense AtMSH3 or antisense AtMSH6 or both AtMSH3/AtMSH6 are analysed for the stability of the codA gene. The functional codA gene confers to sensitivity to 5-fluoro-cytosine (5FC), whereas a gene inactivating mutation in codA will confer resistance to 5FC. The frequency of resistant cells is therefore a good indicator of somatic variation as a direct result of MMR alteration. Variants resistant to 5FC are first analysed for GUS activity. If GUS is inactive, 5FC resistance is assumed to be due to gene silencing (all three genes are under the 35S promoter). If GUS is active, 5FC resistance is assumed to be due to forward mutations that have inactivated codA. PCR is then performed on the putative codA mutant genes which is then sequenced to confirm the presence of forward mutations in codA.

Besides codA, other marker genes may also be used for the Forward Mutagenesis Assay such as the ALS gene (conferring sensitivity to valine or to sulfonylurea; Hervieu and Vaucheret, 1996, Mol. Gen. Genet. 251 220-224; Mazur et al. 1987, Plant Physiol. 85 1110-30 1117).

Example 3. Homeologous meiotic recombination in Arabidopsis thaliana

A. Construction of a meiocyte specific gene expression cassette comprising the DMC1 promoter and the NOS terminator

(i) The DMC1 promoter may be used as published by Klimyuk and Jones, 1997, 35 Plant J. 11.1-14). To obtain a more convenient alternative for gene cloning, a 3.3 Kb

long subfragment of the *DMC*1 promoter was obtained by PCR from genomic DNA of *Arabidopsis thaliana* (ssp. Landsberg erecta "Ler").

The PCR was done in three rounds:

Round One: A 3.7 Kb long product was obtained using the forward primer 5 DMCIN-A comprising the sequence

GAAGCGATATTGTTCGTG (SEQ ID NO:34)

and the reverse primer DMCIN-B comprising the sequence

AGATTGCGAGAACATTCC (SEQ ID NO:35).

The weak amplification product was then used as template for round two and three.

Round Two: A 3.1 Kb long product comprising the promoter and the 5' untranslated leader was obtained using forward primer DMCIN-1, which contained the sequence

acgcgtcgacTCAGCTATGAGATTACTCGTG (SEQ ID NO:36)

and introduced a Sall cloning site at the 5' end of the promoter fragment, and reverse primer DMCIN-2 which contained the sequence

gctctagaTTTCTCGCTCTAAGACTCTCT (SEQ ID NO:37)

and introduced a XbaI site at the 3' end of the PCR fragment.

Round Three: A 0.2 Kb long product comprising the first exon/intron of the *DMC*1 promoter was obtained using forward primer DMCIN-3, which contained the sequence

gctctagaGCTTCTCTTAAGTAAGTGATTGAT (SEQ ID NO:38)

and introduced a XbaI site at the 5' end of the PCR fragment, and reverse primer DMCIN-4, containing the sequence

tccccgggctcgagagatctccatggTTTCTTCAGCTCTATGAATCC (SEQ ID NO:39) and introduced at the 3' end of the PCR product restriction sites for Ncol. BglII. Xhol and 25 Smal.

The products obtained in round Two and Three were digested with XbaI and subsequently ligated to reconstitute a 3.3 Kb long DMC1 promoter from which the first two in-frame ATG start codons were replaced with a unique restriction site for XbaI. This promoter can be cloned between the restriction sites for SalI and SmaI of p3264, which contains the SacI-EcoRI NOS terminator in pBIN19, to yield the entire expression cassette in pBIN19. This cassette contains the following cloning sites: NcoI, BgIII, XhoI. SmaI and (already present on p3264) KpnI and SacI.

(ii) Another strategy yielded the following convenient DMC1 promoter. A 1.8 kb
 DNA fragment comprising the 3' terminal part of the meiocyte specific DMC1 promoter
 35 was isolated by PCR from purified genomic DNA of Arabidopsis thaliana (ssp. Landsberg erecta "Ler"). The forward PCR primer (DMC1a) contained the sequence

acgcgtcgacGAATTCGCAAGTGGGG (SEQ ID NO:40)

and introduced a Sall cloning site at the 5' end of the promoter fragment. The reverse PCR primer (DMC1b) contained the sequence

tccatggagatctcccgggtacCGATTTGCTTCGAGGG (SEQ ID NO:41) introducing a polylinker region at the 3' end of the promoter fragment. The PCR reaction was carried out with VENT DNA Polymerase (NEB) over 25 cycles using the following cycling protocol: 1 minute at 94°C, 1 minute at 54°C, 2 minutes at 72°C.

The PCR reaction yielded a blunt ended DNA fragment which was digested with restriction enzyme SaII and was cloned into the cleavage sites of restriction enzymes SaII and SmaI in plasmid p2030, a pUC118 derivative containing the SacI-EcoRI NOS terminator fragment of pBIN121. The cloning yielded plasmid p2031, containing the DMC1 promoter-polylinker-NOS terminator expression cassette depicted in Figure 18.

10 B. Construction of an MSH3 antisense gene under the control of the DMC1 promoter

A 2.1 kb DNA fragment encoding the carboxyterminal part of AtMSH3 was removed from the polylinker of clone 13 described in Example 1 after (i) digestion with KpnI, (ii) blunting of the DNA ends generated by KpnI and (iii) digestion with BamHI. The isolated fragment was then cloned in antisense orientation downstream of the DMC1 promoter in plasmid p2031, which had been digested with restriction enzymes SmaI and BgIII. This cloning yielded plasmid p2033 (Figure 18).

After digestion of p2033 with EcoRI, a 4.1 kb DNA fragment was recovered comprising the DMC1 promoter, the partial MSH3 cDNA in antisense orientation with respect to the promoter and the NOS terminator. This fragment was cloned into the EcoRI restriction site of plant transformation vector pNOS-Hyg-SCV to yield plasmid p3242 (Figure 18).

C. Construction of a combined MSH6/MSH3 antisense gene under the control of a single DMC1 promoter

A 3.1 kb fragment, encoding in antisense orientation the partial AtMSH6 and AtMSH3 sequences and the 35S terminator, was isolated from pCW186 by digestion with KpnI. The fragment was treated with Klenow enzyme to blunt both ends. It was then cloned into the SmaI site of plasmid p3243 (a pNOS-Hyg-SCV derivative, illustrated in Figure 19), which had been opened to delete the region between the SmaI sites. Clones containing the fragment in the antisense orientation with respect to the DMC1 promoter (described in A(ii) above) were identified by diagnostic digestion with BamHI. The selected construct was named p3261.

Another practical way of cloning the double antisense gene is as follows. A 1 kb DNA fragment encoding the carboxyterminal part of AtMSH6 is isolated from clone 62 described in Example 1 after digestion of clone 62 plasmid DNA with BamHI, which cleaves in the 5' polylinker region flanking the partial cDNA, and with EcoRI, which cleaves within the cDNA. The isolated fragment is treated with Klenow enzyme to blunt both its ends and is cloned into the recipient plasmid p2033 or p3242. For the purpose of

cloning, the recipient plasmid may be cleaved with either Aval or Ncol and can be blunted with Klenow enzyme to produce blunt acceptor ends for fragment cloning. This cloning yields two opposite orientations of cloned fragment DNA with respect to the DMC1 promoter. These can be identified by diagnostic digestion with restriction enzymes Scal or XmnI in conjunction with Sacl. The selected construct contains the DMC1 promoter, the combined partial cDNAs for AtMSH3 and AtMSH6 (both cloned in antisense orientation with respect to the DMC1 promoter) and the NOS terminator. If the recipient plasmid is p2033, the combined antisense gene under control the single DMC1 promoter is recovered from the vector after EcoRI digestion and is cloned into the EcoRI restriction site of pNOS-Hyg-SCV.

D. Construction of a full-length MSH3 sense gene under control of the DMC1 promoter for overexpression of functional MSH3 protein

Overexpression of MSH3 protein was shown in human cells (Marra et al., 1998, Proc. Natl. Acad. Sci. USA 95, 8568-8573) to complex all available MSH2 protein. This leaves MSH6 protein without its partner, leading to the degradation of MSH6 protein and eventually to a mismatch repair phenotype.

This phenomenon is exploited to increase homeologous meiotic recombination in Arabidopsis as an alternative to antisense inhibition of AtMSH6. For this purpose the full-length cDNA encoding AtMSH3 is isolated from plasmid pPF66 by digestion with SmaI and is cloned into the SmaI site of the DMC1 expression cassettes described in A(i).

E. Selection of Recombination markers on homeologous chromosomes of Arabidopsis thaliana subspecies Landsberg erecta (Ler), Columbia (Col) and C24, respectively

E(i). Visual recombination markers in Arabidopsis th. subspecies C24:

Agrobacterium mediated transformation with a T-DNA containing a 35S-GUS gene, inactivated by insertion of a 35S-Ac transposable element (Finnegan et al., 1993, Plant Mol. Biol. 22, 625-633), had yielded a C24 line in which the T-DNA construct was integrated into chromosome 2. Genetic and molecular analysis of this line shows that the Ac transposon had excised from its T-DNA locus thereby restoring GUS activity, but had re-inserted into the chromosome at a distance of 16.4 cM, where it stayed fixed (due to disablement of Ac) within the chlorina gene. Insertional inactivation of the chlorina gene caused a bleached phenotype in those plants that were homozygous for this mutation. Because of the two linked phenotypic markers, chlorina3A:Ac and GUS, this C24 line was used in crosses to wildtype Ler for analysis of meiotic homeologous recombination on chromosome 2 in conjunction with molecular recombination markers.

35 E(ii). Visual recombination markers in Arabidopsis th. Ler:

The Ler line NW1 (obtained from NASC, Nottingham, UK) contains one recessive visual marker per chromosome. i.e. an-1 on Chr.1, py-1 on Chr.2, gl1-1 on Chr.3, cer2-1

on Chr.4, and msl-1 on Chr.5. This line is used in crosses to wildtype C24 which expresses an MMR altering gene for analysis of meiotic homeologous recombination on chromosomes 1-5 in conjunction with molecular recombination markers listed in Table 1.

Other Ler lines from NASC have several visual markers in close proximity to each other on the same chromosome. When these lines are used for hybrid production, analysis of homeologous meiotic recombination may make use entirely of visual recombination markers. Particularly suitable for crossing to C24 wildtype that is expressing a MMR altering gene are the following Ler lines:

NW22: relative markers are dis1 - (4 cM) - ga4 - (11 cM) - th1 on chromosome 1.

NW10: relevant markers are tz-201 - (5 cM) - cer3 on chromosome 5.

10

NW134, relevant markers are ttg - (4 cM) - ga3 on chromosome 5.

NW24 (abi3-1) and NW64 (gl1-1). When present in the same plant on chromosome 3, abi3-1 and gl1-1 are 13 cM apart. Since this marker combination is not available from NASC, we have combined these markers by crossing line NW24 to line NW64. The F1 offspring were allowed to self-fertilise and to produce F2 seeds. F2 Plants which carry both markers as homozygous traits on the same chromosome can be identified firstly, by germinating F2 seeds on germination medium containing selective concentrations of abscisic acid, and subsequently, by identifying among the abscisic acid resistant plants those individuals which show the glabra phenotype.

20 E(iii) Molecular recombination markers in Col, Ler and C24:

The genome of Arabidopsis thaliana is interspersed with unique base sequences arranged as simple tandem repeats. Allelic repeats can vary in length between different Arabidopsis subspecies and when amplified by PCR yield diagnostic DNA products of different length named Simple Sequence Length Polymorphisms (SSLPs). Many SSLPs have been genetically mapped and have been assigned to unique chromosome locations on the recombinant inbred map (Bell and Ecker, 1994, Genomics 19, 137-144; Lister and Deans lines, Weeds World 4i, May 1997).

In Table 1 are listed 28 mapped and established SSLPs between Ler and Col. A number of PCR primer pairs are described herein (SEQ ID NO:42 to SEQ ID NO:97) 30 which also yielded SSLPs between C24 and Ler (19 SSLPs) or between C24 and Col (25 SSLPs), respectively. Polymorphic SSLPs can be used as molecular markers in the analysis of homeologous recombination between genomes from these subspecies.

The PCR reactions (25 µL) were carried out over 35 cycles (15 seconds at 94°C, 30 seconds at 55°C and 30 seconds at 72°C), with 0.25 U Taq DNA polymerase and 0.6 µg genomic DNA in reaction buffer containing 2 mM MgCl₂. PCR products were separated by agarose gel electrophoresis (4% ultra high resolution agarose) and visualised by ethidiumbromide staining. The results from the PCR experiments are summarised in

Table 1, which also shows the sequence of PCR primers, primer annealing temperature (Tm), PCR product length and chromosome location of SSLP (with respect to the RI map of May 1997, Weeds World 4i).

F. Production of hybrid plants

C24 plants heterozygous for chlorina3A:Ac/GUS are crossed as male to emasculated wildtype Ler to produce Ler/C24(chlorina3A, GUS) hybrid seeds.

Due to the heterozygosity of the C24 parent, only 50 % of hybrid plants have inherited the chlorina3A:Ac/GUS locus. The remaining 50% of hybrid plants are wildtype with respect to chlorina3A:Ac/GUS. Since the mutant locus is linked to a kanamycin resistance gene (contained on the same T-DNA as GUS) mutant plants can be pre-selected by germinating hybrid seeds on germination medium containing 50 mg/L kanamycin.

Ler plants homozygous for the five chromosome markers are male sterile (ms1-1) and are crossed without emasculation to wildtype C24 to produce Ler(an-1, py-1, gl1-1, cer2-1, ms1-1)/C24 hybrid seeds.

Other Ler plants, which are male fertile, are crossed after emasculation of the female parent to produce Ler/C24 hybrid seeds.

G. Introduction of MSH3 and MSH6/3 antisense genes into Arabidopsis and analysis of meiotic homeologous recombination

(i) Transformation of hybrid plants and analysis of homeologous meiotic recombination

The plant transformation vectors comprising the antisense genes described in (B) and (C) above are introduced into Agrobacterium tumefaciens strain AGL1 (Lazo et al., 1991, Bio/Technology 9, 963-967) by electroporation. Recombinant Agrobacterium clones are selected on LB medium containing 50 mg/L rifampicin and 100 mg/L carbenicillin. Selected clones are used to infect roots of Arabidopsis hybrid plants (described in (F) above) using the root transformation protocol of Valvekens et al. (1988, PNAS 85, 5536-5540) except that shoot and root inducing media contain hygromycin (10 mg/L) instead of kanamycin.

Plants regenerated from roots of hybrid plants are genetic clones of root donating plants and therefore are again genetic hybrids of two Arabidopsis subspecies described in 30 (F). However, in contrast to the root donating plants, the regenerated hybrid plants also contain the introduced transgene and the co-introduced hygromycin resistance gene with the latter allowing these plants to grow on hygromycin containing culture medium.

Hygromycin resistant plants are then allowed to enter the reproductive phase and to produce gametes by meiotic divisions of microspore and megaspore mothercells. At meiosis, the *DMC*1 promoter is activated and can direct the expression of antisense genes described in (B) and (C) above, leading to decreased *MSH*6 and/or *MSH*3 gene

expression. This in turn depletes the gamete mothercells of MSH6 and/or MSH3 protein, thus causing alteration of MMR during meiotic divisions and increasing the recombination frequency between homeologous chromosomes.

Transgenic plants are then allowed to self-fertilise and to produce seeds. These seeds (F2 seeds with respect to hybrid production), and the plants derived therefrom, carry the homeologous recombination events which can be identified by using the visual and molecular recombination markers described in (E) above.

In case of homeologous recombination between chromosomes of Ler and C24(chlorina3A:Ac, GUS), the analysis concentrates on chromosome 2 by selecting plants showing the visual phenotypic marker chlorina. This marker thus serves as a reference point as it indicates that respective chromosomes 2 originate from C24. Other markers, such as GUS or molecular markers, on chromosome 2 may then be used to identify chromosomal regions which are derived from the Ler chromosome as a result of homeologous recombination. F2 plants of control transformants not expressing the antisense gene(s) can be analysed in parallel and the results can be used for comparison to homeologous recombination results obtained in antisense plants.

(ii) <u>Transformation of C24 wildtype</u>, hybrid plant production and analysis of homeologous meiotic recombination

Introduction of MMR altering genes into wildtype C24 is done using the root transformation protocol as described in G(i) for transformation of hybrid plants. Transformed plants are selected by resistance to either 10 mg/L hygromycin (in case of transformation with T-DNA's derived from pNOS-Hyg-SCV) or to 50 mg/L kanamycin (in case of transformation with T-DNA's derived from pBIN19).

Transgenic plants are then allowed to self-fertilise and to produce seeds (T1 seeds).

Segregation of the antibiotic resistance gene in the T1 population then indicates the number of transgene loci. Lines with a single transgene locus (indicated by a 3:1 ratio of resistant:sensitive plants) are selected and are bred to homozygosity. This is done by collecting selfed seeds (T2) from T1 plants and subsequent testing of at least four independent T2 seed populations for segregation of the antibiotic resistance gene. T2 populations which do not segregate the antibiotic resistance gene are assumed to be homozygous for both the resistance gene and the linked MMR altering gene.

C24 plants homozygous for the MMR altering gene are then crossed to Ler lines homozygous for recessive visual markers (see E(ii)) to produce C24/Ler hybrid plants as described in (F). These F1 hybrids are then allowed to enter the reproductive phase and to produce gametes by meiotic division of microspore and megaspore mothercells. At meiosis, the DMC 1 promoter is activated and can direct the expression of antisense or sense genes described in (B), (C) and (D) above, leading to decreased MSH6 and/or MSH3 gene expression. This in turn depletes the gamete mothercells of MSH6 and/or MSH3

protein, thus causing alteration of MMR during meiotic divisions and increasing the recombination frequency between the homeologous chromosomes of C24 and Ler. Recombination events are then scored in the F2 generation.

For recombination analysis, the hybrid plants are allowed to self-fertilise and to produce F2 seeds. F2 plants are then preselected for a first visual marker. Since this marker is recessive, its visual presence indicates homozygosity for Ler DNA at the relevant locus. Those F2 plants which show this first visual marker are then analysed for the presence or absence of a second visual marker which in the Ler parent is closely linked to the first marker. Absence of the second visual marker indicates recombination between the relevant C24 and Ler chromosomes between the first and second marker. The frequency of recombination in transgenic hybrids is compared to the recombination frequency in control hybrids not expressing the MMR altering gene.

Examples of recombination analysis are the following.

The Ler line NW22(dis1, ga4, th1) is used for crosses to transformed C24.

F2 plants are preselected first for thiamine requirement (th1) and then are further analysed for re-appearance of wildtype height (loss of ga4) and/or re-appearance of normal trichomes (loss of dis1) as a result of recombination.

The Ler line NW10(1z-201, cer3) is used for crosses to transformed C24.

F2 plants are then preselected first for thiazole requirement (tz) and then are further 20 analysed for re-appearance of normal, i.e. non-shiny stems (loss of cer3) as a result of recombination.

The Ler line NW134 (ttg, ga3) is used for crosses to transformed C24. F2 plants are first preselected for dwarfish appearance (ga3) and are then analysed for re-appearance of trichomes (loss of ttg) as a result of recombination.

Ler plants homozygous for abi3-1 and gl1-1 are used for crosses to transformed C24. F2 plants are first preselected for their ability to germinate in the presence of abscisic acid and are then analysed for re-appearance of trichomes on the leaves (loss of gl1-1) as a result of recombination.

In the case of homeologous recombination between transformed C24 and the Ler line NW1 (an-1, py-1, gll-1, cer2-1, msl-1), recombination analysis is similar the one described above, except that the second marker is not a visual marker but has to be a molecular marker. This is because the Ler parent carries only one visual marker per chromosome.

	L	TABLE 1: SS	SSLP Markers in Arabidopsis thaliana Subspecies	aliana S	ubspecies		
Chromosome	RI Map Position	PCR Primer Pair	Primer Sequence	Tm [°C]	length/COL	length/LER	length/C24
	2.3	ATEAT! F	GCCACTGCGTGAATGATATG	57.8	172	162	162
		ATEAT! R	CGAACAGCCAACATTAATTCCC	58.2			
	9.3	NGA63 F	AACCAAGGCACAGAAGCG	57.3	===	68	120
		NGA63 R	ACCCAAGTGATCGCCACC	59.6			
	40.1	NGA248 F	TACCGAACCAAAACACAAAGG	56.1	143	129	no amplific.
		NGA248 R	TCTGTATCTCGGTGAATTCTCC	58.2			
	81.2	NGA128 F	GGTCTGTTGATGTCGTAAGTCG	60.1	180	061	no amplific.
		NGA128 R	ATCTTGAAACCTTTAGGGAGGG	58.2			
-	81.2	NGA280 F	CTGATCTCACGGACAATAGTGC	60.1	105	85	88
		NGA280 R	GGCTCCATAAAAGTGCACC	57.8			
_	111.4	NGA111 F	CTCCAGTTGGAAGCTAAAGGG	39	128	162	170
		NGA111 R	TGTTTTTAGGACAAATGGCG	70		-	
=	ca. 7.5	NGA168 F	CCTTCACATCCAAAACCCAC	57.8	213	217	208
		NGA 168 R	GCACATACCCACAGCAGAA	57.8			

	c2 48	NGA1126L	CGCTACGCTTTTCGGTAAAG	57.8	161	661	196
:		NGA1126R	GCACAGTCCAAGTCACAACC	59.9			
1	62.2	NGA361L	AAAGAGATGAGAATTTGGAC	51.7	114	120	114
		NGA361R	ACATATCAATATATTAAAGTAGC	49.5			
11	73	NGA168 F	TCGTCTACTGCACTGCCG	59.6	151	135	135
		NGA168 R	GAGGACATGTATAGGAGCCTCG	61.9			
	ca. 77	AthBIO2 L	TGACCTCCTCTTCCATGGAG	59.9	141	209	139
		AthBIO2 R	TTAACAGAAACCCAAAGCTTTC	54.5			
1	ca. 83	AthUBIQUE L	AGGCAAATGTCCATTTCATTG	54.1	146	148	148
		AthUBIQUE R	ACGACATGCCAGATTTCTCC	57.8			
111	3.4	NGA172 F	AGCTGCTTCCTTATAGCGTCC	09	162	136	140
		NGA172 R	CATCCGAATGCCATTGTTC	55.4			
III	12.8	NGA126 F	GAAAAACGCTACTTTCGTGG	56.1	119	147	no amplific.
		NGA126 R	CAAGAGCAATATCAAGAGCAGC	58.2			
Ħ	17.5	NGA162 F	CATGCAATTTGCATCTGAGG	55.8	107	89	no amplific.
		NGA162 R	CTCTGTCACTCTTTTCCTCTGG	1.09			

	81.8	NGA6 F	TGGATTTCTTCCTCTTCAC	56.1	143	123	143
		NGA6 R	ATGGAGAGCTTACACTGATC	56.1			
λI	19.8	NGA12 F	AATGTTGTCCTCCCTCCTC	59.9	247	234	220
		NGA12 R	TGATGCTCTCTGAAACAAGAGC	58.2			
^I	24.1	NGA8 F	GAGGCAAATCTTTATTTCGG	56.1	154	861	- 180
		NGA8 R	TGGCTTTCGTTTATAAACATCC	54.5			
2	102	NGA1107 L	GCGAAAAACAAAAAATCCA	50.2	150	140	140
		NGA1107 R	CGACGAATCGACAGAATTAGG	58			
>	11.8	NGA225 F	GAAATCCAAATCCCAGAGAGG	58	611	189	611
		NGA225 R	TCTCCCCACTAGTTTTGTGTCC	60.1			
>	16.7	NGA249 F	TACCGTCAATTTCATCGCC	55.4	125	115	115
		NGA249 R	GGATCCCTAACTGTAAAATCCC	58.2			
>	19.9	CA72 F	AATCCCAGTAACCAAACACACA	56.3	124	110	110
		CA72 R	CCCAGTCTAACCACGACCAC	61.9			
>	20	NGA151 F	GTTTTGGGAAG1TTTGCTGG	55.8	150	120	130
		NGA151 R	CAGTCTAAAAGCGAGAGTATGATG	58.6			

						133	120
>	24	NGA 106 F	GTTATGGAGITTICTAGGGCACG	1.00	/८।	651	2
		NGA 106 R	TGCCCATTTTGTTCTTCTC	55.8			
							123
>	37.8	NGA139 F	AGAGCTACCAGATCCGATGG	59.9	174	132	132
		NGA139 R	GGTTTCGTTTCACTATCCAGG	55.8			
_						000	000
>	50	NGA76 F	GGAGAAATGTCACTCTCCACC	9.1	231	> 250	300
		NGA76 R	AGGCATGGGAGACATTTACG	57.8			
>	61.1	ATHSO191 L	CTCCACCAATCATGCAAATG	55.8	148	156	146
		ATHSO191 R	TGATGTTGATGGAGATGGTCA	53.7			
				- 5	177	170	172
>	81.7	NGA129 F	TCAGGAGGAACTAAAGTGAGGG	00.1	<u> </u>		
		NGA129 R	CACACTGAAGATGGTCTTGAGG	60.1			

CLAIMS

- 1. An isolated and purified DNA molecule comprising a polynucleotide sequence encoding a polypeptide functionally involved in the DNA mismatch repair system of a plant.
- 2. A DNA molecule according to claim 1 wherein said polypeptide is homologous to a mismatch repair polypeptide of a yeast or of a human.
- 3. A DNA molecule according to claim 1 wherein said polypeptide is homologous to AtMSH3 (SEQ ID NO: 19) or to AtMSH6 (SEQ ID NO: 31).
- 4. An isolated and purified polypeptide functionally involved in the DNA nismatch repair system of a plant.
 - 5. A polypeptide according to claim 4 which is homologous to a mismatch repair polypeptide of a yeast or of a human.
- 6. An isolated and purified polypeptide selected from the group consisting of a polypeptide encoded by the gene AtMSH3 (SEQ ID NO: 18), a polypeptide encoded by the gene AtMSH6 (SEQ ID NO:30), polypeptides homologous to a polypeptide encoded by the gene AtMSH3 (SEQ ID NO: 18) and polypeptides homologous to a polypeptide encoded by the gene AtMSH6 (SEQ ID NO:30).
- 7. An isolated and purified DNA molecule comprising a polynucleotide sequence selected from the group consisting of (i) a sequence encoding a polynucleotide which is capable of interfering with the expression of a plant polynucleotide sequence encoding a polypeptide which is homologous to a mismatch repair polypeptide of a yeast or of a human and thereby disabling said plant polynucleotide sequence; and (ii) a sequence encoding a polypeptide capable of disrupting the DNA mismatch repair system of a plant.
- 8. A DNA molecule according to claim 7 comprising a polynucleotide sequence encoding a polynucleotide capable of interfering with the expression of a plant polynucleotide sequence encoding a polypeptide which is homologous to a mismatch repair polypeptide of a yeast or of a human and thereby disabling said plant polynucleotide sequence.
- 9. A DNA molecule according to claim 8 wherein said polynucleotide is capable 30 of interfering with the expression of a plant polynucleotide sequence is a sense polynucleotide, an antisense polynucleotide or a ribozyme.
 - 10. A DNA molecule according to claim 7 comprising a polynucleotide sequence encoding a polypeptide capable of disrupting the DNA mismatch repair system of a plant.

- 11. A DNA molecule according to claim 10 wherein said polypeptide is homologous to AtMSH3 (SEQ ID NO: 19) or to AtMSH6 (SEQ ID NO: 31).
- 12. A DNA molecule according to claim 10 further comprising a regulation element capable of causing overexpression of said polypeptide in a cell of said plant.

5 13. A chimeric gene comprising:

a DNA sequence selected from the group consisting of (i) a sequence encoding a polynucleotide capable of interfering with the expression of a plant polynucleotide sequence encoding a polypeptide which is homologous to a mismatch repair polypeptide of a yeast or of a human and thereby disabling said plant polynucleotide sequence, and (ii) a sequence encoding a polypeptide capable of disrupting the DNA mismatch repair system of a plant; and

at least one regulation element capable of functioning in a plant cell.

- 14. A chimeric gene according to claim 13 wherein said regulation element is selected from constitutive, inducible, tissue type specific and cell type specific promoters.
- 15. A chimeric gene according to claim 13 comprising a DNA sequence encoding a polypeptide capable of disrupting the DNA mismatch repair system of a plant, wherein said regulation element is capable of causing overexpression of said polypeptide in a cell of said plant.
- 16. A chimeric gene according to claim 13 wherein said regulation element is selected from the group consisting of 35S, NOS, PR1a, AoPR1 and DMC1.
 - 17. A plasmid or vector comprising a chimeric gene according to any one of claims 13-16.
 - 18. A plant cell stably transformed, transfected or electroporated with a plasmid or vector according to claim 17.
 - 19. A plant comprising a cell according to claim 18.

25


- 20. A plant according to claim 19 selected from plants of the families Brassicaceae, Poaceae, Solanaceae, Asteraceae, Malvaceae, Fabaceae, Linaceae, Canabinaceae, Dauaceae and Cucurbitaceae.
- 21. A process for at least partially inactivating a DNA mismatch repair system of a plant cell, comprising transforming or transfecting said plant cell with a DNA molecule according to any one of claims 1-3 or 7-12 and causing said DNA sequence to express said polynucleotide or said polypeptide.
 - 22. A process for at least partially inactivating a DNA mismatch repair system of a plant cell, comprising transforming or transfecting said plant cell with a chimeric gene

according to any one of claims 13-16 and causing said DNA sequence to express said polynucleotide or said polypeptide.

- 23. A process for at least partially inactivating a DNA mismatch repair system of a plant cell, comprising transforming or transfecting said plant cell with a plasmid or vector according to claim 17 and causing said DNA sequence to express said polynucleotide or said polypeptide.
- 24. A process for increasing genetic variation in a plant comprising obtaining a hybrid plant from a first plant and a second plant, or cells thereof, said first and second plants being genetically different; altering the mismatch repair system in said hybrid plant; permitting said hybrid plant to self-fertilise and produce offspring plants; and screening said offspring plants for plants in which homeologous recombination has occurred.
- 25. A process according to claim 24 wherein a first gene is incapacitated in said first plant, a second gene is incapacitated in said second plant, and said first and second genes are incapacitated in said hybrid plant thereby altering the mismatch repair system of said hybrid plant.
 - 25. A process according to claim 25 wherein said incapacitation of the mismatch repair system of said hybrid plant is reversible.
- 26. A process according to claim 24 wherein a new genetic linkage of a desired characteristic trait or of a gene which contributes to a desired characteristic trait is 20 observable in at least one of said offspring plants.
- 27. A process for obtaining a plant having a desired characteristic, comprising altering the mismatch repair system in a plant, cell or plurality of cells of a plant which does not have said desired characteristic, permitting mutations to persist in said cells to produce mutated plant cells, deriving plants from said mutated plant cells, and screening said plants for a plant having said desired characteristic.
- 28. A process according to claim 27 wherein said step of altering the mismatch repair system comprises introducing into said hybrid plant, plant, cell or cells a chimeric gene according to claim 13 and permitting the chimeric gene to express a polynucleotide which is capable of interfering with the expression of a plant polynucleotide sequence in a mismatch repair gene of the hybrid plant, plant, cell or cells, or a polypeptide capable of disrupting the DNA mismatch repair system of the hybrid plant, cell or cells.
 - 29. A process according to claim 28 comprising inactivating an MSH3 gene and/or an MSH6 gene of said plant.
- 30. A process according to claim 28 comprising inactivating an MSH3 gene and an MSH6 gene of said plant.

- 31. A process according to claim 27 comprising at least partially inactivating the mismatch repair system of said plant in a predetermined cell type or in a predetermined tissue of said plant.
- 32. A process according to claim 31 further comprising restoring mismatch repair 5 in said cell type or said tissue.
 - 33. An oligonucleotide capable of hybridising at 45°C under standard PCR conditions to a DNA molecule according to claim 1 with the proviso that said oligonucleotide is other than SEQ ID NO:1 or SEQ ID NO:2.
- 34. An oligonucleotide capable of hybridising at 45°C under standard PCR to conditions to the DNA of SEQ ID NO: 18 with the proviso that said oligonucleotide is other than SEQ ID NO:1 or SEQ ID NO:2.
 - 35. An oligonucleotide capable of hybridising at 45°C under standard PCR conditions to the DNA of SEQ ID NO:30 with the proviso that said oligonucleotide is other than SEQ ID NO:1 or SEQ ID NO:2.

Figure 1






Figure 2

Comments/References: 52= 3' side of S5 (AtMSH3) 1244bp in pUC18/Sma1




Figure 3

Comments/References: 13 = 3' side of S5 (AtMSH3) 2104bp in pUC18/Sma1

-
Ø
ŭ
ø
р
٠٠
[Eq

80	144 15	204 35	264 55	324 75	384 95	444 115	504 135	564 155	624 175	684 195	744	804 235	864 255	924 275
GCGCGCGAAAATTGGCAACCCAAGTTCGCCATAGCCACGACCACGACCTTCCATTTCTCTTAAACGGAGGA	CCC	ccG P	CTC	GAT D	GTT V	AAG K	GGA G	TTC	GCA A	GCA A	GAA E	AAT N	GAA E	GTT V
ACGG	GCT A	CCA P	CAC H	CCC	TAT Y	CTA L		AAT N			CTT L	AGT S	ATT I	GTT V
TTAA	TTC F	CCG P	GAC D	GTA V	GAA E	GAG E	TTC F		GTG V		ACG T	CAG Q	GGT G	GAA E
TCTC	TTC F	ACA T	TCC	CCA P	GAG E		AGA R	GAT D	CTG L	TCC	GCC A	TCA S	TGT	GGT G
CATT	CGT R	TCA	CTC	AAC N	CCG P	GTG V	TAC Y	ATG M	AGA R	AAG K		GGT G	၁၅၁	ACA T
CTTC	TCT S	TCA	CTT L	CAA Q	TCG S	CAA Q	AGG R	CAT H	AGA R	ATT I	ACC T	TTT F	TTA L	TCG S
CGAC	ATT I	GAA E	AAG K	ACT T	CCC	CAG Q	TAC Y	GCT A	GTG V	GCC	TAT Y	GG'F G	ACA T	ATT I
ACCA	ACG T	GCC A	CGT R	CAC H	GAA E	GAA E	GGT G	TAC Y		GCA A	$_{ m L}^{ m TTG}$	GAA E	GAG E	GAA E
CACG	CAG Q	GTA V	AAG K	CCT P	CTG L	$_{ m L}^{ m TTG}$	GT.T V			ACT T	GCG A	GAA E	TCG S	GTT V
TAGC	CAG Q	CCG.	TCC S	TCT S	TTT F		GAA E	GGT G		GAA E	TCG S	GGT		၁၅၅
, 2000	AAG K	AAT N	CC'I P	CTT L	AGA R		GTG V		TTG L	ACT T	CTG L	GGT	GTT V	GTT V
AGTTO	CAA Q	CCG P	TCT S	AAA K	CAG Q	TAC Y	ATG M	GTG V		CAG Q	GGA G	TGT	AGA R	GTT V
CCCA	A.A.G K	GAA E	TTC	CCT P	CTC	AAA K	TTG L	CGC R	TTT F	A.A.G K	CGG R	GGT G	GAG E	GGT G
SCAAC	ງ ວງງ	CAC H	TCC	AAG K	TTT F		GTT V	GCA A	ACA T	GTG V	TTC F	GGT G	GAT D	GTC V
ATTG	ATG M	ACT T	GTA V	AAA K	AGA R	TCG	GTG V	GCA A	CCA P	GTA V	TTT F	AGT S	GTG V	AGA R
SAAA	TAAAGCAATT	CCG P	ACT	CCC	CAA O	TCA	GAT D	ATC I	GTG V	GGT G	CCT P	ATA I	GTT V	GTT V
သဗ၁ဗ	AAGC/	TCC	gcc *	TCA S	CAC H		CCA P	GAG E	AGT S		9 9	GAT D	TGT C	GAT D
AAGC			TCC	GCG A	TTA L	ACG T	TAC Y	GCG A	GCG A		ACC T	GAG E	GTT V	TTT F
cctaagaaa	GATTACGAA	CCC P	AT	9 (CC	AAT N	gaa E	AAG K	GAC D	ACG T	TAC Y	CGG R	GCT A	$\mathop{\mathrm{TTG}}_{\mathrm{L}}$	AGT S
CCT?	GAT	AAA K	AAG K	9 9 9	CCC	CCC	AGC S	GAA E	ATG M	GGA	AAC	GCG A	TTC	ATG M
1	81	145 16	205	265 56	325 76	385 96	445 116	505 136	565 156	625 176	665 196	745 216	805 236	865 256


984 295	1044 315	1104 335	1164 355	1224 375	1284 395	1344 415	1404 435	1464 455	1524 475	1584 495	1644 515	1704 535	1764 555	1824 575
	ပ္			E →	Ħ	A:	Ţ	Ą	E	TCC	TTT F	GGA G	GCT A	AGG R
${ m TTG}$	GTG V	AGC S	TTA L	GTT	CAT H	TCA S	N AAT	GTA V	, ATA I					
AGC S	${f TTG}$	TTC F	AAC	ACA T	TGC C	TTG L	AAA K	ACA T	TTG L	TCT	GAG E	CGT R	GAA	ATG
TTG L	TTT F	TGT C	GGT G	${ m TTG}_{ m L}$	TTT F	TCT	GTG V	CTT L	AAT N	AGT S	CCT P	CAA	ATG M	GAA E
ATT I	AAG K	GAT D	GCA A	TGC	ACG T	CGC R	GTT V	ACA T	AGA R	CAT H	TCA	ATT I	GTT V	TCT S
GTG V	GAG E	CTG L	AGC S	TCT	CTA L	TTT F	GAG E	CAC H	GAT D	TCT S	GTA V	GAT D	GCA A	GAC D
GCT A	ACT	TCA S	ATC I	ATG M	GCC	TCA S	$_{ m L}^{ m TTG}$	AAT N	TGC	GGA G	ATT I	TCT S	ATT I	CAA O
GAG E	CAA Q	GCC A	AAA K	GGA G	CTC L	GCC	CAG Q	ATG M	CTA L	ATG M	GCA	TCA S	TTC F	ic ATA AAG CAJ I K Q (Continued)
TTA L	CAA Q	CG'F R	gaa E	AAA K	GCC A	000 0	CAL	AAT N	CCT	TGC	AGA R	AGA R	GAG E	ATA I
GGA G	TCA S	GAA E	TGT C	GAA E	o CAA	CAA	$_{\rm L}^{\rm CTG}$	CAT H	CAT H	GCT A	GAG E	TCT	ACA T	၁) ၅ ၁၅၅
AGT	CTT L	GTG V	TTA L	GCT	GTT V	TAC Y	ACT	TTC F	ACT T	TCT	TCT S	ATG M	GCC	CTT L
AGA R	CCT P	CGA R	TCA S	GCT	ACT T	CTT L	A.A.T N	TTA L	GTG V	ATT I	GGT G	GCT A	AAA K	cgg cti R L
ATG M	CAG O	GTT V	ATT I	GAG E	CTG L	ATC	GCC A	TCC S	TGG W	GAG E	GAA E	ACA T	GCT A	CAG Q
${ m TTC}$	၁၅၁	AAC	GTT V	CTG L	CAT H	AGG R	TCA S	၁၅၁	CAC H	TCT	GAA E	${ m TTG}$	ACT T	ATT I
AAT N	CTT L	TCA S	GAG E	A.A.G K	CCA P	gaa E	CTC	TCT S	AGA R	GTT V	GTT V	GTC V	CGG R	CAA Q
GAT D	$_{ m L}^{ m TTG}$	ACC T	GAT D	ATG M	ATG M	TTT F	ACT T	GAA E	$_{\rm L}^{\rm CTT}$	GCT A	${ m rrg} \ { m L}$	TCA S	CAT H	AAG K
AAT	CTG L	CCT P	GTA V	GAA E	A.A.C.	GGA G	ATG M	TCG	CTT L	GAT D	GAG E	TCC S	TTT F	999 9
TTC F	GAG E	GGA G	GCA	AAA K	ATG M	TTT F	GAG E	gga g	AGG R	CTT L	AGT S	CTC L	ATC I	6CG
GAG E	GCT A	GCT A	AAT N	GAT D	ATT I	CAG Q	ACA T	GAT D	TCC S	CGG R	AGC S	GTG V	AGA R	CTT L
GAA E	CCA P	CAT M	GGT G	GAT D	ACA T	A A A	AAC	TCA S	GCT	GCT A	CTC L	CTC L	ACA T	TTA L
TAT Y	TCA S	GCA A	AAT N	GAA E	CAT H	CTC L	AGT S	AAT N	TAT Y	TCT S	CAG Q	TAT Y	ATA I	ATT I
925 276	985 296	1045 316	1105 336	1165 356	1225 376	1285 396	1345	1405 436	1465 456	1525 476	1585 496	1645 516	1705 536	1765 556

1884 595	1944 615	2004 635	2064 655	2124 675	2184 695	2244 715	2304 735	2364 755	2424 775	2484 795	2544 815	2604 835	2664 855	2724 875
TCA S	GCT A	GCT A	TTT F	TTG L	AAG K	GCA A	AGT S	CAC H	TGT	CAA	ATC	ATA I	GGT	GAA E
ATT I	GCG A	$_{\rm L}^{\rm CTT}$	TCA S	CAT H	ACC T	CTA L	TTC F	TTG L	GAC D	TTA L	ATT I	TCC	GAT D	CTA L
GTT V	GAA E	GAG E	GCT	ACA	AGC	GCT A	AGT S	TGT C	GAT D	ATA I	CAA	ATT I	CTT L	TTT F
TCT S	A.A.G K	CCT P	ATA I	ATC I	AAT N	CTA L	A.A.G K	GAC D	GTG V	ACT T	TGC	TTA L	GTG V	ACC
ATT I	AAT N	TTT F	TCG S	9 999	GTA V	GAG E	CTC L	ĊTG L	TTT F	GAG E	TAT Y	GCT A	CAC H	AGT S
TTG L	CTA L	CAA	TCC	TCG S	AAA K	GAT D	TTC F	GCA A	GAG E	CTG L	GAA E	GTT V	CTG L	AGA R ed)
AAA K	GCC	GAC D	GAT D	GTG V	GTG V	TTG L	AGT S	GCT A	CCC	GTA V		CAA Q	AAG K	G CAT GGC AG H G R (Continued)
AGA R	TCT S	AGC S	CTG L	CAA Q	TGG W		GAT D	CTT L	CGT R	CCT P	gaa E	CGT R	GCC A	CAT H
TTG L	CTC L	TCC S	AAG K	CTT L	AAT T	GCT A	TGG W	GCT A	GTC V	CAT H	GCA A	ATC I	TTC F	ပ္ခံထွ
CTT L	CTT	AC'F T	GAA E	TTT F	ATG H	GTA V	TCG S	CAA	TAT Y	CGT R	CAT H	TAT Y	TCA S	ATC I
ACT T	A AAA	A'I'C I	AGG R	GAA E	CCT P	ATĀ I	GCT	GTT V	AAC N	GGT G	${f TTG}$	TGC C	GCG A	AGT ATC S I
TCT	GGA G	CTA L	ATC I	$_{\rm L}^{\rm TTG}$	GTC V	GAA E	CGA R	GCC A	AAG K	TCT S	ATT I	AGC S	CCA P	GAC D
CGA R	GCC A	ATA I	GTC V	AAT N	AAG K	CCA P	A.A.C.	GCT A	AAC N	CAG O	ACA T	AAG K	GTA V	TCA S
GTG V	AAT N	GAC D	TTA 1.	CGA R	TCC S	သသ	GTG V	A.A.G K	AGA R	ATA I	GAC D	GGA G	TTT E	GCT A
ACT T	GAC D	$\frac{\text{CTC}}{\text{L}}$	GTT V	ATT I	GAT D	CAT H	ATT I	TTT E	TCT S	AAC	AAT N	GGA G	TCC	GGT G
GCA A	GTT V	${ m TTG}$ L	GCA A	GCT	GTT V	TAT Y	GCC	GAT D	CTA L	ATA I	CCA P	ATG M	GGT G	ATG M
TCT	GTG V	GAC D	CAA	CTC L	CCC P	CGA R	CTT L	ACA T	ACT T	GAG E	GTC V	AAC	GTT V	CGG R
CAA O	GTT V	GGT G	CGC R	AAG K	CTG L	ATT I	CAT H	TAC Y	TCA S	GTT V	TTC F	CCT P	CAG Q	ACT
ATG M	CCT P	CGA R	GCT A	AAG K	GAG E	ACT T	GAA E	TAC Y	CTT L	CCA P	AAC N	GGA G	GCT A	TTC
AGT S	TCC S	GTT V	GAA E	CGC R	ATA I	A.A.G K	ACT T	AGA R	TCC	GAA E	GAT D	ACC	ATG M	GTT V
1825 576	1885 596	1945 616	2005 636	2065 656	2125 676	2185 696	2245 716	2305 736	2365 756	2425 776	2485 796	2545 816	2605 836	2665 856

2784 895	2844 915	2904 935	2964 955	3024 975	3084 995	3144 1015	3204 1035	3264 1055	3324 1075	3397 1082	3458 5	3522 16
						_		()	er	၅		
TTA L	TTA L	ATA I	ACA T	GTG V	CCA P	AGA R	GA.A E	GAC D	CTA L	TTG(CCG P	
ATA I	ACA	GAA E	CTG L	CTT L	CCT P	GCA A	GAA E	GAG E	AGA R	rtag	AAT N	AAA
GTT	GCA	CCT P	TAT Y	AAG K	ATA I	CGT R	GCA A	GAA E	ATC I	rctg	TCT	AAAA
CTT	TAT Y	TAC Y	TCG S	TAT Y	CAG Q	GTA V	၁၅၅	TCTS	AAA K	ATCA'	GAT	AAAA
TCG	GCC	CAT H	GTC V	CTA	GCC A	GAG E	AGA R	CTC L	ე ეეეე	TTG/		AAAA
CGT R	ATT I	ACG T	CAT H	TAC	CTT L	GCT A	CCG P	GCT A	GCT A	TGA TTTAATCTTAACATTATAGCAACTGCAAGGTCTTGATCATCTGTTAGTTGCG *	AAT TAG AGAG ATG N * M	GCA TAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
TCT S	GCC	GTC V	TAC Y	ACC T	CAG Q	GAA E	gaa E	T'IT F	ATT 1	rgcn	AG AI	AAAA :inu
TCT	GTA V	TTT F	ACA T	GTG V	GCT A	TTG L	GAA E	ξ Ş	AAG K	CAAC	NAT T	AAAA
TGT C	GGT G	CTT L	999 9	GAT D	GTT V	AAA K	CAT H	$_{\rm L}^{\rm crg}$	TGG W	ATAG	GAG A E N	AAA
ACC T	GAC D	GTT V	GTT V	GAT D	A.A.G K	GCA A	GGA G	GAC D	GCT A	CATT	AA G	TAA •
AGA R	CAC H	${ m TTG}_{ m L}$	TCT S	CAT H	TTT F	GCT	GAA E	GCA A	CAT' H	rtaa(SA A K	GCA A Figu
ATC	ACA T	TGT C	GGT G	GAT D	GGT G	ATG M	CCA P	TTT F	AAG K	AATC	CA AC	CCA CCC (P P P P P P P P P P P P P P P P P
ATA I	AGC S	AGA R	CCA P	TAT Y	TTT F	TCA S	GAA E	${ m TTG}$	TTA . L	TTT	ATA ACA AGA AAA I T R K	CCA P
CAC H	ACT T	AAG K	TTC F	AGT S	AGC S	ATT I	GGA G	GAC D			AGT A' S I	rct
TCA S	၁၅၅	GAA E	GGA G	၁၅၅	AGG R	GCC A	ATG M	GGT G	GAG E	TTT F	ATT A	TTT F
GCG A	AGA R	GCA A	AAC N	AAA K	AGC	CGA R	CGC R	C'FA L	TTC F	TCA S	TGT A' C I	ATC I
GAA E	6G ≯ G	CTA L	AGT S	GAT D	TGC C	CGT R	ACA T	GCT A	GCA A	TGT C	ATG TO	TAC Y
AGT	CTT L	CTC	ATC I	AAG K	CTT L	ATA I	AAT	TCG S		ACT		CAG Q
TTA L	GAG E	CAT	GAG E	CAG Q	GGT G	rgr c	AGA R	ATT I	TGG W	CCA P	TACTAACTT	TTG L
GAA	GAT D	CAG		TTG L	CGT R	TCA	GAG E	TCT	CCT P	AAA K	TAC	GTG V
2725 876	2785 896	2845 916	2905 936	2965	3025 976	3085 996	3145 1016	3205 1036	3265 1056	3325 1076	3398 1	3459 6

MENGK	SDELAAASPKÄPKLBPHFQFPVFDFNLHQFFLQRFLRFSFJEYVPRTSSBRKYTPLRQAVVEKSBYFDVZJEVRAGGFF VSBRNSKNSKKTGFKDIVAKKLDRIHKEKSBENVVAKDDEKKKKARKSPTAKLTPDBAOVKTEVIATEKT	го воле тааку войта в мови	93	# X X X X X X X W X W X W X	portly ogas preisgat katebaraten vennedge esostpennatolity vos relataterploda et sardan setesaces vence esos Noonlipeits prepasate et lopus postolitete –	S A I VE ECOREN I A E	HIGVISSEVVVDHAGKLIGALHKENA VRGDLLDILITS-SÖGYPELAEARQAVLVISKRUDSSINSFRKE LAINMEELGVSGITHLIELP UP Selnelisttglebelttatunsnyke keknsdkovköp palanyöcsegiik iursbentrogenstintunpylmandevdyllievkas	. VDSKVPHHÄVKVHSTKKTIRTUPEEIVAGLDENALATRUMAIVNHASMDSPOKSPBRYTTOPERAVQANTALOOGUBOSTLSMRHYVAPEPVDD . QIKDLOODDIKAAN UKMVSGTTTORTOKLTOKUTYKDLOIRESELOYKEROOM ITARKOOTAN ITLUDAQYDOILSDAATSCAVAXARDTRUMG	C E P V E) NSTELKEL SRASHIIRTOSSRSTVILDELGROTSTUDGVATA YATLOHLLARKAG-TVORTVTHYPRIA EISNOFPGSVOTYHAD WERTLOKOKOSI 1. OSTERVDALDILHIIRKNGAKRELLLDEVORGTUTHDGIARIS WALISDGVORLETTHYPALOEIKSPLIRMYHAD WEROKTOK	1 Duddytylyku veglicskeydfryjg de kynglepscentrismaak deadynaren tam gepegherraesea egsisalodiga denyaalsekupm 3 dwasdigenyd koltonen om den charlde de de in bafenseer keelak sin	9 AFERLKHAMKHAGKIMBAFCSF 2HTRTDELBLDIH
	0 0 0 13	134	213 286	306	401	496 517	55 50 50 50 50 50 50 50 50 50 50 50 50 5	60 60 60 60 60 60		870 873	9 6 9	1059
ESE ESE SE SE SC SC	MSH3_AU		SH3_ N	M SE 3 AE N SE 3 AE	HSH3, AC HSH3, AC	ESENTA DE SENTE	E CE SI PE	SES SES	SH3.A	MSE 3. AC	X SE 3 - AC E SE 3 - AC	ESBJ. At

Figure 6






Figure 7

Comments/References: 43= 5' side of S8 (AtMSH6) 2182 bp in pUC18/Sma1




Figure 8

Comments/References: 62= 3' side of S8 (AtMSH6) 1379bp in pUC18/Sma1

ပ္ပ		U	ပ	ĕ	ប្ត	5	Ţ	AAA K	GAA E	GCT A	GTA V	GAA E	AGA R	TTC F
Ö	CAG Q	TCC		AGA R	CCG P	AAA	GAT							
TTC	υ	GTT V	GAA E	GTT V	AAG K	GTA V	AAT N	GGT G	GTA V	CGT R	CCT P	AAA K	AAT N	GTT V
ATCT	s cgc R	TTG L	AAG R	GAG E	TTT F	TTT F	CTG L	AAT N	TCA S	CCA P	GTT V	A.A.G K	GCC A	GAT D
3CCA	s cAG O	GGT	GTG V	GAT D	GGA G	AAG K	CCG P	AAT N	AGA R	CGT R	A.A.G K	GAG E	GAT D	CCT P
ופפכנ	A ATO	AAG (AAT	GTC	TCT	CAT H	GTT V	TCC S	CTT L	ATG M	GAT D	GGA G	AGG R	CCA P
rttt'	AAAA	ACG .	TTT	TCT	CCG P	ATG M	GTT V	CGT R	GAA E	999 9	GAG E	TGT C	ATC I	ATA I
AAAA	rtcc	ACT T	CGA R	AAA	CTG L	ATT I	GAT D	TTT F	GCT A	CCA P	AAG K	GTT V	CGA R	CAC H
/929£	ACAA	GCG 7	CCA (TCG	GTC V	AAT N	GAA	CAA	AGA R	ACA T	TTT F	CCG P	TCT	TTA L
3CAA(rctc	GCG	GGA G	GTT V	CGT R	TCC	CGA R	CCT P	999 9	gaa E	ACT T	GAT D	TCT	ACC T
CGAC	rcrc	ACC T	GGA G	GCT	CGT R	TTC E	AGC S	ATT I	AGT S	CCA P	ATG	CAG Q	GAG E	AAG K
rcta	rcac	CCC	AGC (TTT	CCG	CTG L	AGG R	GT'r V	TTC F	GGT G	gaa E	CTC L	$_{\rm L}^{\rm CTT}$	AGA R
CATT	rctc'	AAA K	ეეეე ეეეე	CGT R	GTT V	TCC S	GAG E	GA'F D	AGT S	CCT P	GAT D	ATG M	TGG W	GAT D
2000	rttc	CAA	၁၅၅	GTA V	AAG K	TCG S	GGA G	AAT N	TTT F	GTT V	GAG E	AAA K	GAA E	TAC Y
STTT(ATCG'	TTC	999	TCT	GAG E	GCT A	TCT	GCT A	GCT A	GAT D	CTG L	CTG L	TTT F	CTT
ratc	AAAC	TTC	၁၅၅	GCT A	CCG P	GAT D	${f TGT}$	AAG K	CAT H	၁၅၅	GTT V	AGG R	AAA K	CCC
GGAG	CTCA	TCT	AGC S	GAC D	CCA P	GST G	GAT D	ATG M	AAC N	GAT D	CGA R	A AA	ACC T	GAT D
CTGA	TCAG	TTG L	GCT A	၁၅၅	ACT T	GCC A	CGA R	TGT C	AGA R	GTA V	AAG K	AAC N	GGA G	GAT D
AGCC	rcrc	ATT	GCT	AAA	GAT D	TCC S	GAT D	CTA	gaa E	GGA G	TTG L	TCT S	GAA E	CCT P
3TTG	3AAT	TCG	GAT	GCT	ACG T	GAA E	GAT D	TCT S	CAA	ATA I	CGC R	GAC D	AAC	CGT R
AAAAGTTGAGCCCTGAGGAGTATCGTTTCCGCCATTTCTACGACGCCAAGGCCGAAATTTTTGGCGCCAATCTTTCCCCCC	TTICGAATICTCTCAGCTCAAAACATCGTTTCTCTCTCTCTCTCTCTCACAAATTCTCAAAAA ATG	AGA R	ეე <u>ე</u>	GAT	GGA	GCT A	GTC V	TCA	ACT	GAT D	TCT	TTG	GTA V	AGA R

993 284	1053 304	1113 324	1173 344	1233 364	1293 384	1353 404	1413 424	1473 444	1533 464	1593	1653 504	1713 524	1773 544	1833 564
r. I	ggT G	GGT G	GTT V	ATA I	9 999	TCA	ATC I	GAA E	ACG T	GAT D	TCA S	GAG E	TTT F	GAG E
GAC AT	TTA (A.A.A	ACT	ATC	TGT	TCC	AAG K	TAT	ACA T	GAA E	GGA G	ATT I	CTT L
ATG G	GAA	CAG	TAT	AAT	AAC	AAG K	9 999	CCA P	AAA K	GAT D	TCT	CTT	GAT D	AAT N
TAT A	GCG	AGA R	GGA G	GCT A	GGA G	CAA	GTT V	TCT	AGG R	999 9	TCT S	GCT A	9 9	GTA V
GAA T	GAT D	TGC	CGT R	GGT G	GAG E	CTA L	TGG W	GTT V	CTA L	ATG M	GGT G	AGT S	CAT H	ATG M
AGT G S	CTA	AAA K	GCT A	AGA R	AGC S	GAG E	TTT F	CAG Q	GCT A	GTA V	A A A	$_{\rm L}^{\rm CTT}$	AAG K	ACG T
AAG A K	GAG E	GGA G	TTA L	GCC	GCA A	ATG M	AGG R	ATG M	AAG K	CAA Q	TTT F	GCC	CTT L	T GGC CAG G Q (Continued)
GTT A	TAT Y	GTG V	CTA L	A AAA	ACA T	AAA K	${ m TTG}$	${ m TTG}$	CAA Q	CCA P	TAC Y	GTT V	GTA V	GGC G
AGT C	CTG L	GGT G	AAG K	GCA A	TCA S	ATC I	GCC	TTA L	GCA A	GTA V	GGA G	GAT D	GAT D	g o
TGG P W	GAG E	AGT S	CAA Q	CAA Q	CCA P	GAG E	GCT A	GCG A	GAA E	CCA P	AAC	TGT C	GAA E	AGA ATT R I Figure
TAT 1 Y	TAT Y	ATG M	GTG V	GAC D	ACT T	AAA K	TGT C	GGA G	AGA R	GCT A	TCT S	GAA E	CTA L	
CAA 1	TTT F	ACC T	GCA A	TCT	\mathtt{TTA}	ATA I	GAC D	CTT L	TCA S	TTG L	GAA E	AAT N	AAG K	CTC L
AAG (AAA K	ATG M	GAG E	ACA T	GTA V	GCT A	GTT V	GCT A	CTA L	CAG Q	ATA I	CTA L	CTA L	TGT C
CAN 1	999 9	AAG K	GAT D	gaa E	CAG Q	$_{\rm L}^{\rm CTT}$	TTT F	GCT A	9 9	GTA V	ATA I	GGT G	AGG R	GGT G
rca (GTG V	TGG W	ATA I	CTA L	GTT V	CTT	GCT A	TGT C	AAA K	GCG A	AAT	GAT D	TCT	AGG R
3CA 3	AAA K	GAC D	999 9	CAG Q	CTA L	CAT H	TTT F	TCA S	AGT	ACG T	AGA R	GTT V	CTG L	TAC Y
rcr (s	TTT F	CTT L	AGT S	GAG E	AAG K	GTC V	GGA G	GCA A	GAC D	TCT S	GTT V	GCT A	CAT H	GTT V
ATG ?	TTC F	GAG E	gaa E	ATC I	AGG R	GCC	TAT Y	GAT D	TAT Y	999 9	GGA G	TGT C	AAT N	CAA Q
AAA A	CTT L	AAG K	TCT	CGA R	CCA P	GAT D	GTG V	GAT D	TTA L	ACA T	GCT A	AAC	ATT I	TAC Y
AAG P	GTG V	CAC H	ATC I	GGA G	ATT I	CCT	ACT	AGC	GTG V	${\rm TTG}_{\bf L}$	GCT	TGG	CTA L	CCA P
934 265	996 285	1054 305	1114	1174 345	1234 365	1294 385	1354 405	1414	1474	1534 465	1594 485	1654 505	1714 525	1774 545

1893 584	1953 604	2013 624	2073 644	2133 664	2193 684	2253 704	2313 724	2373 744	2433 764	2493 784	2553 804	2613 824	2673 844	2733 864
AAC N	GAT D	AGT S	CGC R	GTG V	GAT D	AAA K	GCC A	ACT T	CAC H	GGA G	ACA T	GGT	: ATT I	R R
GAT D	A.A.A K	GAA E	GGA G	AAA K	ATT I	TGT C	GCA A	GAA E	ATT I	GCT A	AAA K	GAT	s AGC	CTT
CTT L	CTC L	TCA S	CTC L	A A A	GGA	CTC L	GAA E	GCT A	GTC V	TCT	CAG Q	GCC A	၁၅၅	CTT L
TAT Y	CCA P	AAC N	CTG L	999	AGT S	AAA K	TTC F	AAC N	GAG E	CTC L	AAT	GCA A	AGT S	ACT T
AAA K	CAT H	GCA A	AGA R	CTG L	AGA R	TAT Y	CAA O	GAA E	TCT	AGT S	CAG Q	GTT V	AGC S	S
TAC Y	TGC C	ACG T	GAA	CTT L	1'TC F	CTT L	TCT S	GAT D	TGG ₩	GCA A	GAT D	GCA A	AGA R	, AAA K d)
$_{ m L}^{ m TTG}$	ATC I	TTC F	T'fA L	GCT A	999 9	TTG L	CTT L	ACA T	CAA	GCA A	ACA T	TTT F	AGA R	G GGC GGA G G G (Continued)
ACC T	TGG W	GAA E	GAC D	CC.T P	A A A	AGT S	TTT F	GTG V	ACT T	ATC I	GCT A	CCA P	GCT A	GGC G
9 999	AAT N	GAA	CCA P	TTG L	GTG V	ATG M	TTA L	GAT D	GCA A	GCA	GAA E	CAT H	GAG E	AT M
TCA S	AGG R	GTT	CTT L	GTG V	ATT I	A1G M	GAG E	CAA	AGA R	TTT F	TCA S	TGG W	၁၅၅	AAC N gure
CCT P	T'TA L	GTA V	AAA K	TCT S	CAA	AAT N	CTA L	AAC	GAA E	TCT S	gaa E	CTA L	$_{\rm L}^{\rm CTT}$	CCA P Fig
GGT G	CTC L	GAT D	CAC	9 8 8	000 0	TCA S	999 0	CAG Q	ATC I	AGA R	CCC P	GGA G	CTC	GGA
GGT G	CGA R	CTT L	CTC 1.	TCA S	TTT F	GAA E	AGC S	TAT Y	TTT F	CTG L	TTT F	CAA	ATA I	ACG
GAT D	AAG K	CGG R	TAT Y	TCA S	GCA A	AAG K	A A A	AAT N	CTT L	GTC V	ATT I	ATC I	GAT D	CTG
TGT C	GGT G	AAA K	CAG O	CGA R	AAA K	CAG Q	GGA G	CCA P	GAA E	GAT D	GTT V	A.A.A	AAT N	TTA L
AGC S	ACT T	AAT N	၁၅	GTT V	GTT V	CTA L	GTA V	TTT F	ATC I	CTA L	CCT P	$_{\bf L}^{\rm CTT}$	CCG P	TTG L
AAT	CCA P	ATC I	ACT T	AGC S	CGA R	GCT A	TTA L	GAC D	$_{\mathbf{L}}^{\mathtt{CTT}}$	7GC C	AGG R	ATA I	GTT V	TCA
A.A.C.	AGT	AGC S	ATC	TCT S	CAA Q	TTG L	ATA I	AGC	ATA I	AGC S	9 8	CCA P	CCT P	CGG R
TTT F	GTT V	GAA		AAG K	A.A.A.	${ t TTG}$	CCT P	GAT D	ACA T	ATA I	ATG M	999 9	TTG L	CCT P
ATA	TGT	GTA V		ATC I	CTG L	CTG L	CTT	ATA I	CTC	ACC	AGC	AAA K	CAA	CAT H
1834 565	1894 585	1954 605	2014 625	2074 645	2134 665	2194 685	2254 705	2314 725	2374	2434 765	2494 785	2554 805	2614 825	2674 845

1104 3521 5 3579 19 3606 28	GAA GAT GAC TAC GAC ACT TTG TTT TGC 11A 1GG CAT CAT TTG TTT TGC TAC GAC ACT TTG TTT TGC TAC TAC GAC TAC CACTATCTGAAGCTCGTTAAGTCTTTTGCCTCTT P K * M A M T * T K K K K L F P R L K AAA AAA AAA AAA AAA AAA AAA AAA AAA
3453	C TAC GAC ACT TTG TTT TGG CAT GAG ATC AAA TCC TCT
1104	Y D T L F C L W H E I K S S
3393 1084	A GAC TGG CTC AAG TCA TTG GTG GGT ATT TCT CGA GTC GCC CAC AAC AAT GCC 3393 D W L K S L V G I S R V A H N N A 1084
3333	AGA TCA ATT GGG GUA AAC TTC AAG TCA AGT 3333
1064	R S I G E N F K S S E L R S E F S S 1064
3273	GCT GGA ATA CCA AAC CAA GTG GTT GAA ACA GCA TCA GGT GCT GCT CAA GCC 3273
1044	A G I P N Q V V E T A S G A A Q A 1044
3213 1024	TTG TAC CGT TTA ACC GAG GGA GCT TGT CCT GAG AGC TAC GGA CTT CAA GTG 3213 L Y R L T E G A C P E S Y G L Q V 1024
3153	TGC GCA TTC AAA TCA AGA TCT GAT TAT CAA CCA CGT GGT TGT GAT CAA GAC 3153
1004	C A F K S R S D Y Q P R G C D Q D 1004
3093	TAC CAC CCT CTC ACC AAG GAA TTC GCG TCT CAC CCA CGT GTC ACC TCG AAA 3093
984	Y H P L T K E F A S H P R V T S K 984
3033 964	TAC TCG GTT TTT CGT CAC CTG GTA GAG AAA GTT CAA TGT CGG ATG CTC TTT 3033 Y S V F R H L V E K V Q C R M L F 964
2973	CTA GTA ATC CTT GAC GAA CTGGA ACT AGT ACT TTC GAT GGA TAC 2973
944	L V I L D E L G R G T S T F D G Y 944
2913	ACC TTT TTG GTA GAA TGC ACT GAG ACA GCG TCA GTT CTT CAG AAT GCA ACT 2913
924	T F L V E C T E T A S V L Q N A T 924
2853	GTG GAT ACT ATC TTC ACA AGG CTT GGC GCA TCT GAT AGA ATC ATG ACA
904	V D T I F T R L G A S D R I M T
2793 884	CTG GCC GTT ATC TTT GCC CAA CTT GGC TGC TTG CTG CCG TGT GAG TCT TGC 2793

SES MANTANDE	25 26 66 66 70 68 74 66 68 68 68 68 68 68 68 68 68 68 68 68		
rkopi en kontrola – vardoge pvartede konkus os i hprodenska en	20 PM		
	3 1 DB		
ASVLPGLLGKKVLKOGVKKVOQ 1VKGFRPGJOLLLALGKR	01 1		·····································
NESTE COURSE OF THE MATERIAN OF THE MEDICAN STREET AND SELECTED OF THE STREET OF THE S	2 2		ACKBEG-B1
IITOSTAVQLAPVPQVMODTDAAOVAMIRESAGVINGSSESÄMCAVDGLMKCDRALSKALGERUMUASUKANDVERKODIFSKOVNGCLASOGONDODATVAKELSKOVNGESTES TERBORKVINGSTVOTOKKOOPELYVEKKUNDOKHLISMENISMENDFVKSQUAMVLOOFIL		3 6	14 - 4
	A 1	4 4 4	4 - 5 X B X B X B X B X B X B X B X B X B X
basq koyn syksymdiv <u>lieskonkstentot</u> edirpuhkeloknatussyvukchuvsissyoideakoklaastandirenemin salutiedoakan. Tyvekkoyneikskamudciveekkanistediralojilahaltoloomanulassysenemanpion <mark>syka</mark> kkudamemin salutivalelu.		3 ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °	ACSBES - BA RES C.Yeest
Vedigy dopy popety characters and the contradity of the contraction of		163	No se
PpekvprovipsopNpaksaoOassipsbink <u>kk pvrvvodido csorB</u> sred <i>Vp</i> ilm dssicmaardido redesmuapspeg- rabeas Ogsotmimsmttp NstttdeDissiskavnyaks (ODD Duotttak Brruk NV) braderipok NDO drode add Madikorlaso Agd uddis		90	16 - 9 - 9 - 8 - 8 - 8 - 8 - 8 - 8 - 8 - 8
HILLIAN STREET OF THE STREET O	KAPAT		ACMBES-B1 MBES.Year

TTTTTTGGTTGCTAACAATAAAGGTATACGGTTTTATGTCATCAATATAA 50 CTATATATAAAAGAAATGAAAGATATATATTGTTTTTTCATTTATCAAAC 100 150 200 GATAAACGACATCGTTTAATCATTTCCCAATTTTACCCCTAAGTTTAACA CCTAGAACCTTCTCCATCTTCGCAAGCACAGCCTGATTAGGAACAGCTTT 250 300 ACCATTCTCATATTCCTGAACTACCTGAGTCCTCTCATTGATCTGTTTCG CCAAATCCGCTTGTGACATCTTCTTCTCCAATCTCGCTTTCTGTATCATC 350 AACCTCACCTCTGCTTTCACACGATCCATCGCCGCAGGCTCTGTTTCTTC 400 TTCCAGCTTCTTCGTGTTAATCACCGGAACCGCCGTAGATTTCCCCTTTT 450 TGTTCGAACCGCCATCGAATTTCTTAACCGTTTGAACCGCGACACCGTTT 500 CTCAGAGCTGCGTTAACCGCTTTCGGATCGCGTAGGTCTTGGCTCTTTTG 550 TTTTGATTTGTGGAGAACTACTGGTTCCCAGTCTTGTGTTACTGCTCCTG 600 GGTATCTGCTCGGCATCGTCGATGAATTGAGAGAAAGGAACAACGCGAAA 650 700 ATTTTATTAATCTGAGTTTTGAAATTGAGAAACGATGAAGATGAAGAATG TTGTTGAGAGGATTGTGATATTTATATATACGAAGATTGGTTTCTGGAGA 750 ATTCGATCATCTTTTCTCCATTTTCGTCTCTGGAACGTTCTTAGAGATG 800 ATTGACGACGTGTCATTATCTGATTTGCAGTTAACCAATGCTTTTTGGGT 850 TGGATTCGTGGTACACCATATTATCCGATTTGGCTCAATGGTTTTATATA 900 AATTTGGTTTTCGGTTCGGTTATGAGTTATCATTAAAATTAAGCTAACCA 950 AAAATTTTCGTAAAATTTATTTCGGTTTCAATTCGGATCCCTTACTTCCA 1000 GAACCGAATTATTCGAAACCGGGGTTAGCCGAACCGAATACCAATGCCTG 1050 ATTGACTCGTTGGCTAGAAAGATCCAACGGTATACAATAATAGAACATAA 1100 ATCGGACGGTCATCAAAGCCTCAAAGAGTGAACAGTCAACAAAAAAAGTT 1150 GAGCCCTGAGGAGTATCGTTTCCGCCATTTCTACGACGCAAGGCGAAAAT 1200 TTTTGGCGCCAATCTTTCCCCCCTTTCGAATTCTCTCAGCTCAAAACATC 1250 GTTTCTCTCTCACTCTCTCACAATTCCAAAAAATGCAGCGCCAGAGAT 1300 CGATTTTGTCTTTCCAAAAACCCACGGCGGCGACTACGAAGGGTTTG 1350 GTTTCCGGCGATGCTGCTAGCGGCGGGGGGGGGGCGGAGACCACGATTT 1400 AATGTGAAGGAAGGGGATGCTAAAGGCGACGCTTCTGTACGTTTTGCTGT 1450 TTCGAAATCTGTCGATGAGGTTAGAGGAACGGATACTCCACCGGAGAAGG 1500 TTCCGCGTCGTGTCCTGCCGTCTGGATTTAAGCCGGCTGAATCCGCCGGT 1550 GATGCTTCGTCCCTGTTCTCCAATATTATGCATAAGTTTGTAAAAGTCGA 1600 TGATCGAGATTGTTCTGGAGAGAGGTACTAATCTTCGATTCTCTTAATTT 1650 TGTTATCTTTAGCTGGAAGAAGAAGATTCGTGTAATTTGTTGTATTCGTT 1700 GGAGAGATTCTGATTACTGCATTGGATCGTTGTTTACAAATTTTCAGGAG 1750 1800 1850 AACCATGCTTTTAGTTTCAGTGGGAGAGCTGAACTTAGATCAGTAGAAGA 1900 1950 TATAGGAGTAGATGGCGATGTTCCTGGTCCAGAAACACCAGGGATGCGTC CACGTGCTTCTCGCTTGAAGCGAGTTCTGGAGGATGAAATGACTTTTAAG 2000 2050 GAGGATAAGGTTCCTGTATTGGACTCTAACAAAAGGCTGAAAATGCTCCA 2100 GGATCCGGTTTGTGGAGAGAAGAAGAAGAAGTAAACGAAGGAACCAAATTTG 2150 AATGGCTTGAGTCTTCTCGAATCAGGGATGCCAATAGAAGACGTCCTGAT 2200

Figure 11

GATCCCCTTTACGATAGAAAGACCTTACACATACCACCTGATGTTTTCAA

	2250
GAAAATGTCTGCATCACAAAAGCAATATTGGAGTGTTAAGAGTGAATATA	2300
TGGACATTGTGCTTTTCTTTAAAGTGGTTAGTAACTATTAATCTAGTGTT	2350
CAATCCATTTCCTCAATGTGATTTGTTCACTTACATCTGTTTACGTTATG	2400
CTCTTCTCAGGGGAAATTTTATGAGCTGTATGAGCTAGATGCGGAATTAG	2450
GTCACAAGGAGCTTGACTGGAAGATGACCATGAGTGGTGTGGGAAAATGC	2500
AGACAGGTAAATTAGTTGAAACAACTGGCCTGCTTGAATTATTGTGTCTA	2550
TAAATTTTGACACCACCTTTTGTTTCAGGTTGGTATCTCTGAAAGTGGGA	2600
TAGATGAGGCAGTGCAAAAGCTATTAGCTCGTGGGTAAGGGAACCATCAT	2650
ACTTTATGGAATTCGTTTACTGCTACTTCGGCTAGGATTTAAGAAATGGA	2700
AATCACTTCAAGCATCATTAGTTAGGATCCTGAGAACTCAGGATGTTTTC	2750
TTATTCGTTATATAATAAGTCTTTTCATCAAGGAGTAACAAACA	2800
GCACAATATTTGTGTGCTCACTGGCAAGGCATATATACCCAGCTAACCTT	
TGCTAGTTCACTGTAGTAACAGTTACGGATAATATATGTTTACTTGTATG	2850
TGGTACCCTCATTTTGTCTCTCATGGAGGCTTTCAAGCCTTGTGTTGAAA	2900
CTGGATAGTTACATATGCTTCCAACAGAAACTAGCATGCAGATTCATATG	2950
CTTTCCTATTCTACTAATTATGTATTGACACACTCGTTGTTTCTTTTGAA	3000
AGATATAAAGTTGGACGAATCGAGCAGCTAGAAACATCTGACCAAGCAAA	3050
AGCCAGAGGTGCTAATACTGTAAGTTTTCTTGGATAGGTCAAGGAGAGTG	3100
TTGCAGACTGTTTTTGATCATTTCTTTTTTTTTTACATTACTTTCATGCTG	3150
TAATTAACTCAATGGCTATTCTGGTCTGATTATCAGATAATTCCAAGGAA	3200
GCTAGTTCAGGTATTAACTCCATCAACAGCAAGCGAGGGAAACATCGGGC	3250
CTGATGCCGTCCATCTTCTTGCTATAAAAGAGGTTTGTTATTTACTTATT	3300
TATCTTATCATGTTCAGTTCATCCAAGTCCTGAAAAATTACACTCTTCTT	3350
TACCAATCTTCCATCAAGCTGTGTAAAGGATTTGGAATTAGAAAATCATT	3400
ATTTGATGCTTTGTTTTATATGCAAGAGGTTCCCTTGAAAAGATCTGTTT	3450
AAGATTCTTTGCACTTGAAAAATTCAATCTTTTTAAGTGAATCCCCTACT	3500
TTCTTACAATGATCATAGTCTGCAATTGCATGTCAAGTAATATCATTCCT	3550
TGTTACTGCATCCCCCTCTTTCTTAATGACCATTGTCTATGTTGTGTTTG	3600
TCTCGTGTGCTGGAGAAAATGATAGCTGATCCAAGCTGTACATTATCATG	3650
ATTAAGTAGCTGCTCAGGAATTGCCTTTGGTTACATTGCCTAATGGTTTG	3700
ATGTCAATTTTCTTCTGAATCTTTATTTTAGATCAAAATGGAGCTACAA	3750
AAGTGTTCAACTGTGTATGGATTTGCTTTTGTTGACTGTGCTGCCTTGAG	3800
GTTTTGGGTTGGGTCCATCAGCGATGATGCATCATGTGCTGCTCTTGGAG	3850
CGTTATTGATGCAGGTAAGCAAGTGTATTCTGTATCTTATGTGTACCATG	3900
TGACTTCCTGTGCATATATTTGGGTTGCAGGAACTAATTCTGAATCACCA	3950
TTTGGTATGTTTTTCCAGGTTTCTCCAAAGGAAGTGTTATATGACAGTA	4000
AAGGTAAACTGCTTGTATCGCCAGTTGTTTTGTTAAACAGAATTTAAGGT	4050
AAATGACACTGGTTAATTTAAAGTGCATACATGTTGAAATATTGCAGGGC	4100
TATCAAGAGCACAAAAGGCTCTAAGGAAATATACGTTGACAGGTACC	4150
	4200
ATTTCAGTAGGCAAGCTAACTGACAATTTAACCGCTCACCGAATGATAGG	4250
TCTCTTAAACATTGCTAATGTAGATGATGTTTATGTTTCAATCTAATAGG	4300
GTCTACGGCGGTACAGTTGGCTCCAGTACCACAAGTAATGGGGGATACAG	4350
ATGCTGCTGGAGTTAGAAATATAATAGAATCTAACGGATACTTTAAAGGT TCTTCTGAATCATGGAACTGTGCTGTTGATGGTCTAAATGAATG	4400
TCTTCTGAATCATGGAACTGTGCTGTTGATGGTCTAAATGAATG	


Figure 11 (Continued)

	4450
TGCCCTTAGTGCTCTTGGAGAGCTAATTAATCATCTGTCTAGGCTAAAGG	4500
TGTGTTGGCTTGTTTAGTTTTTGCTTTTCACAAATTAAGCAAAGGAACTT	4550
TTCATAACTTACAGTTTCTATCTACTTGCAGCTAGAAGATGTACTTAAGC	4600
ATGGGGATATTTTTCCATACCAAGTTTACAGGGGTTGTCTCAGAATTGAT	4650
GGCCAGACGATGGTAAATCTTGAGATATTTAACAATAGCTGTGATGGTGG	4700
TCCTTCAGGCAAGTGCATATTTCTTTTTTTGATAACTTCAACTAGAGGGCA	4750
GACATAGAAGGAAAAATTCTAATACTTCGTACGGATCTCCAGTAAGTA	4800
AGCCGATTTTTGTTTACCTATGTAGGGACCTTGTACAAATATCTTGATAA	4850
CTGTGTTAGTCCAACTGGTAAGCGACTCTTAAGGAATTGGATCTGCCATC	4900
CACTCAAAGATGTAGAAAGCATCAATAAACGGCTTGATGTAGTTGAAGAA	4950
TTCACGGCAAACTCAGAAAGTATGCAAATCACTGGCCAGTATCTCCACAA	5000
ACTTCCAGACTTAGAAAGACTGCTCGGACGCATCAAGTCTAGCGTTCGAT	5050
CATCAGCCTCTGTGTTGCCTGCTCTTCTGGGGAAAAAAGTGCTGAAACAA	5100
CGAGTAAGTATCAATCACAAGTTTTCTGAGTAATGCCTTCCATGAGTAGT	5150
ATAGGACTAAAACATTACGGGTCTAGCTAAAGACTGTTCTCCTTCTTTTG	5200
CAATGTCTGGTTATTCATTACATTTCTCTTAACTTATTGCATTGCAGGTT	3233
AAAGCATTTGGGCAAATTGTGAAAGGGTTCAGAAGTGGAATTGATCTGTT	5250
GTTGGCTCTACAGAAGGAATCAAATATGATGAGTTTGCTTTATAAACTCT	5300
GTAAACTTCCTATATTAGTAGGAAAAAGCGGGCTAGAGTTATTTCTTTC	5350
CAATTCGAAGCAGCCATAGATAGCGACTTTCCAAATTATCAGGTGCCCAT	5400
CTATCTTTCATACTTTACAACAAAATGTCTGTCACTACTCAAAAGCAATGC	5450
ATATGGCTTAGATCTCAACTCACACCCCGAGGATCCTAAAGGGATTTGCT	5500
TTTTATTCCTAATGTTTTTGGATGGTTTGATTTATTTCTAACTTGAACTT	5550
ATTAATCTTGTACCAGAACCAAGATGTGACAGATGAAAACGCTGAAACTC	5600
TCACAATACTTATCGAACTTTTTATCGAAAGAGCAACTCAATGGTCTGAG	5650
GTCATTCACACCATAAGCTGCCTAGATGTCCTGAGATCTTTTGCAATCGC	5700
AGCAAGTCTCTCTGCTGGAAGCATGGCCAGGCCTGTTATTTTTCCCGAAT	5750
CAGAAGCTACAGATCAGAATCAGAAAACAAAAGGGCCAATACTTAAAATC	5800
CAAGGACTATGGCATCCATTTGCAGTTGCAGCCGATGGTCAATTGCCTGT	5850
TCCGAATGATATACTCCTTGGCGAGGCTAGAAGAAGCAGTGGCAGCATTC	5900
ATCCTCGGTCATTGTTACTGACGGGACCAAACATGGGCGGAAAATCAACT	5950
CTTCTTCGTGCAACATGTCTGGCCGTTATCTTTGCCCAAGTTTGTATACT	6000
CGTTAGATAATTACTCTATTCTTTGCAATCAGTTCTTCAACATGAATAAT	6050
AAATTCTGTTTTCTGCCAGCTTGGCTGCTACGTGCCGTGTGAGTCTT	6100
GCGAAATCTCCCTCGTGGATACTATCTTCACAAGGCTTGGCGCATCTGAT	6150
AGAATCATGACAGGAGAGAGTAAGTTTTGTTCTCAAAATACCAATTCCTC	6200
GAACTATTTACTCAGATTTTGTCTGATTGGACAAGGTGGTTTTGCTTTTT	6250
TTTAGGTACCTTTTTGGTAGAATGCACTGAGACAGCGTCAGTTCTTCAGA	6300
ATGCAACTCAGGATTCACTAGTAATCCTTGACGAACTGGGCAGAGGAACT	6350
AGTACTTCGATGGATACGCCATTGCATACTCGGTAACCTGCTCTTCTCC	6400
TTCAACTTATACTTGTTGATCAACAAAACATGCAATTCATTTTGCTGAA	6450
ACTIATIGATITATACAGGTTTTTCGTCACCTGGTAGAGAAAGTTCAAT	6500
GTCGGATGCTCTTTGCAACACATTACCACCCTCTCACCAAGGAATTCGCG	6550
TCTCACCCACGTGTCACCTCGAAACACATTACCACCTGTCACCAAATCAAG	6600
TCTCACCCACGTGTCACCTCGAAACACATGGCTTGCGCATTCGGTTGGTT	

Figure 11 (Continued)

ATCTGATTATCAACCACGTGGTTGTGATCAAGACCTAGTGTTCTTGTACC	6650
GTTTAACCGAGGGAGCTTGTCCTGAGAGCTACGGACTTCAAGTGGCACTC	6700
ATGGCTGGAATACCAAACCAAGTGGTTGAAACAGCATCAGGTGCTGCTCA	6750
AGCCATGAAGAGATCAATTGGGGAAAACTTCAAGTCAAG	6800
CTGAGTTCTCAAGTCTGCATGAAGACTGGCTCAAGTCATTGGTGGGTATT	6850
TCTCGAGTCGCCCACAACAATGCCCCCATTGGCGAAGATGACTACGACAC	6900
TTTGTTTTGCTTATGGCATGAGATCAAATCCTCTTACTGTGTTCCCAAAT	6950
AAATGGCTATGACATAACACTATCTGAAGCTCGTTAAGTCTTTTGCTTCT	7000
CTGATGTTTATTCCTCTTAAAAAATGCTTATATATCAAAAAATTGTTTCC	7050
TCGATTATAACAAGATTATATATGTATCTGTCGGTTTAGCTATGGTATAT	7100
AATATATGTATGTTCATGAGATTGGTCAAGAGAAAATACTCACAAACAGTA	7150
TATTAAGAAGGAAATATGTTTATGCATTAATTTAAGTTTCAAGATAAACT	7200
GCAAATAACCTCGACTAAAGTTGCAAAGACCAAACACAAATTACAAAACT	7250
TATAAGACTTAAGTTCTGAATTCCCTAAAACCAAAAAAAA	7300
TATTTTGTTGCATCTACAAACAACACAAACCTACATAGTTTATAACTTAC	7350
TCATCACTGAGATTAACATCAGAATCATTCTCCATTTCTTCATCTTCACT	7400
CTCATCATCACCACCACCATGATGATTCTCCTCCTCTTCACGTAACC	7450
TAGCAATCTCACTCTGAGCTCTATCAACAATCTGCTTCTTCTGCAACTCC	7500
AAATCTCTCTGAAAATCAGCTCTCATCTTCTCCAACTCCTTCATTTGCTC	7550
TTTCTTACTCTTCTCCATCTTCTCATAAACCTTCCCAAACCTCTCAACAG	7600
AATCCGCCAACATCTTATACGAAGCAGCGTCATTAACCTTCTTCCTCTCG	7650
TACTCAACCTCATCCTCATCCTCCTCCTCTCAGAATCACCAGGACT	7700
ATCCATCATCATCAAACCCATTAGACTTATCTAAATAAACCTTAGTGT	7750
TCATAAACACAAACTCACCTGAATCAACACCACAAGCTAAACCTAAATCC	7800
GACTTGGGCGAAACACAAAGCAACATATCCAACTTATTGAAAAACGACCA	7850
TTTACTTGAACCTAAACCTGATTTCTCAACCTTAATCTTCTCTTTTCTAT	7900
ACTTCCTCTTCAAGTCATCATTCTCCTACATTGCGTCTCAGATTTC	7950
TCCATCCTTAGCTCCTCACTTTCTCAGCTACTTCATTCCAATCCTC	8000
GTTCCTCAAACTCCTTCTACCCAATTGCAAAAACCTATCTCCCCAAACTT	8050
CAAGCAACACAA	8062

Figure 11 (Continued)



Comments/References: AtMSH3 3' side antisense : AtMSH3 3' (13 = 2104bp) from pUC18/13 Sal1/Sst1/T4 into pCW164 BamH1/T4 in Agrobacterium LBA44O4




Figure 13

Comments/References: AtMSH6 (S8) 3' side antisens : 62 Sal1/Sst1/T4 (1379bp)

into pCW164 BamH1/T4




Figure 14

Comments/References: AtMSH6 3'/AtMSH3 3' antisense : AtMSH6 (S8) 3' side (62=1379bp) Sal1/Sst1/T4 into pPF13 (pCW164 AtMSH3 (S5) 3' side (13=2104) antisens)/Sma1. in LBA4404




Figure 15

Comments/References: AtMSH3 3'/AtMSH6 3' antisens (D): AtMSH3 (S5) 3' side (13=2104bp) Sal1/Sst1/T4 into pPF14 (AtMSH6 (S8) 3'side (62=1379bp) antisense into pCW164)/Sma1. in LBA4404




Figure 16

Comments/References: AtMSH3 (S8) complete, sense orientation : pPF26 (3342bp) Sma1 into pCW164 Sma1






Figure 17

Comments/References: pPZP111 with codA EcoR1 cassette in EcoR1 site and HInd3 GUS cassette in Hind3 site. KanR. All genes under Promoter/Larminator 35S



p3243



1

SEQUENCE LISTING

```
Rhone-Poulenc Agro; Betzner, Andreas Stefan; Doutriaux,
<110>
             Marie-Pascale; Freyssinet, Georges; Perez, Pascual.
             Methods for obtaining plant varieties
<120>
             395498C
<130>
<150>
             PO9745
<151>
             1997-10-10
<160>
             98
<210>
             1
<211>
             23
<212>
             DNA
<213>
             Artificial sequence
<220>
<221>
             modified_base
<222>
             11
<223>
             Ι
<220>
<221>
             modified_base
<222>
             14
<223>
             Ι
<220>
             modified_base
<221>
<222>
             17
<223>
<220>
<223>
             Degenerate oligonucleotides UPMU used to isolate AtMSH3 and
             AtMSH6.
<300>
<301>
             Reenan and Kolodner
<302>
             Genetics
<303>
             132
<306>
             963-973
<307>
             1992
<400>
             1
                                                                       23
ctggatccac nggnccnaay atg
```

<210> 2 <211> 23 <212> DNA

..

2

```
Artificial sequence
<213>
<220>
<221>
             modified_base
<222>
             15
<223>
             Ι
<220>
             modified_base
<221>
<222>
             18
<223>
<220>
             Degenerate oligonucleotides DOMU used to isolate AtMSH3 and
<223>
             AtMSH6.
<300>
             Reenan and Kolodner
<301>
<302>
             Genetics
<303>
             132
             963-973
<306>
             1992
<307>
<400>
             2
                                                                       23
ctggatccrt artgngtnrc raa
<210>
             3
<211>
             24
<212>
             DNA
             Artificial sequence
<213>
<220>
             MSH3 specific primer 636 for PCR using cDNA of Arabidopsis
<223>
             thaliana ecotype Columbia
<400>
             3
                                                                       24
tgctagtgcc tcttgcaagc tcat
<210>
             4
             27
<211>
<212>
             DNA
<213>
             Artificial sequence
<220>
             Primer AP1 for PCR using cDNA of Arabidopsis thaliana ecotype
<223>
             Columbia containing adapter sequences ligated to both its
             ends
<400>
```

· · · · · · -

	3	
•		27
ccatcctaat a	acgactcact atagggc	2,
<210>	5	
<210> <211>	23	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	Primer AP2 for PCR using cDNA of Arabidopsis thaliana	ecotype
(223)	Columbia containing adapter sequences ligated to both	its
•	ends	
<400>	5	
(400)		
actcactata	gggctcgagc ggc	23
<210>	6	
<211>	30	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	MSH3 specific primer S525 for PCR using cDNA of Arabi	dopsis
	thaliana ecotype Columbia	
<400>	6	
		2.0
aggttctgat	tatgtgtgac gctttactta	30
		-
<210>	7	
<211>	29	
<212>	DNA	
<213>	Artificial sequence	
<220>	waveific mainer get for DCD vaing gDNA of Arabid	oneis
<223>	MSH3 specific primer S51 for PCR using cDNA of Arabid	Opsis
	thaliana ecotype Columbia	
	_	
<400>	7	
		29
ggatcgggta	ctgggttttg agtgtgagg	2,5
.010		
<210>	8	
<211>	24	
<212>	DNA	
<213>	Artificial sequence	
200		
<220>	MSH3 specific primer 635 for PCR using cDNA of Arabic	lonsis
<223>	thaliana ecotype Columbia	
	Charrana ecocype corumnia	

4

<400>	8
gcacgtgctt	gatggtgttt tcac 24
<210><211><211><212><213>	9 28 DNA Artificial sequence
<220>	
<223>	MSH3 specific primer S523 for PCR using cDNA of Arabidopsis thaliana ecotype Columbia
<400>	9
tcagacagta	tccagcatgg cagaagta 28
	10 33 DNA Artificial sequence
<220> <223>	MSH3 specific primer 1S5 for PCR using cDNA of Arabidopsis thaliana ecotype Columbia
<400>	10
atcccgggat	gggcaagcaa aagcagcaga cga 33
<210> <211> <212> <213>	11 27 DNA Artificial sequence
<220>	
<223>	MSH3 specific primer S53 for PCR using cDNA of Arabidopsis thaliana ecotype Columbia
<400>	11
gacaaagagc	gaaatgaggc cccttgg 27
<210><211><212><213>	12 1250 DNA Arabidopsis thaliana ecotype Columbia
~ 2223	Clone 52

cccgggatgg gcaagcaaaa gcagcagacg atttetegtt tettegete caaacccaaa 60 teecegacte acgaaccgaa teeggtagee gaatcateaa caeeggeacee gaagatatee 120 gccactgtat cettetee tteecaagegt aagettetet eegaccacet egeegeegeg 180 teacccaaaa ageetaaact tteteeteac acteaaaace cagtaceega teecaattta 240 caecaaagat teecaagag atttetggaa eegtegeg aggaatatgt teecgaaacg 300 teateatega ggaaatacac accattggaa cagcaagtgg tggagetaaa gagcaagtac 360 eeagatgtgg ttttgatggt ggaagttggt tacaggtaca gattettegg agaagaegeg 420 gagateegaa caeegegtgt gggtattac geteatatgg ateacaatt catgaeggeg 480 agtgtgecaa catttegatt gaattteea gegagaagae tggtgaatge aggatacaag 540 attggtgag tgaagcagac tgaaactgca gecattaagt eecatggtge aaaccggace 600 ggeeetttt teeggggact geeggettg tataccaaag ceaegettga ageggetgag 660
gccactgtat ccttetetec ttecaagegt aagettetet cegaccacet egeegeegeg 180 tcacccaaaa ageetaaact tteteeteac acteaaaace cagtaccega teccaattta 240 caccaaagat ttetecagag atttetggaa eeetegeegg aggaatatgt tecegaaacg 300 tcatcatega ggaaatacac accattggaa eagcaagtgg tggagetaaa gageaagtac 360 ccagatgtgg ttttgatggt ggaagttggt tacaggtaca gattettegg agaagaegeg 420 gagategeag cacgegtgtt gggtatttac geteatatgg atcacaattt catgaeggeg 480 agtgtgecaa catttegatt gaatttecat gtgagaagae tggtgaatge aggatacaag 540 attggtgtag tgaageagae tgaaactgea gecattaagt cecatggtge aaaceggaee 600 ggeeettttt teeggggaet gteggegttg tataccaaag ceacgettga ageggetgag 660
tcacccaaaa agcctaaact ttctcctcac actcaaaacc cagtacccga tcccaattta 240 caccaaagat ttctccagag atttctggaa ccctcgccgg aggaatatgt tcccgaaacg 300 tcatcatcga ggaaatacac accattggaa cagcaagtgg tggagctaaa gagcaagtac 360 ccagatgtgg ttttgatggt ggaagttggt tacaggtaca gattcttcgg agaagacgcg 420 gagatcgcag cacgcgtgtt gggtatttac gctcatatgg atcacaattt catgacggcg 480 agtgtgccaa catttcgatt gaatttccat gtgagaagac tggtgaatgc aggatacaag 540 attggtgtag tgaagcagac tgaaactgca gccattaagt cccatggtgc aaaccggacc 600 ggcccttttt tccggggact gtcggcgttg tataccaaag ccacgcttga agcggctgag 660
caccaaagat ttctccagag atttctggaa ccctcgccgg aggaatatgt tcccgaaacg 300 tcatcatcga ggaaatacac accattggaa cagcaagtgg tggagctaaa gagcaagtac 360 ccagatgtgg ttttgatggt ggaagttggt tacaggtaca gattcttcgg agaagacgcg 420 gagatcgcag cacgcgtgtt gggtatttac gctcatatgg atcacaattt catgacggcg 480 agtgtgccaa catttcgatt gaatttccat gtgagaagac tggtgaatgc aggatacaag 540 attggtgtag tgaagcagac tgaaactgca gccattaagt cccatggtgc aaaccggacc 600 ggcccttttt tccggggact gtcggcgttg tataccaaag ccacgcttga agcggctgag 660
tcatcatcga ggaaatacac accattggaa cagcaagtgg tggagctaaa gagcaagtac 360 ccagatgtgg ttttgatggt ggaagttggt tacaggtaca gattcttcgg agaagacgcg 420 gagatcgcag cacgcgtgtt gggtatttac gctcatatgg atcacaattt catgacggcg 480 agtgtgccaa catttcgatt gaatttccat gtgagaagac tggtgaatgc aggatacaag 540 attggtgag tgaagcagac tgaaactgca gccattaagt cccatggtgc aaaccggacc 600 ggcccttttt tccggggact gtcggcgttg tataccaaag ccacgcttga agcggctgag 660
ccagatgtgg ttttgatggt ggaagttggt tacaggtaca gattcttcgg agaagacgcg 420 gagatcgcag cacgcgtgtt gggtatttac gctcatatgg atcacaattt catgacggcg 480 agtgtgccaa catttcgatt gaatttccat gtgagaagac tggtgaatgc aggatacaag 540 attggtgtag tgaagcagac tgaaactgca gccattaagt cccatggtgc aaaccggacc 600 ggcccttttt tccggggact gtcggcgttg tataccaaag ccacgcttga agcggctgag 660
gagatcgcag cacgcgtgtt gggtatttac gctcatatgg atcacaattt catgacggcg 480 agtgtgccaa catttcgatt gaatttccat gtgagaagac tggtgaatgc aggatacaag 540 attggtgtag tgaagcagac tgaaactgca gccattaagt cccatggtgc aaaccggacc 600 ggcccttttt tccggggact gtcggcgttg tataccaaag ccacgcttga agcggctgag 660
agtgtgccaa catttcgatt gaatttccat gtgagaagac tggtgaatgc aggatacaag 540 attggtgtag tgaagcagac tgaaactgca gccattaagt cccatggtgc aaaccggacc 600 ggcccttttt tccggggact gtcggcgttg tataccaaag ccacgcttga agcggctgag 660
attggtgtag tgaagcagac tgaaactgca gccattaagt cccatggtgc aaaccggacc 600 ggcccttttt tccggggact gtcggcgttg tataccaaag ccacgcttga agcggctgag 660
ggcccttttt tccggggact gtcggcgttg tataccaaag ccacgcttga agcggctgag 660
gatataagtg gtggttgtgg tggtgaagaa ggttttggtt cacagagtaa tttcttggtt 720
tgtgttgtgg atgagagat taagtcggag acattaggct gtggtattga aatgagtttt 780
gatgttagag teggtgttgt tggegttgaa atttegacag gtgaagttgt ttatgaagag 840
ttcaatgata atttcatgag aagtggatta gaggctgtga ttttgagctt gtcaccagct 900
gagctgttgc ttggccagcc tctttcacaa caaactgaga agtttttggt ggcacatgct 960
ggacctacct caaacgttcg agtggaacgt gcctcactgg attgtttcag caatggtaat 1020
gcagtagatg aggttatttc attatgtgaa aaaatcagcg caggtaactt agaagatgat 1080
aaagaaatga agctggaggc tgctgaaaaa ggaatgtctt gcttgacagt tcatacaatt 1140
atgaacatgc cacatctgac tgttcaagcc ctcgccctaa cgttttgcca tctcaaacag 1200
tttggatttg aaaggateet ttaccaaggg geeteattte getetttgte 1250
<210> 13
<211> 34
<212> DNA
<213> Artificial sequence
<220>

MSH3 specific primer 2S5 for PCR using cDNA of Arabidopsis <223> thaliana ecotype Columbia

PCT/EP98/06977

<400> 13 34 atcccgggtc aaaatgaaca agttggtttt agtc <210> 14 27 <211> <212> DNA <213> Artificial sequence <220> MSH3 specific primer S52 for PCR using cDNA of Arabidopsis <223> thaliana ecotype Columbia 14 <400> 27 gccacatctg actgttcaag ccctcgc 15 <210> <211> 2110 <212> Arabidopsis thaliana ecotype Columbia <213> Clone 13 <223> <400> 15 60 qccacatctg actgttcaag ccctcgccct aacgttttgc catctcaaac agtttggatt 120 tgaaaggatc ctttaccaag gggcctcatt tcgctctttg tcaagtaaca cagagatgac 180 tototoageo aataototgo aacagttgga ggttgtgaaa aataattoag atggatogga atotggotoc trattocata atatgaatoa cacacttaca gratatggtt ccaggottot 240 300 tagacactgg gtgactcatc ctctatgcga tagaaatttg atatctgctc ggcttgatgc 360 tgtttctgag atttctgctt gcatgggatc tcatagttct tcccagctca gcagtgagtt ggttgaagaa ggttctgaga gagcaattgt atcacctgag ttttatctcg tgctctcctc 420 480 agtictigaca getatgticta gaticatictga tatticaacgt ggaataacaa gaaticttica 540 teggaetget aaagecaeag agtteattge agttatggaa getattttae ttgeggggaa gcaaattcag cggcttggca taaagcaaga ctctgaaatg aggagtatgc aatctgcaac 600 660 tgtgcgatct actcttttga gaaaattgat ttctgttatt tcatcccctg ttgtggttga 720 caatgccgga aaacttctct ctgccctaaa taaggaagcg gctgttcgag gtgacttgct cgacatacta atcacttcca gcgaccaatt tcctgagctt gctgaagctc gccaagcagt 780 840 tttagtcatc agggaaaagc tggattcctc gatagcttca tttcgcaaga agctcgctat

ccgaaatttg gaatttcttc	aagtgtcggg	gatcacacat	ttgatagagc	tgcccgttga	900
ttccaaggtc cctatgaatt	gggtgaaagt	aaatagcacc	aagaagacta	ttcgatatca	960
tcccccagaa atagtagctg	gcttggatga	gctagctcta	gcaactgaac	atcttgccat	1020
tgtgaaccga gcttcgtggg	atagtttcct	caagagtttc	agtagatact	acacagattt	1080
taaggetgee gtteaagete	ttgctgcact	ggactgtttg	cactcccttt	caactctatc	1140
tagaaacaag aactatgtcc	gtcccgagtt	tgtggatgac	tgtgaaccag	ttgagataaa	1200
catacagtet ggtegteate	ctgtactgga	gactatatta	caagataact	tcgtcccaaa	1260
tgacacaatt ttgcatgcag	aaggggaata	ttgccaaatt	atcaccggac	ctaacatggg	1320
aggaaagagc tgctatatcc	gtcaagttgc	tttaatttcc	ataatggctc	aggttggttc	1380
ctttgtacca gcgtcattcg	ccaagctgca	cgtgcttgat	ggtgttttca	ctcggatggg	1440
tgcttcagac agtatccagc	atggcagaag	tacctttcta	gaagaattaa	gtgaagcgtc	1500
acacataatc agaacctgtt	cttctcgttc	gcttgttata	ttagatgagc	ttggaagagg	1560
cactagcaca cacgacggtg	tagccattgc	ctatgcaaca	ttacagcatc	tcctagcaga	1620
aaagagatgt ttggttcttt	ttgtcacgca	ttaccctgaa	atagctgaga	tcagtaacgg	1680
attcccaggt tctgttggga	cataccatgt	ctcgtatctg	acattgcaga	aggataaagg	1740
cagttatgat catgatgatg	tgacctacct	atataagctt	gtgcgtggtc	tttgcagcag	1800
gagetttggt tttaaggttg	ctcagcttgc	ccagatacct	ccatcatgta	tacgtcgagc	1860
catttcaatg gctgcaaaat	tggaagctga	ggtacgtgca	agagagagaa	atacacgcat	1920
gggagaacca gaaggacatg	aagaaccgag	aggcgcagaa	gaatctattt	cggctctagg	1980
tgacttgttt gcagacctga	aatttgctct	ctctgaagag	gacccttgga	aagcattcga	2040
gtttttaaag catgcttgga	agattgctgg	caaaatcaga	ctaaaaccaa	cttgttcatt	2100
ttgacccggg					2110

<210> 16

<220>

<223> MSH3 specific primer S51 for PCR using cDNA of Arabidopsis
thaliana ecotype Columbia

<400> 16

<211> 29

<212> DNA

<213> Artificial sequence

PCT/EP98/06977

ggat	.cggg	rta c	tggg	rttt	g ag	tgtg	agg								•	29
<210	1>		17													
<211	. >		30													
<212	>			DNA												
<213	>			Artificial sequence												
						•										
<220	>															
<223	>			-	ecif a ec	-				or F	CR u	sing	CDN	IA of	Arab	idopsis
<400	 >		17													
aggttctgat tatgtgtgac gctttactta 30																
<210) >		18													
<211	.> '		352	2												
<212	? >		DNA							•						
<213	 >		Ara	bido	psis	tha	lian	a ec	oty	e Co	lumi	oia				
<220) >															
<221	.>		CDS	3												
<222	2>		(10	0)	(3	342)										
<223	S >				full tide		igth	CDNA	A and	dec	luceo	sec	lueno	e of	the e	encoded
<400)>		18													
ccta	agaa	aag d	gege	gaaa	aa tt	ggca	acco	aaq	gttcg	gcca	tago	cac	gac o	cacga	accttc	60
catt	tct	ett a	aaac	ggagg	ga ga	attac	gaat	: aaa	agcaa	act						99
atg	ggc	aag	caa	aag	cag	cag	acg	att	tct	cgt	ttc	ttc	gct	ccc	aaa	147
_		_		_			_			_			_	Pro		
1				5					10	_				15		
666	222	t.c.c	000	305	C 3 C	~~~	000	225	222	~= -	~~~	~~~	t 63	t.c.2	202	195
							_		_	_	_	_		tca Ser		193
PLO	Буз	261	20	TIII	urs	Glu	PIO	25	PIO	vai	Ala	GIU	30	Ser	1111	
			20					25					30			
cca	CCB	cca	aarr	ata	tcc	acc	act	ata	tcc	++~	tct	cct	tcc	aag	cat	243
														Lys		243
		35	2,0	110	001	7124	40	V 44.1	501	riic	561	45	JCI	БуЗ	n. g	
aaq	CLE	ctc	tcc	gac	cac	ctc	qcc	acc	aca	tca	ccc	aaa	aaq	CCL	aaa	291
				_			-	_					_	Pro		
-	50			-		55					60	•	•		-	
								_		_				cac		339
	Ser	Pro	His	Thr		Asn	Pro	Val	Pro	Asp	Pro	Asn	Leu	His	Gln	
<i>-</i> -					70					75					0.0	

9

									-							
								ccc Pro								387
								aca Thr 105								435
								gtg Val								483
								gac Asp				-		-		531
								cac His								579
								gtg Val								627
								act Thr 185								675
								ttt Phe								723
								gct Ala								771
ggt Gly 225	ggt Gly	gaa Glu	gaa Glu	ggt Gly	ttt Phe 230	ggt Gly	tca Ser	cag Gln	agt Ser	aat Asn 235	ttc Phe	ttg Leu	gtt Val	tgt Cys	gtt Val 240	819
gtg Val	gat Asp	gag Glu	aga Arg	gtt Val 245	aag Lys	tcg Ser	gag Glu	aca Thr	tta Leu 250	ggc	tgt Cys	ggt Gly	att Ile	gaa Glu 255	atg Met	867
								gtt Val 265								915
gaa Glu	gtt Val	gtt Val 275	tat Tyr	gaa Glu	gag Glu	ttc Phe	aat Asn 280	gat Asp	aat Asn	ttc Phe	atg Met	aga Arg 285	agt Ser	gga Gly	tta Leu	963

gag get geg att tig age tig tea cea get gag ett tig det gige cag cag land val Val Tie Leu Ser Leu Ser Pro Ala Glu Leu Leu Gly Gln 290 cct tit toa caa caa act gag aag tit tig gig gea cat get giga cct pro Leu Ser Gln Gln Thr Glu Lys Phe Leu Val Ala Met Ala Gly Pro 305 310 320 320 acc toa aca git gig gig gea cat git to age aat Thr Ser Asn Val Arg Val Glu Arg Ala Ser Leu Asp Cys Phe Ser Asn 3125 3105 320 3335 3335 3335 335 335 335 335 335 335
Pro Leu Ser Gln Gln Thr Glu Lys Phe Leu Val Ala Met Ala Gly Pro 315 310 310 315 320 320 320 320 320 320 320 320 320 325 335 335 335 335 335 335 335 335 335
Thr Ser Asn Val Arg Val Glu Arg Ala Ser Leu Asp Cys Phe Ser Asn 335 ggt aat gca gta gat gag gtt att tca tta tgt gaa aaa atc agc gca Gly Asn Ala Val Asp Glu Val Ile Ser Leu Cys Glu Lys Ile Ser Ala 340 ggt aac tta gaa gat gat aaa gaa atg aag ctg gag gct gct gaa aaa 1203 Gly Asn Leu Glu Asp Asp Lys Glu Met Lys Leu Glu Ala Ala Glu Lys 355 gga atg tct tgc ttg aca gtt cat aca att atg aac atg cca cat ctg Gly Met Ser Cys Leu Thr Val His Thr Ile Met Asn Met Pro His Leu 370 act gtt caa gcc ctc gcc cta acg ttt tgc cat ctc aaa cag ttt gga 1299 Thr Val Gln Ala Leu Ala Leu Thr Phe Cys His Leu Lys Gln Phe Gly 395 act gtt gaa agg atc ctt tac caa ggg gcc tca ttt cgc tct ttg tca agt 1347 Phe Glu Arg Ile Leu Tyr Gln Gly Ala Ser Phe Arg Ser Leu Ser Ser Ser Asn 140 aca aca gag atg act ctc tca gcc aat act ctg gaa cag ttg gag gtt 1395 asa aca aca gag atg act ctc tca gcc aat act ctg caa cag ttg gag gtt 1395 asa aca aca gag atg act ctc tca gcc aat act ctg caa cag ttg gag gtt 1395 asa aca aca gag atg act ctc tca gcc aat act ctg caa cag ttg gag gtt 1395 asa aca aca gag atg act ctc tca gcc aat act ctg caa cag ttg gag gtt 1395 asa aca aca gag atg act ctc tca gcc aat act ctg caa cag ttg gag gtt 1395 asa ac aca gag atg act ctc tca gcc aat act ctg caa cag ttg gag gtt 1395 asa act gaa act ctc act act gcc gaa tcd gcc ctc tta ttc cat aat 1443 Val Lys Asn Asn Ser Asp Gly Ser Glu Ser Gly Ser Leu Phe His Asn 1443 atg aat cac aca ctt aca gta tat gct tcc agg ctt ctt aga cac tgg 1491 Met Asn His Thr Leu Thr Val Tyr Gly Ser Arg Leu Leu Arg His Trp 455 450 gtg act cat cct cta tgc gat aga aat ttg ata tct gct cgc ctg t gat 1539 Val Thr His Pro Leu Cys Asp Arg Asn Leu Ile Ser Ala Arg Leu Asp 465 gtg act cat cct cta tgc gt tgc tgc atg gga tct cat agt tct tcc cag 1587 Ala Val Ser Glu Ile Ser Ala Cys Met Gly Ser His Ser Ser Ser Gln
Gly Asn Ala Val Asp Glu Val Ile Ser Leu Cys Glu Lys Ile Ser Ala 340 Ser Ala 345 Leu Gys Glu Lys Ile Ser Ala 350 Ser Ala 350 Ile Ser Ala 350 Ser Ala 350 Ile Ser Ala Ala Glu Lys 360 Ile Met Ala Ala Ala Glu Lys 360 Ile Ser Ala Glu Lys 360 Ile Ser Ala Ala Glu Lys 360 Ile Ser
Gly Asn Leu Glu Asp Asp Lys Glu Met Lys Leu Glu Ala Ala Glu Lys 365 gga atg tct tgc ttg aca gtt cat aca att atg aac atg cca cat ctg Gly Met Ser Cys Leu Thr Val His Thr Ile Met Asn Met Pro His Leu 370 act gtt caa gcc ctc gcc cta acg ttt tgc cat ctc aaa cag ttt gga 1299 Thr Val Gln Ala Leu Ala Leu Thr Phe Cys His Leu Lys Gln Phe Gly 390 ttt gaa agg atc ctt tac caa ggg gcc tca ttt cgc tct ttg tca agt Phe Glu Arg Ile Leu Tyr Gln Gly Ala Ser Phe Arg Ser Leu Ser Ser 415 aac aca gag atg act ctt tca gcc aat act ctg caa cag ttg gag gtt Ala Ser Phe Arg Ser Leu Glu Val 420 gtg aaa aat aat tca gat gga tcg gaa tct tggc tc tta ttc cat aat 1430 gtg aaa aat aat tca gat gga tcg gaa tct ggc tcc tta ttc cat aat 1430 gtg aat cac aca ctt aca gta tat gct tcc agg ctt tta tc cat aat 1443 atg aat cac aca ctt aca gta tat gct tcc agg ctt ctt aga cac tgg 1491 atg aat cac aca ctt aca gta tat gct tcc agg ctt ctt aga cac tgg 1491 Asn His Thr Leu Thr Val Tyr Gly Ser Arg Leu Leu Arg His Trp 465 gtg act cat cct cta tgc gat aga aat ttg ata tct gct cgg ctt gat 1539 yal Thr His Pro Leu Cys Asp Arg Asn Leu Ile Ser Ala Arg Leu Asp 480 gct gtt tct gag att tct gct tgc atg gga tcc cat agt tct tcc cag gct gtt tct gag att tct gct tgc atg gga tcc cat agt tct tcc cag gct gtt tct gag att tct gct tgc atg gga tcc cat agt tct tcc cag gct gtt tct gag att tct gct tgc atg gga tcc cat agt tct tcc cag gct gtt tct gag att tct gct tgc atg gas tct cat agt tct tcc cag gct gtt tct gag att tct gct tgc atg gas tct cat agt tct tcc cag gct gtt tct gag att tct gct tgc atg gas tct cat agt tct tcc cag gct gtt tct gag att tct gct tgc atg gas tct cat agt tct tcc cag gct gtt tct gag att tct gct tgc atg gas tct cat agt tct tcc cag gct gtt tct gag att tct gct tgc atg gas tct cat agt tct tcc cag gct gtt tct gag att tct gct tgc atg gas tct cat agt tct tcc cag gct gtt tct gag att tct gct tgc atg gsa tct cat agt tct tcc cag gct gtt tct gas att cct gct gct atg gas atc gct gtr atc cat gcc cat cat gct at aca
act gtt caa gcc ctc gcc cta acg ttt tgc cat ctc aaa cag ttt gga 1299 Thr Val Gln Ala Leu Ala Leu Thr Phe Cys His Leu Lys Gln Phe Gly 385 ttt gaa agg atc ctt tac caa ggg gcc tca ttt cgc tct ttg tca agt 1347 Phe Glu Arg Ile Leu Tyr Gln Gly Ala Ser Phe Arg Ser Leu Ser Ser 405 aac aca gag atg act ctc tca gcc aat act ctg caa cag ttg gag gtt 415 aac aca gag atg act ctc tca gcc aat act ctg caa cag ttg gag gtt 425 Asn Thr Glu Met Thr Leu Ser Ala Asn Thr Leu Gln Gln Leu Glu Val 420 gtg aaa aat aat tca gat gga tcg gaa tct ggc tct tta ttc cat aat 1443 Val Lys Asn Asn Ser Asp Gly Ser Glu Ser Gly Ser Leu Phe His Asn 435 atg aat cac aca ctt aca gta tat gct tcc agg ctt ctt aga cac tgg 1491 Met Asn His Thr Leu Thr Val Tyr Gly Ser Arg Leu Leu Arg His Trp 450 gtg act cat cct cta tgc gat aga aat ttg ata tct gct cat agt tct cag ctg gt tct at and and tct aga cac tgg Val Thr His Pro Leu Cys Asp Arg Asn Leu Ile Ser Ala Arg Leu Asp 480 gct gtt tct gag att tct gct tgc atg gga tct cat agt tct tcc cag liser Ser Ser Gln gct gtt tct gag att tct gct tgc atg gga tct cat agt tct tcc cag liser Ser Ser Gln gct gtt tct gag att tct gct tgc atg gga tct cat agt tct tcc cag liser Ser Ser Gln
Thr Val Gln Ala Leu Ala Leu Thr Phe Cys His Leu Lys Gln Phe Gly 395 400 ttt gaa agg atc ctt tac caa ggg gcc tca ttt cgc tct ttg tca agt 1347 Phe Glu Arg Ile Leu Tyr Gln Gly Ala Ser Phe Arg Ser Leu Ser Ser 405 aac aca gag atg act ctc tca gcc aat act ctg caa cag ttg gag gtt 1395 Asn Thr Glu Met Thr Leu Ser Ala Asn Thr Leu Gln Gln Leu Glu Val 420 gtg aaa aat aat tca gat gga tcg gaa tct ggc tcc tta ttc cat aat 1443 Val Lys Asn Asn Ser Asp Gly Ser Glu Ser Gly Ser Leu Phe His Asn 435 atg aat cac aca ctt aca gta tat gct tcc agg ctt ctt aga cac ttg 1491 Met Asn His Thr Leu Thr Val Tyr Gly Ser Arg Leu Leu Arg His Trp 450 gtg act cat cct cta tgc gat aga aat ttg ata tct gct cgc cgg ctt gat 1539 Val Thr His Pro Leu Cys Asp Arg Asn Leu Ile Ser Ala Arg Leu Asp 465 gct gtt tct gag att tct gct tgc atg gga tct cat agt tct tcc cag 31587 Ala Val Ser Glu Ile Ser Ala Cys Met Gly Ser His Ser Ser Ser Gln
Phe Glu Arg Ile Leu Tyr Gln Gly Ala Ser Phe Arg Ser Leu Ser Ser 405 410 415 1395 aac aca gag atg act ctc tca gcc aat act ctg caa cag ttg gag gtt 1395 Asn Thr Glu Met Thr Leu Ser Ala Asn Thr Leu Gln Gln Leu Glu Val 425 425 1430 1443 gtg aaa aat aat tca gat gga tcg gaa tct ggc tcc tta ttc cat aat 1443 Val Lys Asn Asn Ser Asp Gly Ser Glu Ser Gly Ser Leu Phe His Asn 445 145 145 atg aat cac aca ctt aca gta tat gct tcc agg ctt ctt aga cac tgg 1491 Met Asn His Thr Leu Thr Val Tyr Gly Ser Arg Leu Arg His Trp 450 1455 1455 1460 1460 1539 gtg act cat cct cta tgc gat aga aat ttg ata tct gct cgc cgg ctt gat 1539 Val Thr His Pro Leu Cys Asp Arg Asn Leu Ile Ser Ala Arg Leu Asp 480 gct gtt tct gag att tct gct tgc atg gga tct cat agt tct tcc cag 1587 Ala Val Ser Glu Ile Ser Ala Cys Met Gly Ser His Ser Ser Ser Gln
Asn Thr Glu Met Thr Leu Ser Ala Asn Thr Leu Gln Gln Leu Glu Val 420 425 430 gtg aaa aat aat tca gat gga tcg gaa tct ggc tcc tta ttc cat aat Val Lys Asn Asn Ser Asp Gly Ser Glu Ser Gly Ser Leu Phe His Asn 435 440 445 atg aat cac aca ctt aca gta tat gct tcc agg ctt ctt aga cac tgg Met Asn His Thr Leu Thr Val Tyr Gly Ser Arg Leu Leu Arg His Trp 450 455 460 gtg act cat cct cta tgc gat aga aat ttg ata tct gct cgg ctt gat Val Thr His Pro Leu Cys Asp Arg Asn Leu Ile Ser Ala Arg Leu Asp 465 470 475 480 gct gtt tct gag att tct gct tgc atg gga tct cat agt tct tcc cag gtg act cat Ser Glu Ile Ser Ala Cys Met Gly Ser His Ser Ser Ser Gln
Val Lys Asn Asn Ser Asp Gly Ser Glu Ser Gly Ser Leu Phe His Asn 435 440 445 atg aat cac aca ctt aca gta tat gct tcc agg ctt ctt aga cac tgg Met Asn His Thr Leu Thr Val Tyr Gly Ser Arg Leu Leu Arg His Trp 450 455 460 gtg act cat cct cta tgc gat aga aat ttg ata tct gct cgg ctt gat Val Thr His Pro Leu Cys Asp Arg Asn Leu Ile Ser Ala Arg Leu Asp 465 470 475 480 gct gtt tct gag att tct gct tgc atg gga tct cat agt tct tcc cag 1587 Ala Val Ser Glu Ile Ser Ala Cys Met Gly Ser His Ser Ser Ser Gln
Met Asn His Thr Leu Thr Val Tyr Gly Ser Arg Leu Leu Arg His Trp 450 gtg act cat cct cta tgc gat aga aat ttg ata tct gct cgg ctt gat Val Thr His Pro Leu Cys Asp Arg Asn Leu Ile Ser Ala Arg Leu Asp 465 gct gtt tct gag att tct gct tgc atg gga tct cat agt tct tcc cag Ala Val Ser Glu Ile Ser Ala Cys Met Gly Ser His Ser Ser Ser Gln
Val Thr His Pro Leu Cys Asp Arg Asn Leu Ile Ser Ala Arg Leu Asp 465 470 475 480 gct gtt tct gag att tct gct tgc atg gga tct cat agt tct tcc cag 1587 Ala Val Ser Glu Ile Ser Ala Cys Met Gly Ser His Ser Ser Ser Gln
Ala Val Ser Glu Ile Ser Ala Cys Met Gly Ser His Ser Ser Ser Gln

													att Ile 510			1635
									_	-		-	atg Met		-	1683
													cgg Arg			1731
													ctt Leu			1779
													atg Met			1827
													ttg Leu 590			1875
													ctt Leu			1923
													gac Asp			1971
													cgc Arg			2019
													tca Ser			2067
aag Lys	aag Lys	ctc Leu	gct Ala 660	att Ile	cga Arg	aat Asn	ttg Leu	gaa Glu 665	ttt Phe	ctt Leu	caa Gln	gtg Val	tcg Ser 670	Gly 333	atc Ile	2115
aca Thr	cat His	ttg Leu 675	ata Ile	gag Glu	ctg Leu	ccc Pro	gtt Val 680	gat Asp	tcc Ser	aag Lys	gtc Val	cct Pro 685	atg His	aat Asn	tgg Trp	2163
													ccc Pro			2211

			_	_	-			-		_		_		ctt Leu		2259
														agt Ser 735		2307
										_				ctg Leu		2355
_	_								_		_			gtc Val	_	2403
				-	_	_	_		_					cag Gln		2451
											_			gtc Val		2499
							_		_		_			atc Ile 815		2547
							-	-			_		-	gct Ala		2595
														ttc Phe		2643
														tca Ser		2691
agt Ser 865	atc Ile	cag Gln	cat His	ggc Gly	aga Arg 870	agt Ser	acc Thr	ttt Phe	cta Leu	gaa Glu 875	gaa Glu	tta Leu	agt Ser	gaa Glu	gcg Ala 880	2739
														tta Leu 895		2787
														gcc Ala		2835

gca aca tta cag cat ctc cta gca gaa aag aga tgt ttg gtt ctt ttt Ala Thr Leu Gln His Leu Leu Ala Glu Lys Arg Cys Leu Val Leu Phe 915 920 925	2883
gtc acg cat tac cct gaa ata gct gag atc agt aac gga ttc cca ggt Val Thr His Tyr Pro Glu Ile Ala Glu Ile Ser Asn Gly Phe Pro Gly 930 935 940	2931
tct gtt ggg aca tac cat gtc tcg tat ctg aca ttg cag aag gat aaa Ser Val Gly Thr Tyr His Val Ser Tyr Leu Thr Leu Gln Lys Asp Lys 945 950 955 960	2979
ggc agt tat gat cat gat gtg acc tac cta tat aag ctt gtg cgt Gly Ser Tyr Asp His Asp Asp Val Thr Tyr Leu Tyr Lys Leu Val Arg 965 970 975	3027
ggt ctt tgc agc agg agc ttt ggt ttt aag gtt gct cag ctt gcc cag Gly Leu Cys Ser Arg Ser Phe Gly Phe Lys Val Ala Gln Leu Ala Gln 980 985 990	3075
ata cct cca tca tgt ata cgt cga gcc att tca atg gct gca aaa ttg Ile Pro Pro Ser Cys Ile Arg Arg Ala Ile Ser Met Ala Ala Lys Leu 995 1000 1005	3123
gaa gct gag gta cgt gca aga gag aga aat aca cgc atg gga gaa cca Glu Ala Glu Val Arg Ala Arg Glu Arg Asn Thr Arg Met Gly Glu Pro 1010 1015 1020	3171
gaa gga cat gaa gaa ccg aga ggc gca gaa gaa tct att tcg gct cta Glu Gly His Glu Glu Pro Arg Gly Ala Glu Glu Ser Ile Ser Ala Leu 1025 1030 1035 1040	3219
ggt gac ttg ttt gca gac ctg aaa ttt gct ctc tct gaa gag gac cct Gly Asp Leu Phe Ala Asp Leu Lys Phe Ala Leu Ser Glu Glu Asp Pro 1045 1050 1055	3267
tgg aaa gca ttc gag ttt tta aag cat gct tgg aag att gct ggc aaa Trp Lys Ala Phe Glu Phe Leu Lys His Ala Trp Lys Ile Ala Gly Lys 1060 1065 1070	3315
atc aga cta aaa cca act tgt tca ttt tgatttaatc ttaacattat Ile Arg Leu Lys Pro Thr Cys Ser Phe 1075 1080	3362
agcaactgca aggtcttgat catctgttag ttgcgtacta acttatgtgt attagtataa	3422
caagaaaaga gaattagaga gatggattet aateeggtgt tgeagtaeat etttteteea	3482
cccgcataaa aaaaaaaaa aaaaaaaaa aaaaaaaaaa	3522

<210> 19 <211> 1081 <212> PRT

	2213> Arabidopsis thaliana ecotype Columbia 2223> Polypeptide MSH3														
<400)>		19												
Met 1	Gly	Lys	Gln	Lys 5	Gln	Gln	Thr	Ile	Ser 10	Arg	Phe	Phe	Ala	Pro 15	Lys
Pro	Lys	Ser	Pro 20	Thr	His	Glu	Pro	Asn 25	Pro	Val	Ala	Glu	Ser 30	Ser	Thr
Pro	Pro	Pro 35	Lys	Ile	Ser	Ala	Thr 40	Val	Ser	Phe	Ser	Pro 45	Ser	Lys	Arg
Lys	Leu 50	Leu	Ser	Asp	His	Leu 55	Ala	Ala	Ala	Ser	Pro 60	Lys	Lys	Pro	Lys
Leu 65	Ser	Pro	His	Thr	Gln 70	Asn	Pro	Val	Pro	Asp 75	Pro	Asn	Leu	His	Gln 80
Arg	Phe	Leu	Gln	Arg 85	Phe	Leu	Glu	Pro	Ser 90	Pro	Glu	Glu	Tyr	Val 95	Pro
Glu	Thr	Ser	Ser 100	Ser	Arg	Lys	Tyr	Thr 105	Pro	Leu	Glu	Gln	Gln 110	Val	Val
Glu	Leu	Lys 115	Ser	Lys	Tyr	Pro	Asp 120	Val	Val	Leu	Met	Val 125	Glu	Val	Gly
Tyr	Arg 130	Tyr	Arg	Phe	Phe	Gly 135	Glu	Asp	Ala	Glu	Ile 140	Ala	Ala	Arg	Val
Leu 145	Gly	Ile	Tyr	Ala	His 150	Met	Asp	His	Asn	Phe 155	Met	Thr	Ala	Ser	Val 160
Pro	Thr	Phe	_	Leu 165	Asn	Phe	His		Arg 170	_	Leu	Val	Asn	Ala 175	Gly
Tyr	Lys	Ile	Gly 180	Val	Val	Lys	Gln	Thr 185	Glu	Thr	Ala	Ala	Ile 190	Lys	Ser
His	Gly	Ala 195	Asn	Arg	Thr	Gly	Pro 200	Phe	Phe	Arg	Gly	Leu 205	Ser	Ala	Leu
Tyr	Thr 210	Lys	Ala	Thr	Leu	Glu 215	Ala	Ala	Glu	Asp	Ile 220	Ser	Gly	Gly	Cys
Gly 225	Gly	Glu	Glu	Gly	Phe 230	Gly	Ser	Gln	Ser	Asn 235	Phe	Leu	Val	Cys	Val 240
Val	Asp	Glu	Arg	Val 245	Lys	Ser	Glu	Thr	Leu 250	Gly	Cys	Gly	Ile	Glu 255	Met

- Ser Phe Asp Val Arg Val Gly Val Val Gly Val Glu Ile Ser Thr Gly 260 265 270
- Glu Val Val Tyr Glu Glu Phe Asn Asp Asn Phe Met Arg Ser Gly Leu 275 280 285
- Glu Ala Val Ile Leu Ser Leu Ser Pro Ala Glu Leu Leu Gly Gln 290 295 300
- Pro Leu Ser Gln Gln Thr Glu Lys Phe Leu Val Ala Met Ala Gly Pro 305 310 315 320
- Thr Ser Asn Val Arg Val Glu Arg Ala Ser Leu Asp Cys Phe Ser Asn 325 330 335
- Gly Asn Ala Val Asp.Glu Val Ile Ser Leu Cys Glu Lys Ile Ser Ala 340 345 350
- Gly Asn Leu Glu Asp Asp Lys Glu Met Lys Leu Glu Ala Ala Glu Lys 355 360 365
- Gly Met Ser Cys Leu Thr Val His Thr Ile Met Asn Met Pro His Leu 370 375 380
- Thr Val Gln Ala Leu Ala Leu Thr Phe Cys His Leu Lys Gln Phe Gly 385 390 395
- Phe Glu Arg Ile Leu Tyr Gln Gly Ala Ser Phe Arg Ser Leu Ser Ser 405 410 415
- Asn Thr Glu Met Thr Leu Ser Ala Asn Thr Leu Gln Gln Leu Glu Val 420 425 430
- Val Lys Asn Asn Ser Asp Gly Ser Glu Ser Gly Ser Leu Phe His Asn 435 440 445
- Met Asn His Thr Leu Thr Val Tyr Gly Ser Arg Leu Leu Arg His Trp 450 455 460
- Val Thr His Pro Leu Cys Asp Arg Asn Leu Ile Ser Ala Arg Leu Asp 465 470 475 480
- Ala Val Ser Glu Ile Ser Ala Cys Met Gly Ser His Ser Ser Ser Gln 485 490 495
- Leu Ser Ser Glu Leu Val Glu Glu Gly Ser Glu Arg Ala Ile Val Ser 500 505 510
- Pro Glu Phe Tyr Leu Val Leu Ser Ser Val Leu Thr Ala Met Ser Arg 515 520 525
- Ser Ser Asp Ile Gln Arg Gly Ile Thr Arg Ile Phe His Arg Thr Ala 530 535 540

Lys 545	Ala	Thr	Glu	Phe	11e 550	Ala	Val	Met	Glu	Ala 555	Ile	Leu	Leu	Ala	Gl ₃ 560
Lys	Gln	Ile	Gln	Arg 565	Leu	Gly	Ile	Lys	Gln 570	Asp	Ser	Glu	Met	Arg 575	Sei
Met	Gln	Ser	Ala 580	Thr	Val	Arg	Ser	Thr 585	Leu	Leu	Arg	Lys	Leu 590	Ile	Sei
Val	Ile	Ser 595	Ser	Pro	Val	Val	Val 600	Asp	Asn	Ala	Gly	Lys 605	Leu	Leu	Sei
Ala	Leu 610	Asn	Lys	Glu	Ala	Ala 615	Val	Arg	Gly	Asp	Leu 620	Leu	Asp	Ile	Let
Ile 625	Thr	Ser	Ser	Asp	Gln 630	Phe	Pro	Glu	Leu	Ala 635	Glu	Ala	Arg	Gln	Ala 640
Val	Leu	Val	Ile	Arg 645	Glu	Lys	Leu	Asp	Ser 650	Ser	Ile	Ala	Ser	Phe 655	Arg
Lys	Lys	Leu	Ala 660	Ile	Arg	Asn	Leu	Glu 665	Phe	Leu	Gln	Val	Ser 670	Gly	Ile
Thr	His	Leu 675	Ile	Glu	Leu	Pro	Val 680	Asp	Ser	Lys	Val	Pro 685	His	Asn	Trp
Val	Lys 690	Val	Asn	Ser	Thr	Lys 695	Lys	Thr	Ile	Arg	Tyr 700	His	Pro	Pro	Glu
Ile 705	Val	Ala	Gly	Leu	Asp 710	Glu	Leu	Ala	Leu	Ala 715	Thr	Glu	His	Leu	Ala 720
Ile	Val	Asn	Arg	Ala 725	Ser	Trp	qaA	Ser	Phe 730	Leu	Lys	Ser	Phe	Ser 735	Arg
Tyr	Tyr	Thr	Asp 740	Phe	Lys	Ala	Ala	Val 745	Gln	Ala	Leu	Ala	Ala 750	Leu	Asp
Cys	Leu	His 755	Ser	Leu	Ser	Thr	Leu 760	Ser	Arg	Asn	Lys	Asn 765	Tyr	Val	Arg
Pro	Glu 770	Phe	Val	Asp	Asp	Cys 775	Glu	Pro	Val	Glu	Ile 780	Asn	Ile	Gln	Ser
Gly 785	Arg	His	Pro	Val	Leu 790	Glu	Thr	Ile	Leu	Gln 795	Asp	Asn	Phe	Val	Pro 800
Asn	Asp	Thr	Ile	Leu 805	His	Ala	Glu	Gly	Glu 810	Tyr	Cys	Gln	Ile	Ile 815	Thr
Gly	Pro	Asn	Met 820	Gly	Gly	Lys	Ser	Cys	Tyr	Ile	Arg	Gln	Val		Let

									17						
Ile	Ser	Ile 835	Met	Ala	Gln	Val	Gly 840	Ser	Phe	Val	Pro	Ala 845	Ser	Phe	Ala
Lys	Leu 850	His	Val	Leu	Asp	Gly 855	Val	Phe	Thr	Arg	Met 860	Gly	Ala	Ser	Asp
Ser 865	Ile	Gln	His	Gly	Arg 870	Ser	Thr	Phe	Leu	Glu 875	Glu	Leu	Ser	Glu	Ala 880
Ser	His	Ile	Ile	Arg 885	Thr	Cys	Ser	Ser	Arg 890	Ser	Leu	Val	Ile	Leu 895	Asp
Glu	Leu	Gly	Arg	Gly	Thr	Ser	Thr	His 905	Asp	Gly	Val	Ala	Ile 910	Ala	Tyr
Ala	Thr	Leu 915	Gln	His	Leu	Leu	Ala 920	Glu	Lys	Arg	Cys	Leu 925	Val	Leu	Phe
Va]	Thr 930	His	Tyr	Pro	Glu	Ile 935	Ala	Glu	Ile	Ser	Asn 940	Gly	Phe	Pro	Gly
Se1	val	Gly	Thr	Tyr	His 950	Val	Ser	Tyr	Leu	Thr 955	Leu	Gln	Lys	Asp	Lys 960
Gly	/ Ser	Tyr	Asp	His 965		Asp	Val	Thr	Tyr 970		Tyr	Lys	Leu	Val 975	Arg
Gly	/ Leu	. Cys	Ser 980		Ser	Phe	Gly	Phe 985		Val	Ala	Gln	Leu 990	Ala	Gln
`Ile	e Pro	995		Cys	Île	Arg	Arg 1000		Ile	s Ser		Ala 1005	Ala	Lys	Leu
Gl	u Ala 1010		ı Val	. Arg		Arg		Arg	Asn	Thr	Arg		Gly	Glu	Pro
Gl	_	/ His	Glu	ı Glu	1030		Gly	Ala	Glu	1 Glu 1035		Ile	Ser	Ala	Leu 1040
Gl	y Asp	Leu	ı Phe	Ala 1045		Lev	. Lys	Phe	Ala 1050		Ser	Glu	Glu	Asp 1055	
Tr	p Lys	a Ala	a Phe	e Glu	ı Phe	. Lev	ı Lys	His	Ala	a Trp	. Lys	Ile	Ala	Gly	Lys

1060 1065 1070

Ile Arg Leu Lys Pro Thr Cys Ser Phe 1075 1080

<210> 20 <211> 24 <212> DNA <213> Artificial sequence WO 99/19492 PCT/EP98/06977

18

<220>		
<223>	MSH6 specific primer 638 for PCR using cDNA of Arabidopsis thaliana ecotype Columbia	5
<400>	20	
tctctaccag	gtgacgaaaa accg	24
<210>	21	
<211>	28	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	Primer S81 for PCR using cDNA of Arabidopsis thaliana ecot Columbia	уре
<400>	21	
cgtcgccttt	agcatcccct tccttcac	28
<210>	22	
<211>	30	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	MSH6 specific primer S823 for PCR using cDNA of Arabidopsi thaliana ecotype Columbia	s
<400>	22	
gcttggcgca	tctaatagaa tcatgacagg	30
<210>	23	
<211>	24	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	MSH6 specific primer 637 for PCR using cDNA of Arabidopsis	3
	thaliana ecotype Columbia	
<400>	23	
gacagcgtca	gttcttcaga atgc	24
<210>	24	
<211>	33	

<212> DNA

<213>	Artificial sequence	
	ALCILIO240 OF ACTION	
<220>		
<223>	MSH6 specific primer 1S8 for PCR using cDNA of Arabidopsis	
	thaliana ecotype Columbia	
	thairana cootype corambia	
<400>	24	
atcccgggat	gcagcgccag agatcgattt tgt	33
333**		
<210>	25	
<211>	27	
<212>	DNA	
<213>	Artificial sequence	
(213)	Altilitat begaence	
<220>		
<223>	MSH6 specific primer S83 for PCR using cDNA of Arabidopsis	
(225)	thaliana ecotype Columbia	
	thalland ecotype columbia	
<400>	25	
coctatotat	ggctgcttcg aattgag	27
090000000	3300300003	٠,
<210>	26	
	1385	
	DNA .	
	Arabidopsis thaliana ecotype Columbia	
<223>	Clone 43	
<400>	26	
(400)	20	
cccgggatgc	agegecagag ategatititg tettiettee aaaaaeeeae ggeggegaet	60
	agogoodgag acogacoccg corrective addaacccae ggeggegaee	00
acqaaqqqtt	tggtttccgg cgatgctgct agcggcgggg gcggcagcgg aggaccacga 1	20
	toggetteegg egutgetget ageggegggg geggeagegg aggaceaega 1	20
tttaargrga	aggaagggga tgctaaaggc gacgcttctg tacgttttgc tgtttcgaaa 1	80
Judane	aggaaggga tyctaaaggt gatgettetg tacgttttge tytttegaaa 1	80
t ctat casta	aggttagagg aacggatact ccaccggaga aggttccgcg tcgtgtcctg 2	40
coogeogacg	aggicagagg aacggatact ccaccggaga aggicocgcg togtgtoctg 2	40
ccatctaast	***************************************	
ccgcccggac	ttaagccggc tgaatccgcc ggtgatgctt cgtccctgtt ctccaatatt 3	00
250055000		
atgcataagt	ttgtaaaagt cgatgatcga gattgttctg gagagaggag ccgagaagat 3	60
grrgrrccgc	tgaatgattc atctctatgt atgaaggcta atgatgttat tcctcaattt 4	20
cgttccaata	atggtaaaac tcaagaaaga aaccatgctt ttagtttcag tgggagagct 4	80
gaacttagat	cagtagaaga tataggagta gatggcgatg ttcctggtcc agaaacacca 5	40
gggatgcgtc	cacgtgcttc tcgcttgaag cgagttctgg aggatgaaat gacttttaag 6	00
gaggataagg	troctotatt quactoraac aaaagggroa aaarggroca ggargggra	5 0

tgtggagaga agaaag	aagt aaacgaagga	accaaatttg	aatggcttga	gtcttctcga	720
atcagggatg ccaata	gaag acgtcctgat	gatccccttt	acgatagaaa	gaccttacac	780
ataccacctg atgttt	tcaa gaaaatgtct	gcatcacaaa	agcaatattg	gagtgttaag	840
agtgaatata tggaca	ttgt gcttttcttt	aaagtgggga	aattttatga	gctgtatgag	900
ctagatgcgg aattag	gtca caaggagctt	gactggaaga	tgaccatgag	tggtgtggga	960
aaatgcagac aggttg	gtat ctctgaaagt	gggatagatg	aggcagtgca	aaagctatta	1020
gctcgtggat ataaag	ttgg acgaatcgag	cagctagaaa	catctgacca	agcaaaagcc	1080
agaggtgcta atacta	taat tccaaggaag	ctagttcagg	tattaactcc	atcaacagca	1140
agcgagggaa acatcg	ggcc tgatgccgtc	catcttcttg	ctataaaaga	gatcaaaatg	1200
gagctacaaa agtgtt	caac tgtgtatgga	tttgcttttg	ttgactgtgc	tgccttgagg	1250
ttttgggttg ggtcca	tcag cgatgatgca	tcatgtgctg	ctcttggagc	gttattgatg	1320
caggtttctc caaagg	aagt gttatatgac	agtaaagggc	tatcaagaga	agcacaaaag	1380
gctctaagga aatata	cgtt gacagggtct	acggcggtac	agttggctcc	agtaccacaa	1440
gtaatggggg atacag	atgc tgctggagtt	agaaatataa	tagaatctaa	cggatacttt	1500
aaaggttett etgaat	catg gaactgtgct	gttgatggtc	taaatgaatg	tgatgttgcc	1560
cttagtgctc ttggag	agct aattaatcat	ctgtctaggc	taaagctaga	agatgtactt	1620
aagcatgggg atattt	ttcc ataccaagtt	tacaggggtt	gtctcagaat	tgatggccag	1680
acgatggtaa atcttg	agat atttaacaat	agctgtgatg	gtggtccttc	agggaccttg	1740
tacaaatatc ttgata	actg tgttagtcca	actggtaagc	gactcttaag	gaattggatc	1800
tgccatccac tcaaag	atgt agaaagcato	aataaacggc	ttgatgtagt	tgaagaattc	1860
acggcaaact cagaaa	gtat gcaaatcact	ggccagtatc	tccacaaact	tccagactta	1920
gaaagactgc tcggac	gcat caagtctago	gttcgatcat	cagcctctgt	gttgcctgct	1980
cttctgggga aaaaag	tgct gaaacaacga	gttaaagcat	ttgggcaaat	tgtgaaaggg	2040
ttcagaagtg gaattg	atct gttgttggct	ctacagaagg	aatcaaatat	gatgagtttg	2100
ctttataaac tctgta	aact tootatatta	gtaggaaaaa	gcgggctaga	gttatttctt	2160
tctcaattcg aagcag	ccat agatagcg				2188

<210> <211> <212> <213> <223>	27 1385 DNA Arabidops Clone 62	sis thaliana	a ecotype Co	olumbia		
<400>	27					
catcagcctc	tgtgttgcct	gctcttctgg	ggaaaaaagt	gctgaaacaa	cgagttaaag	60
catttgggca	aattgtgaaa	gggttcagaa	gtggaattga	tctgttgttg	gctctacaga	120
aggaatcaaa	tatgatgagt	ttgctttata	aactctgtaa	acttcctata	ttagtaggaa	180
aaagcgggct	agagttattt	ctttctcaat	tcgaagcagc	catagatagc	gactttccaa	240
attatcagaa	ccaagatgtg	acagatgaaa	acgctgaaac	tctcacaata	cttatcgaac	300
tttttatcga	aagagcaact	caatggtctg	aggtcattca	caccataagc	tgcctagatg	360
tcctgagatc	ttttgcaatc	gcagcaagtc	tetetgetgg	aagcatggcc	aggcctgtta	420
tttttcccga	atcagaagct	acagatcaga	atcagaaaac	aaaagggcca	atacttaaaa	480
tccaaggact	atggcatcca	tttgcagttg	cagccgatgg	tcaattgcct	gttccgaatg	540
atatactcct	tggcgaggct	agaagaagca	gtggcagcat	tcatcctcgg	tcattgttac	600
tgacgggacc	aaacatgggc	ggaaaatcaa	ctcttcttcg	tgcaacatgt	ctggccgtta	660
tctttgccca	acttggctgc	tacgtgccgt	gtgagtcttg	cgaaatctcc	ctcgtggata	720
ctatcttcac	aaggcttggc	gcatctgata	gaatcatgac	aggagagagt	acctttttgg	780
tagaatgcac	tgagacagcg	tcagttcttc	agaatgcaac	tcaggattca	ctagtaatcc	840
ttgacgaact	gggcagagga	actagtactt	tcgatggata	cgccattgca	tactcggttt	900
ttcgtcacct	ggtagagaaa	gttcaatgtc	ggatgctctt	tgcaacacat	taccaccctc	960
tcaccaagga	attcgcgtct	cacccacgtg	tcacctcgaa	acacatggct	tgcgcattca	1020
aatcaagatc	tgattatcaa	ccacgtggtt	gtgatcaaga	cctagtgttc	ttgtaccgtt	1080
taaccgaggg	agcttgtcct	gagagctacg	gacttcaagt	ggcactcatg	gctggaatac	1140
caaaccaagt	ggttgaaaca	gcatcaggtg	ctgctcaagc	catgaagaga	tcaattgggg	1200
aaaacttcaa	gtcaagtgag	ctaagatctg	agttctcaag	tctgcatgaa	gactggctca	1260
agtcattggt	gggtatttct	cgagtcgccc	acaacaatgc	ccccattggc	gaagatgact	1320
acgacacttt	gttttgctta	tggcatgaga	tcaaatcctc	ttactgtgtt	cccaaataac	1380

ccggg	138	3 5
<210>	28	
<211>	34	
<212>	DNA	
<213>	Artificial sequence	
(213)	AlCiticiar seddence	
<220>	•	
<223>	MSH6 specific primer 2S8 for PCR using cDNA of Arabidopsis	
	thaliana ecotype Columbia	
<400>	26	
atcccgggtt	atttgggaac acagtaagag gatt	3 4
<210>	29	
<211>	27	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	MSH6 specific primer S82 for PCR using cDNA of Arabidopsis thaliana ecotype Columbia	
<400>	29	
gcgttcgatc	atcagcctct gtgttgc	27
<210>	30 .	
<211>	3606	
<212>	DNA	
<213>	Arabidopsis thaliana ecotype Columbia	
<220>		
<221>	CDS	
<222>	(142)(3468)	
<223>	AtMSH6 full-length cDNA and deduced sequence of the encoded polypeptide	ì
<400>	30	
aaaagttgag	ccctgaggag tatcgtttcc gccatttcta cgacgcaagg cgaaaatttt 60)
tggcgccaat	ctttccccc tttcgaattc tctcagctca aaacatcgtt tctctctcac 120)
tctctctcac	aattccaaaa a atg cag cgc cag aga tcg att ttg tct ttc Met Gln Arg Gln Arg Ser Ile Leu Ser Phe 1 5 10	L

								23							
													ggc Gly 25		219
										-			gtg Val		267
													tcg Ser		315
													gtt Val		363
													gst Gly		411
_	_		_										gtc Val 105		459
													ccg Pro		507
	-												caa Gln		555
_							-				-		agt Ser		603
		_	_	-			-	_	_			-	gat Asp		651
								_	_		_	-	tct Ser 185	_	699
_	_	_	_	_	 _	-	-			_		-	aag Lys	_	747
													ccg Pro		795

tgt gga gag aag aaa gaa gta aac gaa gga acc aaa ttt gaa tgg ctt . Cys Gly Glu Lys Lys Glu Val Asn Glu Gly Thr Lys Phe Glu Trp Leu gag tot tot oga ato agg gat goo aat aga aga ogt oot gat gat ooc Glu Ser Ser Arg Ile Arg Asp Ala Asn Arg Arg Arg Pro Asp Asp Pro ctt tac gat aga aag acc tta cac ata cca cct gat gtt ttc aag aaa Leu Tyr Asp Arg Lys Thr Leu His Ile Pro Pro Asp Val Phe Lys Lys atg tot goa toa caa aag caa tat tgg agt gtt aag agt gaa tat atg Met Ser Ala Ser Gln Lys Gln Tyr Trp Ser Val Lys Ser Glu Tyr Met gac att gtg ctt ttc ttt aaa gtg ggg aaa ttt tat gag ctg tat gag Asp Ile Val Leu Phe Phe Lys Val Gly Lys Phe Tyr Glu Leu Tyr Glu cta gat gcg gaa tta ggt cac aag gag ctt gac tgg aag atg acc atg Leu Asp Ala Glu Leu Gly His Lys Glu Leu Asp Trp Lys Met Thr Met agt ggt gtg gga aaa tgc aga cag gtt ggt atc tct gaa agt ggg ata Ser Gly Val Gly Lys Cys Arg Gln Val Gly Ile Ser Glu Ser Gly Ile gat gag gca gtg caa aag cta tta gct cgt gga tat aaa gtt gga cga Asp Glu Ala Val Gln Lys Leu Leu Ala Arg Gly Tyr Lys Val Gly Arg atc gag cag cta gaa aca tct gac caa gca aaa gcc aga ggt gct aat Ile Glu Gln Leu Glu Thr Ser Asp Gln Ala Lys Ala Arg Gly Ala Asn act ata att cca agg aag cta gtt cag gta tta act cca tca aca gca Thr Ile Ile Pro Arg Lys Leu Val Gln Val Leu Thr Pro Ser Thr Ala age gag gga aac ate ggg cet gat gee gte cat ett ett get ata aaa Ser Glu Gly Asn Ile Gly Pro Asp Ala Val His Leu Leu Ala Ile Lys gag atc aaa atg gag cta caa aag tgt tca act gtg tat gga ttt gct Glu Ile Lys Met Glu Leu Gln Lys Cys Ser Thr Val Tyr Gly Phe Ala ttt gtt gac tgt gct gcc ttg agg ttt tgg gtt ggg tcc atc agc gat Phe Val Asp Cys Ala Ala Leu Arg Phe Trp Val Gly Ser Ile Ser Asp

								:	25							
gat Asp	gca Ala	tca Ser	tgt Cys 430	gct Ala	gct Ala	ctt Leu	gga Gly	gcg Ala 435	tta Leu	ttg Leu	atg Met	cag Gln	gtt Val 440	tct Ser	cca Pro	1467
aag Lys	gaa Glu	gtg Val 445	tta Leu	tat Tyr	gac Asp	agt Ser	aaa Lys 450	ggg Gly	cta Leu	tca Ser	aga Arg	gaa Glu 455	gca Ala	caa Gln	aag Lys	1515
gct Ala	cta Leu 460	agg Arg	aaa Lys	tat Tyr	acg Thr	ttg Leu 465	aca Thr	ggg Gly	tct Ser	acg Thr	gcg Ala 470	gta Val	cag Gln	ttg Leu	gct Ala	1563
cca Pro 475	gta Val	cca Pro	caa Gln	gta Val	atg Met 480	Gly ggg	gat Asp	aca Thr	gat Asp	gct Ala 485	gct Ala	gga Gly	gtt Val	aga Arg	aat Asn 490	1611
					gga Gly											1659
tgt Cys	gct Ala	gtt Val	gat Asp 510	ggt Gly	cta Leu	aat Asn	gaa Glu	tgt Cys 515	gat Asp	gtt Val	gcc Ala	ctt Leu	agt Ser 520	gct Ala	ctt Leu	1707
					cat His											1755
					ttt Phe							Gly				1803
					atg Met 560						Phe					1851
					Gly					Tyr					Val	1899
				Lys	cga Arg				Asn					Pro	. ctc Leu	1947
			Glu		atc Ile			Arg					Glu			1995
		Asn					Glr					ı Tyr			: aaa : Lys	2043

			_	aga Arg 640	-					_		-			2091
			_	ttg Leu											2139
_	_		_	ttt Phe								_	_		2187
_	_	_	_	gct Ala							_			_	2235
			_	aaa Lys					_			_			2283
				caa Gln 720		_	_	-		_	_	_			2331
	_			gat Asp			-	-		_	_				2379
		_		ttt Phe		-	_	-						_	2427
			-	tgc Cys		-	_	_	-			_		-	2475
				gga Gly											2523
				cag Gln 800											2571
				cat His											2619
				ata Ile											2667

agc att ca Ser Ile Hi 84	s Pro Arg	tca ttg Ser Leu	tta ctg Leu Leu 850	acg gga Thr Gly	cca aac Pro Asn 855	atg ggo Met Gly	gga Gly	2715
aaa tca ac Lys Ser Th 860								2763
ctt ggc tg Leu Gly Cy 875								2811
act atc tt Thr Ile Ph		Leu Gly					y Glu	2859
agt acc tt Ser Thr Ph								2907
gca act ca Ala Thr Gl 92	n Asp Ser	_						2955
agt act tt Ser Thr Ph 940								3003
gta gag aa Val Glu Ly 955								3051
ctc acc aa Leu Thr Ly		Ala Ser					s Met	3099
gct tgc gc Ala Cys Al			_		Pro Arg			3147
caa gac ct Gln Asp Le 100	u Val Phe	Leu Tyr	-			Cys Pr		3195
agc tac gg Ser Tyr G			_	Ala Gly				3243
gtt gaa a Val Glu T 1035	_		_	_	Lys Arg			3291

gga aac ttc aag tca agt gag cta aga tct gag ttc tca agt ctg cat Glu Asn Phe Lys Ser Ser Glu Leu Arg Ser Glu Phe Ser Ser Leu His 1055 1060 1065	3339
gaa gac tgg ctc aag tca ttg gtg ggt att tct cga gtc gcc cac aac Glu Asp Trp Leu Lys Ser Leu Val Gly Ile Ser Arg Val Ala His Asn 1070 1075 1080	3387
aat gcc ccc att ggc gaa gat gac tac gac act ttg ttt tgc tta tgg Asn Ala Pro Ile Gly Glu Asp Asp Tyr Asp Thr Leu Phe Cys Leu Trp 1085 1090 1095	3435
cat gag atc aaa tcc tct tac tgt gtt ccc aaa taaatggcta His Glu Ile Lys Ser Ser Tyr Cys Val Pro Lys 1100 1105	3478
tgacataaca ctatctgaag ctcgttaagt cttttgcctc tctgatgttt attcctctta	3538
aaaaatgctt atatatcaaa aaattgtttc ctcgattaaa aaaaaaaaaa	3598
aaaaaaaa	3606
<pre><210></pre>	
<400> 31	
<pre><400> 31 Met Gln Arg Gln Arg Ser Ile Leu Ser Phe Phe Gln Lys Pro Thr Ala 1 5 10 15</pre>	
Met Gln Arg Gln Arg Ser Ile Leu Ser Phe Phe Gln Lys Pro Thr Ala	
Met Gln Arg Gln Arg Ser Ile Leu Ser Phe Phe Gln Lys Pro Thr Ala 1 5 10 15 Ala Thr Thr Lys Gly Leu Val Ser Gly Asp Ala Ala Ser Gly Gly	
Met Gln Arg Gln Arg Ser Ile Leu Ser Phe Phe Gln Lys Pro Thr Ala 15 Ala Thr Thr Lys Gly Leu Val Ser Gly Asp Ala Ala Ser Gly Gly Gly 25 Gly Ser Gly Gly Pro Arg Phe Asn Val Arg Glu Gly Asp Ala Lys Gly	
Met Gln Arg Gln Arg Ser Ile Leu Ser Phe Phe Gln Lys Pro Thr Ala 1	
Met Gln Arg Gln Arg Ser Ile Leu Ser Phe Phe Gln Lys Pro Thr Ala 15 Ala Thr Thr Lys Gly Leu Val Ser Gly Asp Ala Ala Ser Gly Gly Gly 25 Gly Ser Gly Gly Pro Arg Phe Asn Val Arg Glu Gly Asp Ala Lys Gly 45 Asp Ala Ser Val Arg Phe Ala Val Ser Lys Ser Val Asp Glu Val Arg 50 Gly Thr Asp Thr Pro Pro Glu Lys Val Pro Arg Arg Val Leu Pro Ser	
Met Gln Arg Gln Arg Ser Ile Leu Ser Phe Phe Gln Lys Pro Thr Ala 1 10 15 15 16 16 16 17 18 18 19 10 15 16 16 16 16 16 16 16 16 16 16 16 16 16	

Met	Lys 130	Ala	Asn	Asp	Val	Ile 135	Pro	Gln	Phe	Arg	Ser 140	Asn	Asn	Gly	Lys
Thr 145	Gln	Glu	Arg	Asn	His 150	Ala	Phe	Ser	Phe	Ser 155	Gly	Arg	Ala	Glu	Leu 160
Arg	Ser	Val	Glu	Asp 165	Ile	Gly	Val	Asp	Gly 170	Asp	Val	Pro	Gly	Pro 175	Glu
Thr	Pro	Gly	Met 180	Arg	Pro	Arg	Ala	Ser 185	Arg	Leu	Lys	Arg	Val 190	Leu	Glu
Asp	Glu	Met 195	Thr	Phe	Lys	Glu	Asp 200	Lys	Val	Pro	Val	Leu 205	Asp	Ser	Asn
Lys	Arg 210	Leu	Lys	Met	Leu	Gln 215	Asp	Pro	Val	Cys	Gly 220	Glu	Lys	Lys	Glu
Val 225	Asn	Glu	Gly	Thr	Lys 230	Phe	Glu	Trp	Leu	Glu 235	Ser	Ser	Arg	Ile	Arg 240
qaA	Ala	Asn	Arg	Arg 245	Arg	Pro	Asp	Asp	Pro 250		Tyr	Asp	Arg	Lys 255	Thr
Leu	His	Ile	Pro 260	Pro	Asp	Val	Phe	Lys 265	Lys	Met	Ser	Ala	Ser 270	Gln	Lys
Gln	Tyr	Trp 275	Ser	Val	Lys	Ser	Glu 280		Met	Asp	Ile	Val 285	Leu	Phe	Phe
Lys	Val 290	Gly	Lys	Phe	Tyr	Glu 295	Leu	Tyr	Glu	Leu	Asp 300	Ala	Glu	Leu	Gly
His 305	Lys	Glu	Leu	Asp	Trp 310		Met	Thr	Met	Ser 315		Val	Gly	Lys	Cys 320
Arg	Gln	Val	Gly	Ile 325		Glu	Ser	Gly	330		Glu	Ala	Val	Gln 335	
Leu	Leu	Ala	Arg 340	_	Tyr	Lys	Val	. Gly 345		, Ile	Glu	Gln	. Leu 350		Thr
Ser	Asp	Gln 355		Lys	Ala	Arg	Gly 360		Asr	Thr	Ile	Ile 365	Pro	Arg	Lys
Leu	Val 370		. Val	Leu	Thr	9rc 375		Thr	Ala	a Ser	Glu 380		Asn	Ile	Gly
Pro 385	_	Ala	. Val	. His	390		ı Ala	ı Ile	Lys	395		Lys	Met	Glu	Leu 400
Gln	Lys	Cys	Ser	Thr 405		. Tyr	Gly	/ Phe	Ala 410		val	Asp	Cys	Ala 415	

Leu Arg Phe Trp Val Gly Ser Ile Ser Asp Asp Ala Ser Cys Ala Ala Leu Gly Ala Leu Leu Met Gln Val Ser Pro Lys Glu Val Leu Tyr Asp Ser Lys Gly Leu Ser Arg Glu Ala Gln Lys Ala Leu Arg Lys Tyr Thr Leu Thr Gly Ser Thr Ala Val Gln Leu Ala Pro Val Pro Gln Val Met Gly Asp Thr Asp Ala Ala Gly Val Arg Asn Ile Ile Glu Ser Asn Gly Tyr Phe Lys Gly Ser Ser Glu Ser Trp Asn Cys Ala Val Asp Gly Leu Asn Glu Cys Asp Val Ala Leu Ser Ala Leu Gly Glu Leu Ile Asn His Leu Ser Arg Leu Lys Leu Glu Asp Val Leu Lys His Gly Asp Ile Phe Pro Tyr Gln Val Tyr Arg Gly Cys Leu Arg Ile Asp Gly Gln Thr Met Val Asn Leu Glu Ile Phe Asn Asn Ser Cys Asp Gly Gly Pro Ser Gly Thr Leu Tyr Lys Tyr Leu Asp Asn Cys Val Ser Pro Thr Gly Lys Arg Leu Leu Arg Asn Trp Ile Cys His Pro Leu Lys Asp Val Glu Ser Ile Asn Lys Arg Leu Asp Val Val Glu Glu Phe Thr Ala Asn Ser Glu Ser Met Gln Ile Thr Gly Gln Tyr Leu His Lys Leu Pro Asp Leu Glu Arg Leu Leu Gly Arg Ile Lys Ser Ser Val Arg Ser Ser Ala Ser Val Leu Pro Ala Leu Leu Gly Lys Lys Val Leu Lys Gln Arg Val Lys Ala Phe Gly Gln Ile Val Lys Gly Phe Arg Ser Gly Ile Asp Leu Leu Leu Ala Leu Gln Lys Glu Ser Asn Met Met Ser Leu Leu Tyr Lys Leu Cys Lys

Leu Pro Ile Leu Val Gly Lys Ser Gly Leu Glu Leu Phe Leu Ser Gln Phe Glu Ala Ala Ile Asp Ser Asp Phe Pro Asn Tyr Gln Asn Gln Asp Val Thr Asp Glu Asn Ala Glu Thr Leu Thr Ile Leu Ile Glu Leu Phe Ile Glu Arg Ala Thr Gln Trp Ser Glu Val Ile His Thr Ile Ser Cys Leu Asp Val Leu Arg Ser Phe Ala Ile Ala Ala Ser Leu Ser Ala Gly Ser Met Ala Arg Pro Val Ile Phe Pro Glu Ser Glu Ala Thr Asp Gln Asn Gln Lys Thr Lys Gly Pro Ile Leu Lys Ile Gln Gly Leu Trp His Pro Phe Ala Val Ala Ala Asp Gly Gln Leu Pro Val Pro Asn Asp Ile Leu Leu Gly Glu Ala Arg Arg Ser Ser Gly Ser Ile His Pro Arg Ser Leu Leu Thr Gly Pro Asn Met Gly Gly Lys Ser Thr Leu Leu Arg Ala Thr Cys Leu Ala Val Ile Phe Ala Gln Leu Gly Cys Tyr Val Pro Cys Glu Ser Cys Glu Ile Ser Leu Val Asp Thr Ile Phe Thr Arg Leu Gly Ala Ser Asp Arg Ile Met Thr Gly Glu Ser Thr Phe Leu Val Glu Cys Thr Glu Thr Ala Ser Val Leu Gln Asn Ala Thr Gln Asp Ser Leu Val Ile Leu Asp Glu Leu Gly Arg Gly Thr Ser Thr Phe Asp Gly Tyr Ala Ile Ala Tyr Ser Val Phe Arg His Leu Val Glu Lys Val Gln Cys Arg Met Leu Phe Ala Thr His Tyr His Pro Leu Thr Lys Glu Phe Ala Ser His Pro Arg Val Thr Ser Lys His Met Ala Cys Ala Phe Lys Ser

acataaccac aaataggggt gc

Arg Se	r Asp 995	Tyr	Gln	Pro		Gly L000	Cys	Asp	Gln	Asp 1	Leu 1005	Val	Phe	Leu	
Tyr Ar 101	_	Thr	Glu		Ala L015	Cys	Pro	Glu		Tyr 1020	Gly	Leu	Gln	Val	
Ala Le 1025	u Met	Ala		Ile 1030	Pro	Asn	Gln		Val 1035	Glu	Thr	Ala	Ser 10	Gly 040	
Ala Al	a Gln		Met 1045	Lys	Arg	Ser		Gly 1050	Glu	Asn	Phe		Ser 1055	Ser	
Glu Le		Ser 1060	Glu	Phe	Ser		Leu 1065	His	Glu	Asp		Leu 1070	Lys	Ser	
Leu Va	1 Gly 1075		Ser	Arg		Ala 1080		Asn	Asn		Pro 1085	Ile	Gly	Glu	
Asp As		Asp	Thr		Phe 1095	Cys	Leu	Trp		Glu 1100		Lys	Ser	Ser	
Tyr Cy 1105	⁄s Val	Pro	Lys												
<210><211><212><213>		32 24 DN Ar		cial	seq	uenc	e								
<220>															
<223>			rwar cros	_			PCR	amp	lifi	cati	on o	f AT	HGEN	EA	
<400>		32													
accato	gcata	gctt	aaac	tt c	ttg										24
<210>		33	,												
<211>		22	2												
<212>		DN													
<213>		Ar	tifi	cial	seq	uenc	:e								
<220>				~											
<223>			evers	-			PCR	amp	olifi	cati	on c	f AT	HGEN	ΙEΑ	
<400>		33	3												

gctctagatt tctcgctcta agactctct

<210>	34	
<211>	18	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	Forward primer DMCIN-A for PCR on genomic DNA of Arabidopsi	s
	thaliana ssp. Landsberg erecta "Ler"	
<400>	34	
(400)	J1	
gaagcgatat	tattcata 1	R
gaagegatat	1	Ŭ
<210>	35	
<211>	18	
<212>	DNA	
	Artificial sequence	
<213>	Artificial sequence	
.000		
<220>	December 2017 D. Son DOD on marrie DVD of Aushidansi	_
<223>	Reverse primer DMCIN-B for PCR on genomic DNA of Arabidopsi	S
	thaliana ssp. Landsberg erecta "Ler"	
<400>	35	
	1	0
agattgcgag	aacattcc	8
.210.	10	
<210>	36	
<211>	31	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	Forward primer DMCIN-1 for PCR on genomic DNA of Arabidopsi	S
	thaliana ssp. Landsberg erecta "Ler"	
<400>	36	
acgcgtcgac	tcagctatga gattactcgt g	31
<210>	37	
<211>	29	
<212>	DNA	
<213>	Artificial sequence	
<220>	, , , , , , , , , , , , , , , , , , ,	
<223>	Reverse primer DMCIN-2 for PCR on genomic DNA of Arabidopsi	. 5
	thaliana ssp. Landsberg erecta "Ler"	
<400>	37	
·		

<210>	38
<211>	32
<212>	DNA
<213>	Artificial sequence
	·
<220>	
<223>	Forward primer DMCIN-3 for PCR on genomic DNA of Arabidopsis
	thaliana ssp. Landsberg erecta "Ler"
<400>	38
	22
gctctagagc t	tctcttaag taagtgattg at 32
<210>	39
	48
<212>	DNA
	Artificial sequence
<220>	
<223>	Reverse primer DMCIN-4 for PCR on genomic DNA of Arabidopsis
	thaliana ssp. Landsberg erecta "Ler"
<400>	39
tcccccgggc t	cgagagatc tccatggttt cttcagctct atgaatcc 48
<210>	40
<211>	26
<212>	DNA
<213>	Artificial sequence
<220>	
<223>	Forward primer DMCla for PCR on genomic DNA of Arabidopsis
	thaliana ssp. Landsberg erecta "Ler"
<400>	40
acgcgtcgac c	gaattegeaa gtgggg 26
010	
<210>	41
<211>	38
<212> <213>	DNA Artificial sequence
<413>	urriticiai pedaeuce
<220>	
<223>	Reverse primer DMClb for PCR on genomic DNA of Arabidopsis
~~~	thaliana ssp. Landsberg erecta "Ler"
<400>	41

tccatggaga	tctcccgggt accgatttgc ttcgaggg	38
<210>	4.2	
<211>	20	
<212>	DNA	
<213>		
<213>	Artificial sequence	
<220>		
<223>	Forward primer for PCR amplification of ATEAT1 SSLP marker Arabidopsis thaliana subspecies	in
<400>	42	
gccactgcgt	gaatgatatg	20
<210>	43	
<211>	22	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	Payarca primar for DCD amplification of ATEAT1 CCID market	
(223)	Reverse primer for PCR amplification of ATEAT1 SSLP marker Arabidopsis thaliana subspecies	In
<400>	43	
cgaacagcca	acattaattc cc	22
_		
<210>	44	
<211>	18	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	Forward primer for PCR amplification of NGA63 SSLP marker	in
	Arabidopsis thaliana subspecies	
<400>	44	
aaccaaggca	cagaagcg	18
<210>	45	
<210>	18	
<211> <212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	Reverse primer for PCR amplification of NGA63 SSLP marker Arabidopsis thaliana subspecies	in

<400>	45	
acccaagtga	tcgccacc	18
010		
<210>	46	
<211>	21	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	Forward primer for PCR amplification of NGA248 SSLP Arabidopsis thaliana subspecies	marker in
<400>	46	
taccgaacca	aaacacaaag g	21
<210>	4.7	
<211>	22	
<212>	DNA	
<213>	Artificial sequence	
(213)	Arciricial sequence	
<220>		
<223>	Reverse primer for PCR amplification of NGA248 SSLP Arabidopsis thaliana subspecies	marker in
<400>	47	
tctgtatctc	ggtgaattet ee	22
0.0		
<210>	48	
<211>	22	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	Forward primer for PCR amplification of NGA128 SSLP Arabidopsis thaliana subspecies	marker in
<400>	48	
ggtctgttga	tgtcgtaagt cg	22
<210>	49	
<211>	22	
<212>	DNA	
<213>	Artificial sequence	
<220>		

<223>	Reverse primer for PCR amplification of NGA128 SSLP marker is Arabidopsis thaliana subspecies
<400>	49
atcttgaaac c	tttagggag gg 22
<210>	50
<211>	22
<212>	DNA
<213>	Artificial sequence
	•
<220>	
<223>	Forward primer for PCR amplification of NGA280 SSLP marker in Arabidopsis thaliana subspecies
<400>	50
ctgatctcac g	gacaatagt gc 22
<210>	51
<211>	20
<212>	DNA
<213>	Artificial sequence
<220>	
<223>	Reverse primer for PCR amplification of NGA280 SSLP marker in
	Arabidopsis thaliana subspecies
<400>	51
ggctccataa aa	aagtgcacc 20
<210>	52
<211>	21
<212>	DNA
<213>	
<213>	Artificial sequence
<220>	
<223>	Forward primer for BCD amplification of Montage Corp washing to
1000	Forward primer for PCR amplification of NGA111 SSLP marker in Arabidopsis thaliana subspecies
<400>	52
ctccagttgg a	agctaaagg g 21
<210>	53
<211>	21
<212>	DNA
<213>	Artificial sequence

<220>		
<223>	Reverse primer for PCR amplification of NGA111 SSLP mark	ter in
	Arabidopsis thaliana subspecies	
<400>	53	
tgttttttag	gacaaatggc g	21
<210>	54	
<211>	20	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	Forward primer for PCR amplification of NGA168 SSLP mark	er in
•	Arabidopsis thaliana subspecies	
<400>	54	
	•	
ccttcacatc	caaaacccac	2.0
<210>	55	
<211>	20	
<212>	DNA	
<213>	Artificial sequence	
222		
<220>	Parameter of the state of the s	
<223>	Reverse primer for PCR amplification of NGA168 SSLP mark	er in
	Arabidopsis thaliana subspecies	
<400>		
<400>	55	
acacat acco	262266262	
gcacacaccc	acaaccagaa	20
<210>	56	
<211>	20	
<212>	DNA	
<213>	Artificial sequence	
12137	viciliciai seducuce	
<220>		
<223>	Forward primer for PCR amplification of NGA1126 SSLP mar	.l
	in Arabidopsis thaliana subspecies	Ker
	in Manidobata custisus annabecies	
<400>	56	
cactacactt	ttcggtaaag	20
- 3 5 6		∠ ∪

PCT/EP98/06977 WO 99/19492

<210>	57
<211>	20
<212>	DNA
<213>	Artificial sequence
<220>	
<223>	Reverse primer for PCR amplification of NGA1126 SSLP marker in Arabidopsis thaliana subspecies
<400>	57
gcacagtcca	agtcacaacc 20
<210>	58
<211>	20
<212>	DNA
<213>	Artificial sequence
<220>	
<223>	Forward primer for PCR amplification of NGA361 SSLP marker in Arabidopsis thaliana subspecies
<400>	58
aaagagatga	gaatttggac 20
<210>	59
<211>	23
<212>	DNA
<213>	Artificial sequence
<220>	
<223>	Reverse primer for PCR amplification of NGA361 SSLP marker in Arabidopsis thaliana subspecies
<400>	59
acatatcaat	atattaaagt agc 23
<210>	60
<211>	18
<212>	DNA
<213>	Artificial sequence
<220>	
<223>	Forward primer for PCR amplification of NGA168 SSLP marker in Arabidopsis thaliana subspecies
~400×	60

tegtetactg	cactgccg 18	\$
<210>	61	
<211>	22	
<212>	DNA	
<213>	Artificial sequence	
	1-1-1-1	
<220>		
<223>	Reverse primer for PCR amplification of NGA168 SSLP marker i Arabidopsis thaliana subspecies	n
<400>	61	
gaggacatgt	ataggagect eg 22	:
<210>	62	
<211>	20	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	Forward primer for PCR amplification of AthBIO2 SSLP marker in Arabidopsis thaliana subspecies	
<400>	62	
tgacctcctc	ttccatggag 20	)
<210>	63	
<211>	22	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	Payarea primar for DCD amplification of Atherea colon	
(223)	Reverse primer for PCR amplification of AthBIO2 SSLP marker in Arabidopsis thaliana subspecies	
<400>	63	
ttaacagaaa	cccaaagett tc 22	:
<210>	64	
<211>	21	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	Forward primer for PCR amplification of AthUBIQUE SSLP marke in Arabidopsis thaliana subspecies	r

41 <400> 64 aggcaaatgt ccatttcatt g 21 <210> 65 <211> 20 <212> DNA <213> Artificial sequence <220> Reverse primer for PCR amplification of AthUBIQUE SSLP marker <223> in Arabidopsis thaliana subspecies <400> 65 acgacatggc agatttctcc 20 <210> 66 <211> 21 <212> DNA <213> Artificial sequence <220> <223> Forward primer for PCR amplification of NGA172 SSLP marker in Arabidopsis thaliana subspecies <400> 66 agctgcttcc ttatagcgtc c 21 <210> 67 <211> 19 <212> DNA <213> Artificial sequence <220> Reverse primer for PCR amplification of NGA172 SSLP marker in <223> Arabidopsis thaliana subspecies <400> 67 catccgaatg ccattgttc 19 <210> 68 <211> 21 <212> DNA <213> Artificial sequence

<220>

PCT/EP98/06977 WO 99/19492

	42		-
<223>	Forward primer for PCR amplification of NGA126 SSLP Arabidopsis thaliana subspecies	marker	in
<400>	58		
gaaaaaacgc t	actttcgtg g	:	21
<210>	69		
<211>	22		
<212>	DNA		
<213>	Artificial sequence		
<220>			
<223>	Reverse primer for PCR amplification of NGA126 SSLP Arabidopsis thaliana subspecies	marker	in
<400>	69		
caagagcaat a	atcaagagca gc	:	22
<210>	70		
<211>	20		
<212>	DNA		
<213>	Artificial sequence		
<220>			
<223>	Forward primer for PCR amplification of NGA162 SSLP Arabidopsis thaliana subspecies	marker	in
<400>	70		
catgcaattt g	gcatctgagg		20
<210>	71		
<211>	22		
<212>	DNA		
<213>	Artificial sequence		
	•		
<220>			
<223>	Reverse primer for PCR amplification of NGA162 SSLP Arabidopsis thaliana subspecies	marker	in
<400>	71		
ctctgtcact c	cttttcctct gg	:	22
<210>	72		
<211>	21		
<212>	DNA		

Artificial sequence

<213>

PCT/EP98/06977

22

<220>		
<223>	Forward primer for PCR amplification of NGA6 SSLP marker Arabidopsis thaliana subspecies	in
<400>	72	
tggatttctt	cetetettea e	21
<210>	73	
<211>	21	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	Reverse primer for PCR amplification of NGA6 SSLP marker Arabidopsis thaliana subspecies	in
<400>	73	
atggagaagc	ttacactgat c	21
<210>	74	
<211>	20	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	Forward primer for PCR amplification of NGA12 SSLP marker Arabidopsis thaliana subspecies	in
<400>	74	
aatgttgtcc	tccctcctc	20
<210>	75	
<211>	22	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	Reverse primer for PCR amplification of NGA12 SSLP marker Arabidopsis thaliana subspecies	in
<400>	75	
tgatgctctc	tgaaacaaga gc	22

WO 99/19492 PCT/EP

<210>	76
<211>	21
<212>	DNA
<213>	Artificial sequence
<220>	
<223>	Forward primer for PCR amplification of NGA8 SSLP marker in
	Arabidopsis thaliana subspecies
<400>	76
gagggcaaat	c ctttatttcg g
<210>	77
<211>	22
<212>	DNA
<213>	Artificial sequence
<220>	•
<223>	Reverse primer for PCR amplification of NGA8 SSLP marker in Arabidopsis thaliana subspecies
	Arabidopsis charrana subspecies
<400>	77
tggctttcgt	ttataaacat cc 22
<210>	78
<211>	21
<212>	DNA
<213>	Artificial sequence
<220>	
<223>	Forward primer for PCR amplification of NGA1107 SSLP marker
	in Arabidopsis thaliana subspecies
<400>	78
gcgaaaaaac	aaaaaaatcc a 21
1	
<210>	79
<211>	21
<212>	DNA
<213>	Artificial sequence
<220>	
<223>	Reverse primer for PCR amplification of NGA1107 SSLP marker
	in Arabidopsis thaliana subspecies
<400>	79

cgacgaatcg	acagaattag g	21
<210>	80	
<211>	21	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	Forward primer for PCR amplification of NGA225 SSLP marker Arabidopsis thaliana subspecies	in
<400>	80	
gaaatccaaa	tcccagagag g	21
<210>	81	
<211>	22	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<223>	Reverse primer for PCR amplification of NGA225 SSLP marker Arabidopsis thaliana subspecies	in
<400>	81	
tctccccact	agttttgtgt cc 2	22
<210>	82	
<211>	19	
<212>	DNA	
<213>	Artificial sequence	
	·	
<220>		
<223>	Forward primer for PCR amplification of NGA249 SSLP marker Arabidopsis thaliana subspecies	in
<400>	82	
taccgtcaat t	ttcatcgcc	9
	1	-
<210>	83	
<211>	22	
<212>	DNA	
<213>	Artificial sequence	
	vretricial seducice	
<220>		
<223>	Reverse primer for PCR amplification of NGA249 SSLP marker : Arabidopsis thaliana subspecies	in

46

<400>	83
ggatccctaa	ctgtaaaatc cc 22
<210>	84
<211>	22
<212>	DNA
<213>	Artificial sequence
	metrical sequence
<220>	
<223>	Forward primer for PCR amplification of CA72 SSLP marker in Arabidopsis thaliana subspecies
<400>	84
aatcccagta	accaaacaca ca 22
-210	0.5
<210>	85
<211>	20
<212>	DNA
<213>	Artificial sequence
<220>	
<223>	Reverse primer for PCR amplification of CA72 SSLP marker in
	Arabidopsis thaliana subspecies
<400>	85
cccagtctaa	ccacgaccac 20
.03.0	
<210>	86
<211><212>	20
	DNA
<213>	Artificial sequence
<220>	
<223>	Forward primer for PCR amplification of NGA151 SSLP marker in
	Arabidopsis thaliana subspecies
<400>	86
gttttgggaa	gttttgctgg 20
<210>	87
<211>	24
<212>	DNA
<213>	Artificial sequence
	· · · · · · · · · · · · · · · · · · ·
<220>	

47

Artificial sequence

<213>

<223>	Reverse primer for PCR amplification Arabidopsis thaliana subspecies	of :	NGA151	SSLP	marker	in
<400>	87					
cagtctaaaa	gcgagagtat gatg					24
<210>	. 88,					
<211>	22					
<212>	DNA					
<213>	Artificial sequence					
<220>						
<223>	Forward primer for PCR amplification Arabidopsis thaliana subspecies	of 1	NGA106	SSLP	marker	in
<400>	88					
gttatggagt	ttctagggca cg					22
<210>	89					
<211>	20					
<212>	DNA					
<213>	Artificial sequence				•	
<220>						
<223>	Reverse primer for PCR amplification Arabidopsis thaliana subspecies	of 1	NGA106	SSLP	marker	in
<400>	89					
tgccccattt	tgttcttctc					20
<210>	90					
<211>	20					
<212>	DNA					
<213>	Artificial sequence					
<220>						
<223>	Forward primer for PCR amplification (Arabidopsis thaliana subspecies	of N	NGA139	SSLP	marker	in
<400>	90					
agagctacca	gatccgatgg					20
<210>	91					
<211>	21					
<212>	DNA					

PCT/EP98/06977

. . . . _

WO 99/19492 PCT/EPS

<220>	
<223>	Reverse primer for PCR amplification of NGA139 SSLP marker is
	Arabidopsis thaliana subspecies
	Wignigobota cugitang amplecies
.400	0.1
<400>	91
ggtttcgttt	cactatccag g 21
<210>	92
<211>	22
<212>	DNA
<213>	Artificial sequence
<220>	
<223>	Forward primer for PCR amplification of NGA76 SSLP marker in
(223)	Arabidopsis thaliana subspecies
	Alabidopsis thailana subspecies
400	
<400>	92
ggagaaaatg	tcactctcca cc 22
<210>	93
<211>	20
<212>	DNA
<213>	Artificial sequence
<220>	
<223>	Reverse primer for PCR amplification of NGA76 SSLP marker in
	Arabidopsis thaliana subspecies
<400>	93
11002	
aggeatgeaa	
aggcacggga	gacatttacg 20
210	
<210>	94
<211>	20
<212>	DNA
<213>	Artificial sequence
<220>	
<223>	Forward primer for PCR amplification of ATHSO191 SSLP marker
	in Arabidopsis thaliana subspecies
	•
<400>	94
ctccaccaat	catgcaaatg 20
	<u>-</u>

<210><211>	95 21
<212>	DNA
<213>	Artificial sequence
<220>	
<223>	Reverse primer for PCR amplification of ATHSO191 SSLP marker in Arabidopsis thaliana subspecies
<400>	95
tgatgttgat g	gagatggtc a 21
<210>	96
<211>	22
<212>	DNA
<213>	Artificial sequence
<220>	
<223>	Forward primer for PCR amplification of NGA129 SSLP marker in
	Arabidopsis thaliana subspecies
<400>	96
tcaggaggaa c	taaagtgag gg 22
<210>	97
<211>	22
<212>	DNA
<213>	Artificial sequence
<220>	
<223>	Reverse primer for PCR amplification of NGA129 SSLP marker in Arabidopsis thaliana subspecies
<400>	97
cacactgaag a	tggtcttga gg 22
<210>	98
<211>	8062
<212>	DNA
<213>	Arabidopsis thaliana ecotype Columbia
<220>	
<223>	Genomic DNA sequence of AtMSH6
<400>	97

aagaaatgaa	agatatatat	tgttttttca	tttatcaaac	aaaacaacaa	gactttttt	120
ttacttttta	cattggtcaa	caaaatacaa	gataaacgac	atcgtttaat	catttcccaa	180
ttttacccct	aagtttaaca	cctagaacct	tctccatctt	cgcaagcaca	gcctgattag	240
gaacagcttt	accattctca	tattcctgaa	ctacctgagt	cctctcattg	atctgtttcg	300
ccaaatccgc	ttgtgacatc	ttcttctcca	atctcgcttt	ctgtatcatc	aacctcacct	360
ctgctttcac	acgatccatc	gccgcaggct	ctgtttcttc	ttccagcttc	ttcgtgttaa	420
tcaccggaac	cgccgtagat	ttcccctttt	tgttcgaacc	ggcatcgaat	ttcttaaccg	480
tttgaaccgc	gacaccgttt	ctcagagctg	cgttaaccgc	tttcggatcg	cgtaggtctt	540
ggctcttttg	ttttgatttg	tggagaacta	ctggttccca	gtcttgtgtt	actgctcctg	600
ggtatctgct	cggcatcgtc	gatgaattga	gagaaaggaa	caacgcgaaa	attttattaa	660
tctgagtttt	gaaattgaga	aacgatgaag	atgaagaatg	ttgttgagag	gattgtgata	720
tttatatata	cgaagattgg	tttctggaga	attcgatcat	ctttttatca	attttcgtct	780
ctggaacgtt	cttagagatg	attgacgacg	tgtcattatc	tgatttgcag	ttaaccaatg	840
ctttttgggt	tggattcgtg	gtacaccata	ttatccgatt	tggctcaatg	gttttatata	900
aatttggttt	teggtteggt	tatgagttat	cattaaaatt	aagctaacca	aaaattttcg	960
taaaatttat	ttcggtttca	attcggatcc	cttacttcca	gaaccgaatt	attcgaaacc	1020
ggggttagcc	gaaccgaata	ccaatgcctg	attgactcgt	tggctagaaa	gatccaacgg	1080
tatacaataa	tagaacataa	atcggacggt	catcaaagcc	tcaaagagtg	aacagtcaac	1140
aaaaaagtt	gagccctgag	gagtatcgtt	tccgccattt	ctacgacgca	aggcgaaaat	1200
ttttggcgcc	aatctttccc	ccctttcgaa	ttctctcagc	tcaaaacatc	gtttctctct	1260
cactetetet	cacaattcca	aaaaatgcag	cgccagagat	cgattttgtc	tttcttccaa	1320
aaacccacgg	cggcgactac	gaagggtttg	gtttccggcg	atgctgctag	cggcgggggc	1380
ggcagcggag	accacgattt	aatgtgaagg	aaggggatgc	taaaggcgac	gcttctgtac	1440
gttttgctgt	ttcgaaatct	gtcgatgagg	ttagaggaac	ggatactcca	ccggagaagg	1500
ttccgcgtcg	tgtcctgccg	tctggattta	agccggctga	atccgccggt	gatgcttcgt	1560
ccctgttctc	caatattatg	cataagtttg	taaaagtcga	tgatcgagat	tgttctggag	1620
agaggtacta	atcttcgatt	ctcttaattt	tgttatcttt	agctggaaga	agaagattcg	1680

tgtaatttgt	tgtattcgtt	ggagagattc	tgattactgc	attggatcgt	tgtttacaaa	1740
ttttcaggag	ccgagaagat	gttgttccgc	tgaatgattc	atctctatgt	atgaaggcta	1800
atgatgttat	tcctcaattt	cgttccaata	atggtaaaac	tcaagaaaga	aaccatgctt	1860
ttagtttcag	tgggagagct	gaacttagat	cagtagaaga	tataggagta	gatggcgatg	1920
ttcctggtcc	agaaacacca	gggatgcgtc	cacgtgcttc	tcgcttgaag	cgagttctgg	1980
aggatgaaat	gacttttaag	gaggataagg	ttcctgtatt	ggactctaac	aaaaggctga	2040
aaatgctcca	ggatccggtt	tgtggagaga	agaaagaagt	aaacgaagga	accaaatttg	2100
aatggcttga	gtcttctcga	atcagggatg	ccaatagaag	acgtcctgat	gatccccttt	2160
acgatagaaa	gaccttacac	ataccacctg	atgttttcaa	gaaaatgtct	gcatcacaaa	2220
agcaatattg	gagtgttaag	agtgaatata	tggacattgt	gcttttcttt	aaagtggtta	2280
gtaactatta	atctagtgtt	caatccattt	cctcaatgtg	atttgttcac	ttacatctgt	2340
ttacgttatg	ctcttctcag	gggaaatttt	atgagctgta	tgagctagat	gcggaattag	2400
gtcacaagga	gcttgactgg	aagatgacca	tgagtggtgt	gggaaaatgc	agacaggtaa	2460
attagttgaa	acaactggcc	tgcttgaatt	attgtgtcta	taaattttga	caccaccttt	2520
tgtttcaggt	tggtatctct	gaaagtggga	tagatgaggc	agtgcaaaag	ctattagctc	2580
gtgggtaagg	gaaccatcat	actttatgga	attcgtttac	tgctacttcg	gctaggattt	2640
aagaaatgga	aatcacttca	agcatcatta	gttaggatcc	tgagaactca	ggatgttttc	2700
ttattcgtta	tataataagt	cttttcatca	aggagtaaca	aacaaaactt	gcacaatatt	2760
tgtgtgctca	ctggcaaggc	atatataccc	agctaacctt	tgctagttca	ctgtagtaac	2820
agttacggat	aatatatgtt	tacttgtatg	tggtaccctc	attttgtctc	tcatggaggc	2880
tttcaagcct	tgtgttgaaa	ctggatagtt	acatatgctt	ccaacagaaa	ctagcatgca	2940
gattcatatg	ctttcctatt	ctactaatta	tgtattgaca	cactcgttgt	ttcttttgaa	3000
agatataaag	ttggacgaat	cgagcagcta	gaaacatctg	accaagcaaa	agccagaggt	3060
gctaatactg	taagttttct	tggataggtc	aaggagagtg	ttgcagactg	tttttgatca	3120
tttcttttc	tgtacattac	tttcatgctg	taattaactc	aatggctatt	ctggtctgat	3180
tatcagataa	ttccaaggaa	gctagttcag	gtattaactc	catcaacagc	aagcgaggga	3240
aacatcgggc	ctgatgccgt	ccatcttctt	gctataaaag	aggtttgtta	tttacttatt	3300

tatcttatca	tgttcagttc	atccaagtcc	tgaaaaatta	cactettett	taccaatctt	3360
ccatcaagct	gtgtaaagga	tttggaatta	gaaaatcatt	atttgatgct	ttgttttata	3420
tgcaagaggt	tcccttgaaa	agatctgttt	aagattcttt	gcacttgaaa	aattcaatct	3480
ttttaagtga	atcccctact	ttcttacaat	gatcatagtc	tgcaattgca	tgtcaagtaa	3540
tatcattcct	tgttactgca	tcccctctt	tcttaatgac	cattgtctat	gttgtgtttg	3600
tctcgtgtgc	tggagaaaat	gatagctgat	ccaagctgta	cattatcatg	attaagtagc	3660
tgctcaggaa	ttgcctttgg	ttacattgcc	taatggtttg	atgtcaattt	ttcttctgaa	3720
tctttatttt	agatcaaaat	ggagctacaa	aagtgttcaa	ctgtgtatgg	atttgctttt	3780
gttgactgtg	ctgccttgag	gttttgggtt	gggtccatca	gcgatgatgc	atcatgtgct	3840
gctcttggag	cgttattgat	gcaggtaagc	aagtgtattc	tgtatcttat	gtgtaccatg	3900
tgacttcctg	tgcatatatt	tgggttgcag	gaactaattc	tgaatcacca	tttggtatgt	3960
tttttccagg	tttctccaaa	ggaagtgtta	tatgacagta	aaggtaaact	gcttgtatcg	4020
ccagttgttt	tgttaaacag	aatttaaggt	aaatgacact	ggttaattta	aagtgcatac	4080
atgttgaaat	attgcagggc	tatcaagaga	agcacaaaag	gctctaagga	aatatacgťt	4140
gacaggtacc	atttcagtag	gcaagctaac	tgacaattta	accgctcacc	gaatgatagg	4200
tctcttaaac	attgctaatg	tagatgatgt	ttatgtttca	atctaatagg	gtctacggcg	4260
gtacagttgg	ctccagtacc	acaagtaatg	ggggatacag	atgctgctgg	agttagaaat	4320
ataatagaat	ctaacggata	ctttaaaggt	tcttctgaat	catggaactg	tgctgttgat	4380
ggtctaaatg	aatgtgatgt	tgcccttagt	gctcttggag	agctaattaa	tcatctgtct	4440
aggctaaagg	tgtgttggct	tgtttagttt	ttgcttttca	caaattaagc	aaaggaactt	4500
ttcataactt	acagtttcta	tctacttgca	gctagaagat	gtacttaagc	atggggatat	4560
ttttccatac	caagtttaca	ggggttgtct	cagaattgat	ggccagacga	tggtaaatct	4620
tgagatattt	aacaatagct	gtgatggtgg	tccttcaggc	aagtgcatat	ttcttttttg	4680
ataacttcaa	ctagagggca	gacatagaag	gaaaaattct	aatacttcgt	acggatctcc	4740
agtaagtaat	agccgatttt	tgtttaccta	tgtagggacc	ttgtacaaat	atcttgataa	4800
ctgtgttagt	ccaactggta	agcgactctt	aaggaattgg	atctgccatc	cactcaaaga	4860
tgtagaaagc	atcaataaac	ggcttgatgt	agttgaagaa	ttcacggcaa	actcagaaag	4920

tatgcaaatc	actggccagt	atctccacaa	acttccagac	ttagaaagac	tgctcggacg	4980
catcaagtct	agcgttcgat	catcagcctc	tgtgttgcct	gctcttctgg	ggaaaaaagt	5040
gctgaaacaa	cgagtaagta	tcaatcacaa	gttttctgag	taatgccttc	catgagtagt	5100
ataggactaa	aacattacgg	gtctagctaa	agactgttct	ccttcttttg	caatgtctgg	5160
ttattcatta	catttctctt	aacttattgc	attgcaggtt	aaagcatttg	ggcaaattgt	5220
gaaagggttc	agaagtggaa	ttgatctgtt	gttggctcta	cagaaggaat	caaatatgat	5280
gagtttgctt	tataaactct	gtaaacttcc	tatattagta	ggaaaaagcg	ggctagagtt	5340
atttctttct	caattcgaag	cagccataga	tagcgacttt	ccaaattatc	aggtgcccat	5400
ctatctttca	tactttacaa	caaaatgtct	gtcactactc	aaagcaatgc	atatggctta	5460
gateteaaet	cacaccccga	ggatcctaaa	gggatttgct	ttttattcct	aatgtttttg	5520
gatggtttga	tttatttcta	acttgaactt	attaatcttg	taccagaacc	aagatgtgac	5580
agatgaaaac	gctgaaactc	tcacaatact	tatcgaactt	tttatcgaaa	gagcaactca	5640
atggtctgag	gtcattcaca	ccataagctg	cctagatgtc	ctgagatctt	ttgcaatcgc	5700
agcaagtctc	tctgctggaa	gcatggccag	gcctgttatt	tttcccgaat	cagaagctac	5760
agatcagaat	cagaaaacaa	aagggccaat	acttaaaatc	caaggactat	ggcatccatt	5820
tgcagttgca	gccgatggtc	aattgcctgt	tccgaatgat	atactccttg	gcgaggctag	5880
aagaagcagt	ggcagcattc	atcctcggtc	attgttactg	acgggaccaa	acatgggcgg	5940
aaaatcaact	cttcttcgtg	caacatgtct	ggccgttatc	tttgcccaag	tttgtatact	6000
cgttagataa	ttactctatt	ctttgcaatc	agttcttcaa	catgaataat	aaattctgtt	6060
ttctgtctgc	agcttggctg	ctacgtgccg	tgtgagtctt	gcgaaatctc	cctcgtggat	6120
actatcttca	caaggcttgg	cgcatctgat	agaatcatga	caggagagag	taagttttgt	6180
tctcaaaata	ccaattcctc	gaactattta	ctcagatttt	gtctgattgg	acaaggtggt	6240
tttgcttttt	tttaggtacc	tttttggtag	aatgcactga	gacagcgtca	gttcttcaga	6300
atgcaactca	ggattcacta	gtaatccttg	acgaactggg	cagaggaact	agtactttcg	6360
atggatacgc	cattgcatac	tcggtaacct	gctcttctcc	ttcaacttat	acttgttgat	6420
caacaaaaac	atgcaattca	ttttgctgaa	acttattgat	ttatatcagg	tttttcgtca	6480
cctggtagag	aaagttcaat	gtcggatgct	ctttgcaaca	cattaccácc	ctctcaccaa	6540

ggaattcgcg	tctcacccac	gtgtcacctc	gaaacacatg	gcttgcgcat	tcaaatcaag	6600
atctgattat	caaccacgtg	gttgtgatca	agacctagtg	ttcttgtacc	gtttaaccga	6660
gggagcttgt	cctgagagct	acggacttca	agtggcactc	atggctggaa	taccaaacca	6720
agtggttgaa	acagcatcag	gtgctgctca	agccatgaag	agatcaattg	gggaaaactt	6780
caagtcaagt	gagctaagat	ctgagttctc	aagtctgcat	gaagactggc	tcaagtcatt	6840
ggtgggtatt	tctcgagtcg	cccacaacaa	tgccccatt	ggcgaagatg	actacgacac	6900
tttgttttgc	ttatggcatg	agatcaaatc	ctcttactgt	gttcccaaat	aaatggctat	6960
gacataacac	tatctgaagc	tcgttaagtc	ttttgcttct	ctgatgttta	ttcctcttaa	7020
aaaatgctta	tatatcaaaa	aattgtttcc	tcgattataa	caagattata	tatgtatctg	7080
tcggtttagc	tatggtatat	aatatatgta	tgttcatgag	attggtcaag	agaaatactc	7140
acaaacagta	tattaagaag	gaaatatgtt	tatgcattaa	tttaagtttc	aagataaact	7200
gcaaataacc	tcgactaaag	ttgcaaagac	caaacacaaa	ttacaaaact	tataagactt	7260
aagttctgaa	ttccctaaaa	ccaaaaaaaa	aaacagaaca	tattttgttg	catctacaaa	7320
caacacaaac	ctacatagtt	tataacttac	tcatcactga	gattaacatc	agaatcattc	7380
tccatttctt	catcttcact	ctcatcatca	tcaccaccac	catgatgatt	ctcctct	7440
tcacgtaacc	tagcaatctc	actctgagct	ctatcaacaa	tctgcttctt	ctgcaactcc	7500
aaatctctct	gaaaatcagc	tctcatcttc	tccaactcct	tcatttgctc	tttcttactc	7560
ttctccatct	tctcataaac	cttcccaaac	ctctcaacag	aatccgccaa	catcttatac	7620
gaagcagcgt	cattaacctt	cttcctctcg	tactcaacct	catcatcctc	atcctcctcc	7680
tcttcagaat	caccaggact	atccatcatc	tcatcaaacc	cattagactt	atctaaataa	7740
accttagtgt	tcataaacac	aaactcacct	gaatcaacac	cacaagctaa	acctaaatcc	7800
gacttgggcg	aaacacaaag	caacatatcc	aacttattga	aaaacgacca	tttacttgaa	7860
cctaaacctg	atttctcaac	cttaatcttc	tetttetat	acttcctctt	caagtcatca	7920
atcattctcc	tacattgcgt	ctcagatttc	tccatcctta	gctcctcact	cactttctca	7980
gctacttcat	tccaatcctc	gttcctcaaa	ctccttctac	ccaattgcaa	aaacctatct	8040
ccccaaactt	саадсаасас	aa				8062

#### WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: C12N 15/82, 15/29, C07K 14/415, C12N 15/10, 5/04, 5/14, A01H 5/00

(11) International Publication Number: A3

**WO 99/19492** 

(43) International Publication Date:

22 April 1999 (22.04.99)

(21) International Application Number:

PCT/EP98/06977

(22) International Filing Date:

9 October 1998 (09.10.98)

(30) Priority Data:

PO 9745

10 October 1997 (10.10.97) AU

(71) Applicant (for all designated States except RHONE-POULENC AGRO [FR/FR]; 14/20, rue Pierre Baizet, F-69009 Lyon (FR).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): DOUTRIAUX. Marie-Pascale [FR/FR]: 64, route de Villebon, F-91160 Saulx les Chartreux (FR). BETZNER, Andreas, Stefan [AU/AU]; 40 Dallachy Place, Page, ACT 2614 (AU). FREYSSINET, Georges [FR/FR]; 21, rue de Nervieux, F-69450 Saint Cyr au Mont d'Or (FR). PEREZ, Pascal [FR/FR]; 17, chemin de la Pradelle, Varennes, F-63450 Chanonat (FR).
- (74) Agent: GENIN, Patrick; Rhône-Poulenc Agro, DPI, 14/20, rue Pierre Baizet, F-69009 Lyon (FR).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

### Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(88) Date of publication of the international search report: 24 June 1999 (24.06.99)

(54) Title: METHODS FOR OBTAINING PLANT VARIETIES

(57) Abstract

An isolated and purified DNA molecule comprising a polynucleotide sequence encoding a polypeptide functionally involved in the DNA mismatch repair system of a plant.

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

							= =
AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
ΑT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑÜ	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ.	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	LT	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	ÜA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand	2,	Dimodo no
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	Li	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		
					D.T		

Inte. onal Application No PCT/EP 98/06977

CLASSIFICATION OF SUBJECT MATTER PC 6 C12N15/82 C12N A. CLASS C12N15/29 CO7K14/415 C12N15/10 C12N5/04 C12N5/14 A01H5/00 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) IPC 6 C12N A01H Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) C. DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. WO 95 15381 A (CHAPELLE ALBERT DE ;UNIV 1-5 JOHNS HOPKINS (US)) 8 June 1995 33 - 35see the whole document Α WO 97 37011 A (SETRATECH S A R L ; BORTS 1 - 35RHONA HARRIET (GB); LOUIS EDWARD JOHN (GB) 9 October 1997 see abstract see the whole document Α WO 90 07576 A (SETRATECH) 12 July 1990 1,7-27,31,32 see the whole document and specially page 5, line 16-31, examples 3-4 Further documents are listed in the continuation of box C. Patent family members are listed in annex. Special categories of cited documents: "T" later document published after the international filing date or priority date and not in conflict with the application but "A" document defining the general state of the lart which is not cited to understand the principle or theory underlying the considered to be of particular relevance invention "E" earlier document but published on or after the international "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another "Y" document of particular relevance; the claimed invention citation or other special reason (as specified) cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled "O" document referring to an oral disclosure, use, exhibition or other means document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 16 April 1999 03/05/1999 Name and mailing address of the ISA Authorized officer European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Mateo Rosell, A.M. Fax: (+31-70) 340-3016

Inter onal Application No
PCT/EP 98/06977

inthes) DCOLUMENT CONTROL OF THE CON	PCT/EP 98/06977
or the resevant passages	Relevant to claim No.
WO 97 01634 A (ANGELETTI P IST RICHERCHE BIO ;JIRICNY JOSEF (IT); PALOMBO FABIO () 16 January 1997 see page 1, line 18 - page 2, line 28 see page 58	1,2
PROLLA T A ET AL: "MLH1, PMS1, AND MSH2 INTERACTIONS DURING THE INITATION OF DNA MISMATCH REPAIR IN YEAST" SCIENCE, vol. 265, 19 August 1994, pages 1091-1093, XP000676403 cited in the application	1,2,4,5
A. WATANABE ET AL., : "Genomic organization and expresssion of the human MSH3 gene" GENOMICS, vol. 31, 1996, pages 311-318, XP002099967 see the whole document and specially Fig.3	1-6
ACHARYA S ET AL: "hMSH2 forms specific mispair-binding complexes with hMSH3 and hMSH6" PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA, no. 93, October 1996, pages 13629- 13629, XP002080159 cited in the application sequences from this paper deposited in GenBank under AC= U61981 (hMSH3), and U54777 and U73732-7 (hMSH6). see the whole document	1-6
K. LIU ET AL., : "characterization of the mouse Rep-3 gene: sequence similarities to bacterial and yeast mismatch-repair proteins" GENE, vol. 147, 1994, pages 169-177, XP002099968 see the whole document and specially Figure 2.	1-6
I. IACCARINO ET AL.,: "MSH6, a Saccharomyces cerevisiae protein that binds to mismatches as a heterodimer with MSH2" CURRENT BIOLOGY, vol. 6, no. 4, April 1996, pages 484-486, XP002099969 sequence is deposited at GenBank under AC= Z47746. see the whole document	1-6
	BIO ; JIRICNY JOSEF (IT); PALOMBO FABIO () 16 January 1997 see page 1, line 18 - page 2, line 28 see page 58  PROLLA T A ET AL: "MLH1, PMS1, AND MSH2 INTERACTIONS DURING THE INITATION OF DNA MISMATCH REPAIR IN YEAST" SCIENCE, vol. 265, 19 August 1994, pages 1091-1093, XP000676403 cited in the application  A. WATANABE ET AL., "Genomic organization and expresssion of the human MSH3 gene" GENOMICS, vol. 31, 1996, pages 311-318, XP002099967 see the whole document and specially Fig.3  ACHARYA S ET AL: "hMSH2 forms specific mispair-binding complexes with hMSH3 and hMSH6" PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA, no. 93, October 1996, pages 13629- 13629, XP002080159 cited in the application sequences from this paper deposited in GenBank under AC= U61981 (hMSH3), and U54777 and U73732-7 (hMSH6). see the whole document  K. LIU ET AL., "Characterization of the mouse Rep-3 gene: sequence similarities to bacterial and yeast mismatch-repair proteins" GENE, vol. 147, 1994, pages 169-177, XP002099968 see the whole document and specially Figure 2.  I. IACCARINO ET AL.,: "MSH6, a Saccharomyces cerevisiae protein that binds to mismatches as a heterodimer with MSH2" CURRENT BIOLOGY, vol. 6, no. 4, April 1996, pages 484-486, XP002099969 sequence is deposited at GenBank under AC= Z47746. see the whole document

Inte. Ional Application No
PCT/EP 98/06977

C (C====		PCT/EP 98/06977
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category '	Citation of document, with indication where appropriate, of the relevant passages	Relevant to claim No.
A	CORRADI A ET AL: "CDNA SEQUENCE, MAP, AND EXPRESSION OF THE MURINE HOMOLOG OF GTBP, ADNA MISMATCH REPAIR GENE" GENOMICS, vol. 36, no. 2, 1 September 1996, pages 288-295, XP000613761 see the whole document and specially Fig.1	1-6
P,X	DATABASE EMBL NUCLEOTIDE AND PROTEIN SEQUENCES,13 July 1998, XP002099368 HINXTON, GB AC= AJ007791. Arabidopsis thaliana mRNA for mismatch repair protein (MSH3) see abstract	1-6
Р,Х	DATABASE EMBL NUCLEOTIDE AND PROTEIN SEQUENCES,1 August 1998, XP002099369 HINXTON, GB AC= 065607. Arabidopsis thaliana. Putative mismacht DNA repair protein see abstract	1-5
P,X	DATABASE EMBL NUCLEOTIDE AND PROTEIN SEQUENCES,16 October 1997, XP002099371 HINXTON, GB AC= AF009657. Arabidopsis thalian MutS homolog 6-like protein mRNA. see abstract -& K.M. CULLIGAN AND J.B. HAYS: "DNA mismatch repair in plants" PLANT PHYSIOLOGY, vol. 115, 1997, pages 833-839, XP002099372 see the whole document	1-6
	DATABASE EMBL NUCLEOTIDE AND PROTEIN SEQUENCES,17 December 1998, XP002099373 HINXTON, GB AC= AJ131669. Triticum aestivum mRNA for MSH3 protein, MSH3 gene. see abstract	1-6
	DATABASE EMBL NUCLEOTIDE AND PROTEIN SEQUENCES,12 October 1998, XP002099370 HINXTON, GB AC= AJ007792. Arabidopsis thaliana DNA mismatch repair protein, MSH6 gene. see abstract	1-6

Information on patent family members

Inter onal Application No
PCT/EP 98/06977

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9515381	A	08-06-1995	EP 0730648 A JP 9506509 T US 5693470 A US 5837443 A	11-09-1996 30-06-1997 02-12-1997 17-11-1998
WO 9737011	Α	09-10-1997	NONE	
WO 9007576	Α	12-07-1990	FR 2641793 A AT 127519 T AU 4834390 A CA 2006549 A DE 68924174 D DE 68924174 T EP 0449923 A ES 2077058 T IE 72469 B JP 4503601 T	20-07-1990 15-09-1995 01-08-1990 26-06-1990 12-10-1995 14-03-1996 09-10-1991 16-11-1995 09-04-1997 02-07-1992
WO 9701634	Α	16-01-1997	IT RM950434 A AU 6241296 A	27-12-1996 30-01-1997